**2010 Southwestern University Research Congress
Podium Presentation**

Role Strain of Women as Nurse Educators

Jessamine Gail S. Acla
Mauro Allan P. Amparado

Abstract

Objectives:

This qualitative study explored the role strain of women as nurse educators of selected higher education institutions in Cebu City, Cebu, Philippines. The findings served as basis for recommendations.

Specifically, the study answered the following questions:

1. What are the responsibilities of the informants at home, workplace, and civic and religious organizations?
2. What are the sources of their role strain in terms of role conflict and role overload?
3. What is the impact of the role strain to their family and work?
4. How do the informants balance their roles?
5. What support system help in addressing the role strain?

Methods:

This feminist study was conducted in three higher education institutions of Cebu City, Cebu, Philippines. There were five women working as nurse educators and were selected purposively with the following inclusion criteria: currently employed as a nurse educator for five years or more; married; has two to three children and a member of a civic and religious organization. The study employed a one-on-one structured interview.

Findings and Conclusion:

The informants revealed that their primary responsibility at home is to take care of the needs of their husband and children. At work, they prepare and deliver lectures and examinations to undergraduate students. They also attend seminars, trainings, and bible studies. These responsibilities have caused role strains. They claimed that they lack time and energy to accomplish multiple tasks. The impact of role strain is work-family conflict. The role strain experience can be handled through time management which helps them in balancing all their roles. The family also helps them in addressing role strain that they experience. From the data collected, it revealed that work interfering with family is the role strain of the nurse educators. Therefore, the role strain they experience adversely affected their role as a mother and as a nurse educator.

Recommended citation:

Acla, J. G. & Amparado, M. A. P. (2010, March). Role Strain of Women as Nurse Educators. Paper presented in the 2010 Southwestern University Research Congress, Southwestern University, Cebu City, Cebu, Philippines, 2(1), 20-21.

**2010 Southwestern University Research Congress
Podium Presentation**

Primary Health Care Services of Urban Villages

Ramonita J. Sencio
Mauro Allan P. Amparado

Abstract

Objectives:

The study determined the awareness on Primary Health Care (PHC) services as perceived by the residents and the level of implementation of PHC services as perceived by the Volunteer Health Workers in Bulacao and Pardo, Cebu City, Cebu, Philippines. The findings served as basis for a series of re-orientation seminars on PHC programs.

Specifically, the study answered the following questions:

1. What is the level of awareness on PHC services as perceived by the residents in terms of:
 - 1.1. health education;
 - 1.2. locally endemic disease control;
 - 1.3. expanded program on immunization;
 - 1.4. maternal health, child health and family planning;
 - 1.5. provision of essential drugs;
 - 1.6. adequate food and proper nutrition;
 - 1.7. control of communicable diseases;
 - 1.8. environmental sanitation; and
 - 1.9. provision of medical care and emergency treatment?

2. What is the level of implementation on PHC services as perceived by Volunteer Health Workers in the same areas?
3. Is there a significant difference in the level of awareness and the level of implementation of the PHC programs as perceived by the respondents?
4. What problems were encountered by health care providers on the implementation of the PHC programs?
5. Based on the findings of the study, what appropriate series of re-orientation seminars can be proposed?

Methods:

This study utilized the descriptive-evaluative design. The study was conducted in two villages in Cebu City, namely, Bulacao and Pardo. The study includes 379 community residents and 26 volunteer health workers. A researcher-made tool composed of 45 items on the nine components of PHC was used. An interview guide was prepared to gather more information and confirm responses from the tool.

Findings and Conclusion:

The study revealed that the residents were aware of the PHC services. It also showed that the level of implementation of the volunteer health workers on PHC services was high. There was a significant difference in the perceptions of the residents on the level of awareness and the volunteer health workers' level of implementation of PHC services. The top three problems encountered by the health care providers were inadequate medicines, inadequate clinic space for consultation, and availability of medical doctors. In conclusion, when the targeted beneficiaries are aware of the primary health care services, the volunteer health

workers will feel more determined to perform their roles to render improved primary health care services.

Recommended citation:

Sencio, Ramonita J. & Amparado, M. A. P. (2010, March). Primary Health Care Services of Urban Villages. Paper presented in the 2010 Southwestern University Research Congress, Southwestern University, Cebu City, Cebu, Philippines, 2(1), 22-24.

**2010 Southwestern University Research Congress
Podium Presentation**

**Teaching and Management Competencies of Clinical
Instructors in Caregiver Training Institutions**

Farah Diva Dela Cuesta-Piencenaves
Mauro Allan P. Amparado

Abstract

Objectives:

The study determined the teaching and management competencies of clinical instructors in selected caregiver training institutions in Cebu, Philippines. The findings of this study served as basis for a training and development program

Specifically, the study answered the following questions:

1. What is the profile of the participants in terms of:
 - 1.1. length of service;
 - 1.2. seminars/trainings attended;
 - 1.3. highest educational attainment?
2. What is the clinical instructors' level of teaching competence in terms of:
 - 2.1. content; and
 - 2.2. classroom management?
3. What is the clinical instructors' level of management competence?
4. Is there a significant relationship between the clinical instructors':

- 4.1. profile and level of teaching competence;
- 4.2. profile and level of management competence; and
- 4.3. level of teaching and management competence?

5. What training and development program can be proposed based on the findings of the study?

Methods:

This study utilized the descriptive-correlational design. The study was conducted in nine health care institutions in Cebu, Philippines. There were 30 clinical instructors who served as respondents. A researcher-made instrument was utilized to collect data. Statistical treatment used were simple percentage, weighted mean, chi-square test of independence, Pearson-r, and contingency coefficient.

Findings and Conclusion:

Majority of the clinical instructors have less than 5 years of service, BSN degree holders and with less than 8 hours of local, national and international seminars. The administrators have less than 5 years of service and BSN graduates. They have attended more than 24 hours of local seminars, and less than 8 hours of national and international seminars.

The clinical instructors were competent in teaching competence, and management competence. There was a significant relationship between national trainings and management competence. Furthermore, there was no significant relationship between teaching competence and management competence.

Recommended citation:

Dela Cuesta-Piencenaves, F. D. & Amparado, M. A. P.
(2010, March). Teaching and Management Competencies of
Clinical Instructors in Caregiver Training Institutions. Paper
presented in the 2010 Southwestern University Research
Congress, Southwestern University, Cebu City, Cebu,
Philippines, 2(1), 25-27.