www.covidstates.org

THE COVID STATES PROJECT: **A 50-STATE COVID-19 SURVEY** REPORT #77: HEALTHCARE WORKERS' PERCEPTION OF COVID-19 MISINFORMATION

USA, January 2022

Kristin Lunz Trujillo, Northeastern University
Matthew A. Baum, Harvard University
David Lazer, Northeastern University
Katherine Ognyanova, Rutgers University
James Druckman, Northwestern University
Roy H. Perlis, Harvard Medical School
Mauricio Santillana, Harvard Medical School
Ata Uslu, Northeastern University

Alexi Quintana, Northeastern University
Alauna C. Safarpour, Harvard University
Jon Green, Northeastern University
Caroline Pippert, Northwestern University
Jennifer Lin, Northwestern University
Hong Qu, Northeastern University
Anjuli Shere, Harvard University

Northeastern University
Network Science Institute

HARVARD Kennedy School
SHORENSTEIN CENTER
on Media, Politics and Public Policy

HARVARD
MEDICAL SCHOOL

RUTGERS
THE STATE UNIVERSITY
OF NEW JERSEY

Northwestern
University

Report of January 13, 2022, v.1

The COVID States Project

From: The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States

A joint project of:

Northeastern University, Harvard University, Rutgers University, and Northwestern University

Authors: Kristin Lunz Trujillo (Northeastern University); Matthew A. Baum (Harvard University); David Lazer (Northeastern University); Katherine Ognyanova (Rutgers University); James Druckman (Northwestern University); Roy H. Perlis (Harvard Medical School); Mauricio Santillana (Harvard Medical School); Ata Uslu (Northeastern University); Alexi Quintana (Northeastern University); Alauna C. Safarpour (Harvard University); Jon Green (Northeastern University); Caroline Pippert (Northwestern University); Jennifer Lin (Northwestern University); Hong Qu (Northeastern University), and Anjuli Shere (Harvard University)

This report is based on work supported by the National Science Foundation under grants SES-2029292 and SES-2029297. Any opinions, findings, and conclusions or recommendations expressed here are those of the authors and do not necessarily reflect the views of the National Science Foundation.

This research was partly supported by a grant from the *Knight Foundation*.

We also received generous support from the *Russell Sage Foundation*.

The project was also supported by the *Peter G. Peterson Foundation*.

Data collection was supported in part by *Amazon*.

Our work was made possible through the continued financial and logistic support provided by *Northeastern University, Harvard University, Rutgers University, and Northwestern University*.

Northeastern University
Network Science Institute

COVER MEMO

Summary Memo — January 13, 2022

The COVID States Project

From: *The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States*

Partners: Northeastern University, Harvard University/Harvard Medical School, Rutgers University, and Northwestern University

Authors: Kristin Lunz Trujillo (Northeastern University); Matthew A. Baum (Harvard University); David Lazer (Northeastern University); Katherine Ognyanova (Rutgers University); James Druckman (Northwestern University); Roy H. Perlis (Harvard Medical School); Mauricio Santillana (Harvard Medical School); Ata Uslu (Northeastern University); Alexi Quintana (Northeastern University); Alauna C. Safarpour (Harvard University); Jon Green (Northeastern University); Caroline Pippert (Northwestern University); Jennifer Lin (Northwestern University); Hong Qu (Northeastern University), and Anjuli Shere (Harvard University)

From April 2020 through September 2021, we conducted multiple waves of a large, 50-state survey, some results of which are presented here. You can find previous reports online at covidstates.org.

Note on methods:

Between November 3 and December 2, 2021, we surveyed 22,277 individuals across all 50 states plus the District of Columbia. The survey was conducted by PureSpectrum via an online, nonprobability sample, with state-level representative quotas for race/ethnicity, age, and gender (for methodological details on the other waves, see covidstates.org). In addition to balancing on these dimensions, we reweighted our data using demographic characteristics to match the U.S. population with respect to race/ethnicity, age, gender, education, and living in urban, suburban, or rural areas. This was the latest in a series of surveys we have been conducting since April 2020, examining attitudes and behaviors regarding COVID-19 in the United States.

Contact information:

For additional information and press requests contact:

- Matthew A. Baum at matthew_baum@hks.harvard.edu
- David Lazer at d.lazer@neu.edu
- Katherine Ognyanova at katya.ognyanova@rutgers.edu
- James Druckman at druckman@northwestern.edu
- Roy H. Perlis at rperlis@mgh.harvard.edu
- Mauricio Santillana at msantill@fas.harvard.edu

Or visit us at www.covidstates.org.

Healthcare worker perceptions on the role of misinformation in patient healthcare decision-making

---

How significant a problem is misinformation for the delivery of healthcare services? Misinformation, and any resulting misperceptions, certainly have the potential to negatively impact people's attitudes and behaviors surrounding the COVID-19 pandemic. Whether or not someone internalizes misinformation depends on multiple factors, but one key consideration is their level of trust in established experts providing cues on COVID-19 behavior. For instance, people who do not trust sources such as the CDC will be less likely to follow its recommendations on COVID-19 prevention behaviors, and may instead opt to seek out information - which often turns out to be misinformation - on their own. Understanding the sources and effects of information and misinformation is therefore important.

National polls and published academic studies uniformly find that healthcare workers are one of the most trusted sources of information relating to health, including information about COVID-19.^{a-f} People often talk to healthcare providers about COVID-19 concerns, including the decision to get vaccinated against COVID-19. Healthcare workers, in a sense, have been eyewitnesses to the life and death health decisions that people have been making throughout the course of the pandemic. For these reasons, healthcare workers can provide us with valuable insights into people's decision-making and information sources. In order to extract "testimony" from healthcare workers, in November 2021 the COVID States Project surveyed 545 healthcare workers about their perceptions regarding how misinformation influences patient decisions related to healthcare and COVID-19 vaccines. We also asked healthcare workers about what they perceive to be sources of patient misinformation.

The objective of this survey is to extract the understanding of healthcare workers, based on their interactions with people, of the role that misinformation has played in the decisions of those individuals, and from where those individuals have received misinformation. This methodology will provide insight into how people present their reasoning to their healthcare providers. However, it cannot provide rigorous insight into whether any information sources are actually causing particular patient decisions. Further, the opinions of healthcare workers will likely themselves be influenced by their own sources of information about the pandemic.

Key Takeaways

- The vast majority of healthcare workers perceive misinformation to be negatively influencing both patient decisions to get vaccinated against COVID-19 (72%), and patient care during the pandemic (71%).
- A sizable plurality of healthcare workers - around a third - perceive misinformation as an “urgent” problem for patient healthcare during the pandemic, and also as the single most important factor influencing unvaccinated patients’ decision not to get the COVID-19 vaccine.
- The most commonly cited sources of misinformation negatively impacting patient healthcare, according to healthcare workers, are social media (73%) - particularly Facebook - as well as family and friends (64%).

Our Findings

Figure 1 below shows the extent to which healthcare workers believe unvaccinated patients relied on misinformation to make their COVID-19 vaccination decision. The response options for this question were on a 1 to 10 scale ranging from 'not important' (1) to 'most important' (10). **Nearly three-quarters (72%) of healthcare workers in our survey rated misinformation as at least a 6 on this scale – with an overall average rating of 7.1¹ – and almost a third of all healthcare worker respondents provided the highest rating possible ('most important').** This suggests that the majority of healthcare workers think their unvaccinated patients have been influenced by misinformation and misperceptions in their decision to not get the COVID-19 vaccine.

Healthcare Worker Perceptions of Unvaccinated Patients' Reliance on Misinformation for COVID-19 Vaccine Decision-Making

In your experience caring for unvaccinated patients, how important was COVID vaccine misinformation for their decision not to get vaccinated?

Self-identified healthcare workers only. Data weighted to population benchmarks. Data collected 11/03/21 - 12/03/21. N = 545.

Source: The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States (A joint project of: Northeastern University, Harvard University, Rutgers University, and Northwestern University), www.covidstates.org. • Created with Datawrapper

Figure 1.

¹ Standard deviation of 2.8.

Next, we asked healthcare workers how much of a problem misinformation has been concerning patient care during the COVID-19 pandemic. The response options ranged from 1 to 10, with 1 indicating that this has not been a problem at all and 10 indicating that it is an urgent problem. The results can be found in Figure 2, and are very similar to the Figure 1 distribution of responses: **the vast majority of healthcare workers surveyed (71%) responded with at least a 6 on this scale – with an overall average rating of 7.0² – indicating that most healthcare workers believe COVID-19 misinformation to be a problem for patient care. Once again, nearly one third of healthcare workers gave it the highest possible rating, saying that it was not just a problem, but an *urgent* problem.**

Healthcare Worker Perceptions of How Much COVID-19 Misinformation is A Problem

Please rate the following issues concerning care for your patients during the COVID-19 pandemic: Misperceptions and misinformation about COVID-19

Self-identified healthcare workers only. Data weighted to population benchmarks. Data collected 11/03/21 - 12/03/21. N = 543.

Source: The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States (A joint project of: Northeastern University, Harvard University, Rutgers University, and Northwestern University), www.covidstates.org. • Created with Datawrapper

Figure 2.

² Standard of deviation of 2.9.

We also asked healthcare workers where they thought patients received the misinformation that negatively impacted their healthcare decisions. Respondents could choose from a list of sources and indicate whether they thought each was a source of misinformation or not. (They were able to select multiple responses, so the combined total exceeds 100%.) Figure 3 shows the percent of healthcare workers surveyed who said each was a source of patients' misinformation. The most commonly cited source was social media (73%), followed by family and friends (64%), then online sources (42%), entertainment media (36%), and celebrities (34%). The most infrequently cited sources of misinformation included print news (14%), mobile (16%), and radio (21%).

Healthcare Worker Perceptions of Patient Sources of Misinformation

To the best of your knowledge, do your patients receive misinformation that negatively influences their healthcare decisions from any of the following sources? (% selecting the source)

Self-identified healthcare workers only. Data weighted to population benchmarks. Data collected 11/03/21 - 12/03/21. N = 545.

Source: The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States (A joint project of: Northeastern University, Harvard University, Rutgers University, and Northwestern University), www.covidstates.org. • Created with Datawrapper

Figure 3.

Healthcare workers perceive social media and online outlets to be the sources of much of the misinformation that patients receive (see Figure 3 above). We delved deeper into this aspect by also asking the healthcare workers who thought social media or mobile messaging apps were a source of misinformation to indicate which social media sources they thought provided their patients with misinformation that negatively impacted patient healthcare decisions. Again, survey takers could indicate whether they thought any of the listed outlets were a source of misinformation or not and were able to select multiple outlets. Figure 4 shows that the most commonly cited social media outlet that healthcare workers believe spreads misinformation to patients, by a fairly large margin, is Facebook (84%). This is 36 percentage points more than the second most commonly cited social media source, Instagram, at 48%. The next most commonly cited sources were YouTube (46%), Twitter (45%), and TikTok (42%). The least commonly cited social media sources of misinformation were WhatsApp (14%) and Wikipedia (13%).

Healthcare Worker Perceptions of Patient Social Media Sources of Misinformation

To the best of your knowledge, do your patients receive misinformation that negatively influences their healthcare decisions from any of the following sources? (% selecting the source)

Self-identified healthcare workers only. Data weighted to population benchmarks. Data collected 11/03/21 - 12/03/21. N = 405.

Source: The COVID-19 Consortium for Understanding the Public's Policy Preferences Across States (A joint project of: Northeastern University, Harvard University, Rutgers University, and Northwestern University), www.covidstates.org. • Created with Datawrapper

Figure 4.

Sources

- a) American COVID-19 Vaccine Poll. <https://covidvaccinepoll.com/app/aarc/covid-19-vaccine-messaging/#/>
- b) Darden PM, Jacobson RM. Impact of a physician recommendation. *Human Vaccine Immunotherapy*, 2014;10(9):2632-2635. doi:10.4161/hv.29020
- c) Jackson DN, Peterson EB, Blake KD, Coa K, Chou WYS. Americans' Trust in Health Information Sources: Trends and Sociodemographic Predictors. *American Journal of Health Promotion*. 2019;33(8):1187-1193. doi:10.1177/0890117119861280
- d) Paterson P, Meurice F, Stanberry LR, Glismann S, Rosenthal SL, Larson HJ. Vaccine hesitancy and healthcare providers. *Vaccine*. 2016;34(52):6700-6706. doi:10.1016/j.vaccine.2016.10.042
- e) Primary Care's Historic Role in Vaccination and Potential Role in COVID-19 Immunization Programs, *Annals of Family Medicine*. <https://www.annfammed.org/content/19/4/351/tab-e-letters>
- f) Vaccine Monitor: Some Who Were Hesitant to Get a Vaccine in January Say They Changed Their Mind Because of Family, Friends and Their Personal Doctors. *KFF*. Published July 13, 2021. <https://www.kff.org/coronavirus-covid-19/press-release/vaccine-monitor-some-whowere-hesitant-to-get-a-vaccine-in-january-say-they-changed-their-mind-because-offamily-friends-and-their-personal-doctors/>

Appendix: Data Tables

In your experience caring for unvaccinated patients, how important was COVID vaccine misinformation for their decision not to get vaccinated? Please rate on a 10-point scale, where 1 is not important at all and 10 is the single most important factor for the decision not to get vaccinated.

	%	N	Lower 95% CI	Upper 95% CI
Not important	6.8%	37	4.8%	9.2%
2	2.8%	15	1.5%	4.5%
3	3.4%	18	2.0%	5.2%
4	3.8%	21	2.4%	5.8%
5	11.6%	63	9.0%	14.5%
6	10.1%	55	7.7%	12.9%
7	8.3%	45	6.1%	10.9%
8	13.0%	71	10.3%	16.2%
9	8.6%	47	6.4%	11.3%
Most Important	31.6%	172	27.7%	35.7%
Total		543		

Table 1. Percent, sample size, and 95% confidence intervals for Figure 1.

Please rate the following issues concerning care for your patients during the COVID-19 pandemic. Rate each item on a 10-point scale, where 1 = not a problem at all and 10 = an urgent problem. Misperceptions and misinformation about COVID-19

	%	N	Lower 95% CI	Upper 95% CI
1 - Not a problem at all	8.5%	46	6.3%	11.1%
2	4.3%	23	2.7%	6.3%
3	2.9%	16	1.7%	4.7%
4	3.2%	18	2.0%	5.2%
5	10.8%	59	8.4%	13.8%
6	7.6%	41	5.5%	10.1%
7	11.9%	65	9.4%	15.0%
8	11.9%	65	9.4%	15.0%
9	8.5%	46	6.3%	11.1%
10 - An Urgent Problem	30.3%	165	26.5%	34.4%
Total		545		

Table 2. Percent, sample size, and 95% confidence intervals for Figure 2.

To the best of your knowledge, do your patients receive misinformation that negatively influences their healthcare decisions from any of the following sources? (Please select all that apply)

Information source	%	N	Lower 95% CI	Upper 95% CI
Network News	31.5%	172	27.7%	35.6%
Cable News	33.0%	180	29.1%	37.2%
Local News	31.7%	173	27.9%	35.8%
Radio	21.1%	115	17.7%	24.8%
Print News	14.1%	77	11.3%	17.3%
Social Media	72.8%	397	68.9%	76.5%
Online	42.3%	231	38.2%	46.7%
Mobile Messaging Apps	15.9%	87	13.0%	19.3%
Entertainment Media	35.5%	194	31.6%	39.8%
Celebrities	33.7%	184	29.8%	37.9%
Family and Friends	63.9%	348	59.7%	67.9%

Table 3. Percent, sample size, and 95% confidence intervals for Figure 3. Total N = 545.

To the best of your knowledge, do your patients receive misinformation that negatively influences their healthcare decisions from any of the following sources? (Please select all that apply)

Social media	%	N	Lower 95% CI	Upper 95% CI
Facebook	83.5%	338	79.4%	86.9%
Twitter	45.1%	183	40.3%	50.2%
YouTube	46.1%	187	41.2%	51.2%
Reddit	18.3%	74	14.6%	22.4%
Instagram	48.2%	195	43.2%	53.1%
Snapchat	20.7%	84	16.9%	25.0%
Wikipedia	13.1%	53	10.0%	16.8%
Messenger	27.2%	110	22.9%	31.8%
WhatsApp	14.1%	57	10.8%	17.8%
TikTok	41.7%	169	38.9%	46.7%
Other SM	17.2%	70	13.7%	21.3%

Table 4. Percent, sample size, and 95% confidence intervals for Figure 4. Total N = 405.