ISSN 2287-657X

한국통신학회 학술심포지움 논문집
THE KOREAN INSTITUTE OF COMMUNICATIONS AND INFORMATION SCIENCES

전자·통신 학술대회

제5권, 제1호

2016. 12. 3

- 주최 : 한국통신학회
- 장소 : 부산대학교

KICS 한국통신학회
The Korean Institute of Communications and Information Sciences

목 차

제어계측 : 제 1발표장 (제8공학관 8404호)

좌장 : 강봉순(동아대) / 송한정(인제대)

1. 13:20~13:35	허프변환을 이용한 안전벨트 검출 박준영, 전종주, 엄일규	13
2. 13:35~13:50	다전로 전력 측정을 위한 전력 관제 시스템 최건우, 강봉순	15
3. 13:50~14:05	3D 지도 제작 시 RANSAC 알고리즘을 이용한 곡선 구간의 정밀도 향상 김선우, 김진호, 이장명	17
4. 14:05~14:20	선박 안전을 위한 선내시스템 원격 모니터링 서비스 GUI 설계에 관한 연구 김석진, 김정훈, 임재홍	21
5. 14:20~14:35	지자기 센서와 Encoder의 Dead Reckoning방법을 통한 옴니휠 로봇의 직진주행성 향상 최병찬, 송준우, 김태언, 이호원, 이장명	25
14:35~14:55	휴 식	
6. 14:55~15:15	개선된 지정맥 인식 알고리즘을 위한 손가락 외곽 영역 검출 방법 이선범, 강봉순	29
7. 15:15~15:35	EtherCAT 산업용 프로토콜을 이용한 리눅스 기반 CNC시스템 16축 확장 구현 문병훈, 박성문, 김세준, 최준영	31
8. 15:35~15:55	영상처리 기반 수중 골프공을 회수하는 소형 무인잠수정 연구 이승헌, 이민수, 민병수, 류민영, 김성일	35
9. 15:55~16:15	5 V용 PWM Buck Converter 의 부하변동률 특성해석 나재훈, 이자경, 모영세, 산딕쿠마르, 정원영, 송한정	39

전파/통신 : 제 4발표장 (제8공학관 8407호)

좌장 : 윤원용(동아대) / 고진환(경상대)

1. 13:20~13:35	SDN-based eMBMS Network Simulation with Real Smart phones 부카리 잔피자, 박준혁, 윤원용	111
2. 13:35~13:50	Distance Independent Camera Based Visible Light Communication Willy Anugrah Cahyadi, 정연호	115
3. 13:50~14:05	Positioning Techniques for Underwater Visible Light Communication Denny Darlis, Arsyad Ramadhan Darlis, Willy Anugrah Cahyadi, 정연호 ...	119
4. 14:05~14:20	Water Type Identification in Underwater VLC Arsyad Ramadhan Darlis, Shivani Teli, Willy Anugrah Cahyadi, 정연호	121
5. 14:20~14:35	SDN 기반 LTE-WiFi 핸드오버 구조 박준혁, 윤원용	123
14:35~14:55 휴 식		
6. 14:55~15:10	반사환경에서 3차원 임펄스 응답 안테나의 방사패턴 복구 시저웨슬리, 강경목, 설경은, 고진환	127
7. 15:10~15:25	8비트 PIC 마이크로컨트롤러 기반 로렌츠 회로를 이용한 암호통신 차민드라, 반하, 알라딘, 쿠마르 산딕, 권유진, 정원영, 송한정	131
8. 15:25~15:40	STFT를 이용한 wav파일의 MIDI변환 오의영	133
9. 15:40~15:55	음성인식을 이용한 드론 제어 시스템 강승현, 김정훈, 오웅, 윤태현	137
10. 15:55~16:10	다중 공간 주파수 선형 조합을 이용한 역산란 재구성 영상에 대한 해상도 개선 김하철, 한대현	141

Positioning Techniques for Underwater Visible Light Communications

Denny Darlis, Arsyad Ramadhan Darlis, Willy Anugrah Cahyadi, Yeon Ho Chung*

Pukyong National University

*E-mail: yhchung@pknu.ac.kr

Abstract

In this paper, a positioning scheme for Underwater Visible Light Communications (UVLC) is proposed. Using buoys as UVLC transmitters on the sea surface and any photodetector based receiver underwater, the position of the receiver is estimated using multilateration method based on received signal strength within the transmitter coverage. A numerical evaluation was carried out, which shows that the proposed positioning scheme has a high level of accuracy, compared with other underwater positioning schemes. It can further be extended that Global Positioning System assisted intelligent buoys can be developed for UVLC positioning.

I. Introduction

Underwater optical wireless communication system has become an interesting research area to explore [1]. Global Positioning System (GPS) suffers from a poor performance in certain areas, especially underwater. Therefore, we cannot use GPS for an accurate underwater positioning [2]. Studies on visible light communication (VLC) have recently demonstrated promising applications on indoor localization and positioning, which can offer an accuracy of up to millimeter scale[3].

The present work investigates an

Underwater VLC (UVLC) positioning scheme employing several buoys floating on the sea that transmit LED ID as position data to a receiver under clear ocean water. The receiver device equipped with a photodetector receives optical power signals from several LEDs to estimate its position based on a multilateration method.

The rest of this paper is organized as follows. Section II describes the system configuration. Section III presents the results and finally, conclusions are drawn in Section IV.

II. System Configuration

Figure 1 shows the system configuration. A simulation for the transmission was carried out employing four buoys transmitting LED IDs through blue LED with a defined angle of divergence of 60° through OOK modulation. Each transmitter consists of 140 W LED bulbs. The illuminance distribution pattern of the blue LEDs at a certain depth, which represents a coverage area of the reception, was fed directly into the photodiode receiver in line-of-sight (LOS) links without any obstruction. The buoys were assumed to be static on the sea surface unaffected by environment condition such as winds or sea waves that will make spatial interferences. We also assumed that the sunlight exposure did not penetrate through sea surface that can add noises to the signals reception. We

defined an investigation area of 20 m x 20 m x 30 m for ease of analysis of the position accuracies.

Figure 1. Receiver positioning system for underwater VLC using 4 buoys

III. Results

A simulation was carried out based on the aforementioned assumptions. The receiver will get the signals from the transmitter with losses due to clear water channel in LOS link with received power distribution.

The results show that we can estimate the position of any receiver with an accuracy of 10 cm using multilateral method (Fig. 2). It should be noted that in this simulation we use a linear least square calculation to compute the estimated distance of true position based on the received signal strength. Since the position was estimated in terms of coordinate from four sources, we could obtain a better accuracy compared with the estimation from fewer sources.

IV. Conclusion

The proposed positioning scheme for UVLC has been simulated using four buoys placed on sea surface and one underwater receiver. Multilateration method and linear least square estimation were used to estimate the real position of the receiver. The proposed scheme shows an

accuracy of 10 cm under predefined conditions. For future work, we need to consider simulation employing real

Figure 2. Simulation results: An estimated position for receiver at a coordinate of (13, 7) meter.

practical environment parameters such as sea surface movement or wind direction and sunlight exposure on several type of sea waters.

Acknowledgment

This research is funded by the Research Grant of BB (Brain Busan) 21 project of 2016.

Reference

- [1] H. Kaushal and G. Kaddoum, "Underwater optical wireless communication", *IEEE Access*, vol. 4, pp. 1518–1547, 2016.
- [2] F. Akhondi, J. A. Salehi, and A. Tashakori, "Cellular underwater wireless optical CDMA network: performance analysis and implementation concepts", *IEEE Trans. Commun.*, vol. 63, no. 3, pp. 882–891, 2015.
- [3] W. Zhang, M. I. S. Chowdhury, M. Kavehrad, "Asynchronous indoor positioning system based on visible light communications", *Optical Engineering*, vol. 53, pp. 0451051–0451059, 2014.