Exploring the Science of Marma - An Ancient Healing Technique - Part 2: Definition and Properties of Marma

Alka Mishra*, Vandana Shrivastava

*Department of Ayurveda and Holistic Health, Dev Sanskriti Vishwavidyalaya,
Gayatrikunj-Shantikunj, Haridwar, Uttarakhand, India*

***Corresponding Author:** Alka Mishra - Email: alka.mishra@dsvv.ac.in

License information for readers:

This paper is published online under the Creative Commons Attribution (CC BY 4.0) License, whose full terms may be seen at <https://creativecommons.org/licenses/by/4.0/>

Uploaded online: 27 June 2020

Abstract

In the vast sea of the knowledge of Ayurveda, Marma is one of the extremely important topics. Marma points have been unanimously accepted as the 'seats of life' (Prana - the vital life force). If these locations are injured, then it may lead to severe pain, disability, loss of function, loss of sensation, or death. Therefore, the ancient scriptures have strictly directed that these vital locations should not be injured, and due care should be taken in this regard even while doing surgeries. However, recent researches indicate that if there is inflammation or pain at any Marma point, then stimulating its nearby Marma points can help in alleviating this pain. This Marma Therapy has been used in treating various physical and mental disorders, with encouraging results.

In view of the importance of Marma Science mentioned in scriptures and with regards to surgeries, as well as the encouraging outcomes of Marma Therapy in recent times, the present study was undertaken for an in-depth study of the Science of Marma. Part-1 of this study gave an account of various ancient / classical Indian scriptures that mention different aspects of the Science of Marma. The present article, which is Part-2 of this study, gives a detailed description of the number of marmas, their location, structures involved, correlation with Panchamahabhutas, classification, as well as a detailed explanation of marmaghata or viddha lakshanas (effect of trauma), as given in classical texts written during Samhita kala. The anatomical correlation with modern science is also presented.

Keywords: Ayurveda, Marma Science, Marma Therapy, Marma Classification, Marmaghata

1. Introduction

In the vast sea of the knowledge of Ayurveda, Marma is one of the extremely important topics. Marma point is defined as anatomical site where muscles, veins, ligaments, bones and joints meet together (Sushruta Samhita Sharira Sthana 6/16) [1]. According to Acharya Sushruta there are 107 marmas in human body (Sushruta Samhita Sharira Sthana 6/3) [1]. These are very important vital places, that are the 'seats of life' (Prana - the vital life force) (Ashtanga Hridaya Sharira Sthana 4/2) [2]. Any injury to these parts may lead to severe pain, disability, loss of function, loss of sensation, or death [3]. It plays an important role in surgery; therefore, it is called 'Shalya Vishayardha' (half of the entire science of surgery) (Sushruta Samhita Sharira Sthana 6/35) [1]. Acharya Sushruta states that Marma sthan, a very vital point, should not be injured and should be kept intact even while doing surgeries (Sushruta Samhita Sharira Sthana 6/21) [1].

However, recent researches indicate that if any Marma point is inflamed or painful, then stimulating its nearby Marma points can help in alleviating this pain [4]. Several studies and texts have reported the therapeutic benefits of Marma Therapy in treating various physical and mental disorders [3-23].

Looking at the importance of the Marma Science with regards to surgeries, as well as their recent use and future possibilities as an effective therapeutic procedure, the present study has been undertaken for an in-depth study of the Science of Marma.

An account of various ancient / classical Indian scriptures, including the Vedas, Upanishads, Puranas, Samhitas, etc. [3-10,22-35], that mention different aspects of the Science of Marma, was given in Part-1 of this study [36]. The present article, which is Part-2 of this study, gives the definition and a detailed description of the properties of Marmas, as stated in the classical texts, mostly written during Samhita kala. The description includes information about the number of marmas, their location, structures involved, correlation with Panchamahabhutas, classification, as well as a detailed explanation of marmaghata or viddha lakshanas, i.e. the effect of trauma on Marmas. The anatomical correlation with modern science is also presented.

2. Derivation of the Word 'Marma'

The origin of word 'Marma' can be traced in various texts as follows:

2.1 Amarakosha

मृ - मनिन्, मृ + प्राणत्यागे

(Amarakosha 3/5/30) [37]

Amarakosha [37] explains that the word marma is derived from the sanskrit term 'mri- manin' or 'mri- pranatyage'. It means that which causes death or death like miseries.

2.2 Shabdakalpadruma

मृ + 'सर्वधातुभ्यो मनिन्'

(Shabdakalpadruma 4/144, chapter 3, pg. 941) [38]

Shabdakalpadruma [38] mentions that the word marma is derived from 'mri' dhatu. Its meaning is explained as sandhistanam (i.e. joining point of various structures) or jeevasthanam (seats of life) [38].

2.3 Raj Nighantu

मृ - मनिन्, जीव स्थाने: संधि स्थाने तात्पर्ये च।

(Raj Nighantu, Manushya Varga / 64) [39]

Raj Nighantukara opines that the word marma is derived from 'mri - manin', which means seat of life (jeevasthana) or conglomeration of many important structures (sandhi sthana) [39].

Thus, based on the above descriptions, Marma is derived from the root word 'mri' with suffix 'manin'. The word 'Marman' is the singular form, which means jeevasthanam (seat of life) or sandhistanam (meeting place).

Etymologically each letter of word marma has got specific meaning - 'Ma' means prana or vayu, Repha denotes house or seat. Therefore, 'Marma' means seat of Prana or Vayu, where Prana is the vital life force that governs all the physical and subtle processes of a living being [40-43].

3. Definitions of 'Marma'

3.1 According to Acharya Sushruta

मर्माणि मांससिरास्नाय्वस्थिसन्धिसन्निपाताः, तेषु स्वभावत एव विशेषेण प्राणास्तिष्ठन्ति।

(Sushruta Sharira 6/15) [1]

Marma (fatal spots) are confluence of muscles, veins, ligaments, bones and joints. These are the places where the Prana (vital life force) resides naturally [1].

3.2 According to Ashtanga Sangraha

तत्पुनः मांससिरास्नाय्वस्थिसन्धिसन्निपातः। तेन तस्मिन् पीड्यमाने विशेषतः प्राणबाधः॥

(Ashtanga Sangraha Sharira 7/28) [44,45]

Marmas are the sites where muscles, veins, ligaments, bones and joints meet. If they get traumatized, Prana gets destroyed [44,45].

3.3 According to Ashtanga Hridaya

मांसास्थिस्नायुधमनीसिरासन्धिसमागमः। (Ashtanga Hridaya Sharira 4/38) [2]

Marmas are the sites where muscles, bones, ligaments, artery, veins and joints meet each other [2]. Prana is especially located there, and if they get afflicted, it may lead to death.

3.4 According to Acharya Chakrapani

तच्च मांस सिरास्नाय्वस्थिसंधिषु निविष्टम्। (Charaka Siddhi 9/3, Chakrapani Tika) [46]

The meeting point of muscle, vein, ligament, bone and joint is called Marma, which are dependent on these components [46].

3.5 According to Acharya Aruna Dutta

मरणकारित्वान्मर्म, मरणसदृशदुःखादयित्वाद्वा।

(Ashtanga Hridaya Sharira, Aruna Dutta Tika 4/37) [47]

Those locations, which when injured lead to destruction of life, are called Marmas [24,47].

3.6 According to Acharya Bhava Prakash

सन्निपातः सिरास्नायु संधिमांसास्थि सम्भवः। मर्माणि तेषु तिष्ठन्ति प्राणाः खलु विशेषतः॥

(Bhava Prakash, Purva Khand, Garbha Prakaran 3/223) [48,49]

The meeting point of vein, ligament, joint, muscle and bone is called Marma point [48,49]. Prana especially resides in these points [48,49].

4. Lakshanas (Nature / Signs) of Marma

4.1 According to Acharya Sushruta

मर्माणि मांससिरास्नाय्वस्थिसन्धिसन्निपाताः, तेषु स्वभावत एव विशेषेण प्राणास्तिष्ठन्ति,

तस्मान्मर्मस्वभिहतास्तांस्तान् भावानापद्यन्ते॥ (Sushruta Sharira 6/15) [1]

Marma (fatal spots) are confluence of muscles, veins, ligaments, bones and joints [1]. Prana (vital life force) especially resides in these locations; hence if the Marmas are injured, they produce their respective effect [1].

4.2 According to Acharya Dalhana

मारयन्तीति मर्माणि॥

(Sushruta Sharira, Dalhan Tika 6/3) [50]

Any injury to marma points may lead to death [21,24,28].

4.3 According to Acharya Vagabhatta

विषमं स्पन्दनं यत्र पीडिते रुक् च मर्म तत्॥ (Ashtanga Hridaya Sharira 4/37) [2]

That part of the body is Marma, where, on giving extreme (extraordinary) spandan (vibration) or on pressing, there is extraordinary pain [2].

4.4 According to Acharya Charaka

तेषामन्यतमपीडायां समधिका पीडा भवति, चेतनानिबन्धवैशेष्यात् । (Charaka Samhita Siddhi 9/3) [51]

In case of affliction in any marma point, there is more pain (excruciating type) than any other part of the body, because of the specific attachment of chetana (consciousness) to these spots [51].

4.5 According to Acharya Sharangadhara

मर्माणि जीवधाराणि प्रायेण मुनयो जगुः॥ (Sharangadhara Samhita, Purva Khand, 5/39) [52]

The Marma points in the body are mostly the foundational locations of life - this has been told by the ancient sages [52]. Prana especially resides in the Marma locations.

4.6 According to Acharya Bhava Prakash

मर्माणि तेषु तिष्ठन्ति प्राणाः खलु विशेषतः। (Bhava Prakash, Purva Khanda 3/223) [48,49]

Marma spots are specific location of prana (vital life force) [48,49].

4.7 According to Raj Nighantu

जीव स्थानेः संधि स्थाने तात्पर्ये च। (Raj Nighantu, Manushya Varga / 64) [39]

Marmas are seats of life (jeevasthana) and meeting point of many important structures (sandhisthana) [39].

All the above lakshanas show the importance and vitality of Marma points. Any injury, trauma or disease affecting Marma will cause death or miseries equal to death.

5. Classification of Marmas

In the ancient scriptures, Marmas have been classified in different ways, such as their location in different regions of the body, anatomy, size, effect of trauma on these, etc. This section illustrates the different types of classifications of Marmas.

5.1 Classification of Marmas according to their Location in different Regions of the Body

Table 1 gives the classification of Marmas according to their location in different regions of the body, i.e. upper limbs (22), lower limbs (22), abdomen and chest (12), back (14), supraclavicular region (neck and head) (37).

5.2 Anatomical classification of Marmas according to Acharya Sushruta

Acharya Sushruta [1] has classified Marmas into five types according to the Dhātu from which they are made. These types include Mamsa (Muscle), Asthi (Bone), Snayu (Ligament), Sira (Vessel) and Sandhi (Joint) [1].

5.3 Anatomical Classification of Marmas according to Acharya Vagbhatta

Acharya Vagbhatta has classified Marmas into six types according to the Dhātu bheda [2]. He has added one additional Marma named 'Dhamani Marma' [2]. These types include Mamsa (Muscle), Asthi (Bone), Snayu (Ligament), Dhamani (Artery), Sira (Vein) and Sandhi (Joint) [2].

5.4 Names of Marmas included under different anatomical classes

Table 2 gives the Names of Marmas included under different anatomical classes, i.e. Mamsa Marma (11), Sira Marma (41), Snayu Marma (27), Asthi Marma (8), Sandhi Marma (20), and Dhamani Marma (9).

Table 1: Marmas in different regions of the body. (The numeric digits next to the Marmas state their respective numbers in the body)

Urdhva Shakhagata (Upper limbs) (11X2)	Adho Shakhagata (Lower limbs) (11X2)	Udaragata (Abdomen) & Urogata (Thorax) (12)		Prishthagata (Back) (7X2)	Urdhwajatrugata (Supraclavicular region) (37)	
		Abdomen (3)	Thorax (9)		Neck (14)	Head (23)
Talahridaya-2	Talahridaya-2	Guda-1	Hridaya-1	Amsa-2	Nila-2	Vidhura-2
Kshipra-2	Kshipra-2	Vasti-1	Stanamula-2	Amsaphalaka-2	Manya-2	Phana-2
Kurcha-2	Kurcha-2	Nabhi-1	Stanarohita-2	Vrihati-2	Matrika-8	Apanga-2
Kurchashira-2	Kurchashira-2		Apalapa-2	Parshvasandhi-2	Krikatika-2	Avarta-2
Manibandha-2	Gulpha-2		Apastambha-2	Nitamba-2		Utkshepa-2
Indravasti-2	Indravasti-2			Kukundara-2		Shankha-2
Kurpara-2	Janu-2			Katikataruna-2		Sthapani-1
Ani-2	Ani-2					Shringataka-4
Urvi-2	Urvi-2					Simanta-5
Lohitaksha-2	Lohitaksha-2					Adhipati-1
Kakshadhara-2	Vitapa-2					

Table 2: Names of Marmas included under different anatomical classes. (The numeric digits next to the Marmas state their respective numbers in the body)

*Mamsa Marma (11)	*Sira Marma (41)		*Snayu Marma (27)	*Asthi Marma (8)	*Sandhi Marma (20)	#Dhamani Marma (9)
Talahridaya(4)	Urvi (4)	Nabhi (1)	Kurcha (4)	Katikataruna(2)	Janu (2)	Guda (1)
Indravasti (4)	Lohitaksha (4)	Nila (2)	Kurchashira (4)	Nitamba (2)	Kurpara (2)	Apastambha(2)
Stanarohita(2)	Vrihati (2)	Manya (2)	Kshipra (4)	Ansaphalaka(2)	Gulpha (2)	Vidhura (2)
Guda (1)	Parshvasandhi(2)	Matrika (8)	Ani (4)	Shankha (2)	Manibandha(2)	Shringataka (4)
	Hridaya (1)	Shringataka(4)	Kakshadhara(2)		Kukundara (2)	
	Stanamula (2)	Apanga (2)	Vitapa (2)		Krikatika (2)	
	Apalapa (2)	Phana (2)	Ansa (2)		Simanta (5)	
	Apastambha(2)	Sthapni (1)	Basti (1)		Adhipati (1)	
			Utkshepa (2)		Avarta (2)	
			Vidhura (2)			

* According to Acharya Sushruta (Sushruta Samhita, Sharira Sthana, Chapter 6) [1]

According to Acharya Vagbhata (Ashtanga Hridaya, Sharira Sthana, Chapter 4) [2]

5.5 Classification according to the Size of Marmas

The Size of Marma varies from ardha-anguli (half finger) to hatheli (palm) or mushti (fist). Out of 107 marmas, 56 are of half finger size, 12 are of one finger size, 6 are of two finger size, 4 are of three finger size, and 29 are of one palm or one fist size (Sushruta Sharira 6/28-30) [1].

Table 3: Classification according to the Size of Marmas (Sushruta Sharira, 6/28-30) [1]. (The numeric digits next to the Marmas state their respective numbers in the body)

Eka anguli pramana (1 finger size) (12)	Dwi anguli pramana (2 finger size) (6)	Tri anguli pramana (3 finger size) (4)	Eka hatheli/ mushti pramana (1 palm / fist size) (29)	Ardha-anguli pramana (Half finger size) (56)	
Urvi (4)	Gulpha (2)	Janu (2)	Kurcha (4)	Kshipra (4)	Vrihati (2)
Kurchashira (4)	Manibandha (2)	Kurpara (2)	Guda (1)	Talahridaya (4)	Ansa (2)
Vitapa (2)	Stanamula (2)		Vasti (1)	Indrabasti (4)	Ansaphalaka(2)
Kakshadhara (2)			Nabhi (1)	Ani (4)	Krikatika (2)
			Hridaya (1)	Lohitaksha (4)	Vidhura (2)
			Nila (2)	Apalapa (2)	Phana (2)
			Manya (2)	Apastambha(2)	Apanga (2)
			Matrika (8)	Stanarohita (2)	Avarta (2)
			Simanta (5)	Katikataruna (2)	Utkshepa (2)
			Shringataka (4)	Kukundara (2)	Shankha (2)
				Nitamba (2)	Sthapani (1)
				Parshvasandhi(2)	Adhipati (1)

5.6 Classification according to the Result / Outcome (Symptoms if Injured)

Table 4 gives the prognostic classification of Marmas, i.e. the classification according to the symptoms observed upon injury to a Marma point, which include Sadyah Pranahara (Immediate death causing) (19), Kalantara Pranahara (Death causing after some time) (33), Vishalyagha (Fatal after removal of foreign material) (3), Vaikalyakara (Disabling) (44), and Rujakara (Painful) (8) (Sushruta Sharira, Chapter 6) [1].

Table 4: Prognostic classification of Marmas (Sushruta Sharira, 6) [1]. (The numeric digits next to the Marmas state their respective numbers in the body)

Sadyah Pranahara (Immediate death causing) (19)	Kalantara Pranahara (Death causing after some time) (33)		Vishalyagha (Fatal after removal of foreign material) (3)	Vaikalyakara (Disabling) (44)		Rujakara (Painful) (8)
Guda (1)	Kshipra (4)	Stanamula (2)	Utkshepa (2)	Lohitaksha (4)	Ansa (2)	Gulpha (2)
Vasti (1)	Talahridaya (4)	Simanta (5)	Sthapani (1)	Ani (4)	Ansaphalaka(2)	Manibandha(2)
Nabhi (1)	Indrabasti (4)	Katikataruna (2)		Urvi (4)	Krikatika (2)	Kurchashira(4)
Hridaya (1)	Apalapa (2)	Parshvasandhi(2)		Kurcha (4)	Nila (2)	
Matrika (8)	Apasthambha(2)	Vrihati (2)		Janu (2)	Manya (2)	
Shankha (2)	Stanarohita (2)	Nitamba (2)		Kurpara (2)	Vidhura (2)	
Shringat(4)				Vitapa (2)	Phana (2)	
Adhipati (1)				Kakshadhara(2)	Apanga (2)	
				Kukundara (2)	Avarta (2)	

5.7 Classification of Marmas according to Panchabhautika guna [Sushruta Sharira, Chapter 6] [1]

The classification of Marmas according to Panchabhautika guna is similar to the prognostic classification given in Table 4, wherein the correspondence between the Panchabhautika guna and the prognostic classification is as follows -

1. Agneya (having fire quality) (19) - these are Sadyah Pranahara Marma
2. Saumyagneya (having fire & water qualities) (33) - these are Kalantara Pranahara Marma
3. Vayavya (having air quality) (3) - these are Vishalyaghna Marma
4. Saumaya (having water quality) (44) - these are Vaikalyakara Marma
5. Vayavya (having air with little fire quality) (8) - these are Rujakara Marma

5.7.1 Nature of Fatal Spots (Qualities of Marma or correlation with Pancha Mahabhutas):

The nature of Sadyah Pranahara marma is Agneya, i.e. having qualities of fire; therefore, owing to this fire like (sharp) quality, injury to these marma kills the affected person quickly (Sushruta Sharira 6/16) [1]. The fatal time period of Sadyah Pranahara marma is less than seven days (Sushruta Sharira 6/23) [1]. These marma are nineteen in number (Sushruta Sharira 6/8) [1]. If an injury occurs at the border or nearby area of the location of Sadyah Pranahara marma, the occurrence of death is slightly delayed, i.e. the effect is similar to that of Kalantar Pranahara marma (Sushruta Sharira 6/22) [1].

The nature of Kalantar Pranahara marma is Saumyagneya, i.e. having qualities of both fire and water; therefore, although due to their fire like nature, an injury to these marma kills the affected person quickly, but because of the cold and stable nature of soma (water), the occurrence of death is delayed (Sushruta Sharira 6/16) [1]. For Kalantar Pranahara marma, the fatal time period is from fifteen days to one month (Sushruta Sharira 6/23) [1]. These are thirty three in number (Sushruta Sharira 6/8) [1]. If an injury occurs at the border or nearby area of the location of Kalantar Pranahara marma, it causes deformity, i.e. the effect is similar to that of Vaikalyakara marma (Sushruta Sharira 6/22) [1].

Vishalyaghna marma are Vayavya, i.e. having qualities of air. If these marma are injured by a shalya (foreign body), then because of their Vayavya nature, as long as the air remains obstructed inside (i.e. prevented from coming out) by the mass of the shalya (foreign body), the person stays alive, but as soon as the foreign body is pulled out, the air residing in the fatal spot comes out and the person dies. However, after the injury, if the shalya is not pulled out before the completion of the auto

healing process, then it provides protection to the Prana at that location until the wound is healed normally, and the shalya is pulled out along with pus (Sushruta Sharira 6/16) [1]. Vishalyaghna marma may also sometimes lead to death if these are heavily injured (Sushruta Sharira 6/23) [1]. These are three in number (Sushruta Sharira 6/8) [1]. If an injury occurs at the border or nearby area of the location of Vishalyaghna marma, it causes deformity, i.e. the effect is similar to that of Vaikalyakara marma (Sushruta Sharira 6/22) [1].

Vaikalyakara marma are Saumya, i.e. having qualities of moon / water. Because of the stability and cold property of Soma guna, these help in the sustenance of life (Sushruta Sharira 6/16) [1]. Vaikalyakara marma may also sometimes lead to death if these are heavily injured (Sushruta Sharira 6/23) [1]. These are forty four in number (Sushruta Sharira 6/8) [1]. If an injury occurs at the border or nearby area of the location of Vaikalyakara marma, it harms the body after some time and also produces pain, i.e. the effect is similar to that of Rujakara marma (Sushruta Sharira 6/22) [1].

Rujakara marma predominantly have the properties of fire and air, both of which produce pain (Sushruta Sharira 6/16) [1]. Although Agni is diminished because of trauma, yet Vayu causes constant pain at the affected part. These are eight in number (Sushruta Sharira 6/8) [1]. If an injury occurs at the border or nearby area of the location of Rujakara marma, it causes severe pain (Sushruta Sharira 6/22) [1].

6. Location, Anatomical Correlation, Size and Number of Marmas

With reference to the above mentioned details about Marmas, in modern times, several studies have acknowledged the importance of Marmas [53-60], and several others have been conducted with regards to studying / ascertaining the location, anatomy, size, and other properties of the Marmas [17,19,20,27-33,35,61-68].

Table 5 to Table 10 give the location, anatomical correlation with modern science, size and number of Marmas of different parts of the body, i.e. Upper Extremities, Lower Extremities, Abdomen, Thorax, Back, and Supraclavicular region, respectively [3,7,10]. Figure 1 gives the location and size of individual Marmas in the Shadanga Sharira (entire body) [35].

Table 5: Location, anatomical correlation, size and number of Marmas of Upper Extremities.

Marmas of Upper Extremities (22 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation [3]	Size [1]	No.
1.	Talahridaya	In the palm's center, in line of middle finger, just below 3 rd metacarpo-phalangeal joint	Palmer Aponeurosis	1/2finger	2
2.	Kshipra	Between index finger and thumb	1 st Inter Metacarpal Ligament	1/2finger	2
3.	Kurcha	From thumb's base, 1 finger above (proximal)	Carpometacarpal & Intercarpal Ligament	1 palm	2
4.	Kurchashira	1 finger below Kurcha, below wrist joint	Lateral Ligament of Wrist Joint	1 finger	2
5.	Manibandha	On top of the wrist	Wrist Joint	2 finger	2
6.	Indravasti	In the mid-line of hand, 4 finger below elbow crease	Origin of Palmer Longus Muscle	1/2finger	2
7.	Kurpara	On the either side of the elbow joint	Elbow Joint	3 finger	2
8.	Ani	Just medial to mid-line of the hand, 3 fingers above elbow joint	Tendon of Bicep Muscle	1/2finger	2
9.	Urvi	4 fingers above Ani, in mid of arm	Brachial Artery	1 finger	2
10.	Lohitaksha	Medial to mid-line of hand, over anterior axillary fold	Brachial Plexus	1/2finger	2
11.	Kakshadhara	Below lateral 1/3 rd of clavicle and medial to head of humerus, in delto-pectoral groove	Axillary Vessels	1 finger	2

Figure 1. Location and size of individual Marmas in the Shadanga Sharira (entire body) (Courtesy Fedorova, 1990 [35]). 1/2F means half finger size, 1F means one finger size, 2F means two finger size, 3F means three finger size, and PALM means one palm or one fist size.

Table 6: Location, anatomical correlation, size and number of Marmas of Lower Extremities.

Marmas of Lower Extremities (22 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation [3]	Size [1]	No.
1.	Talahridaya	6 fingers proximal to 3 rd toe, center of sole	1 st Inter Metatarsal Ligament	1/2finger	2
2.	Kshipra	Between 2 nd toe and big toe (in the web)	Long Planter Ligament	1/2finger	2
3.	Kurcha	About 1 finger proximal to metatarso-phalayngeal joint of big toe, over the sole	Tarsometatarsal & Intertarsal Ligament	1 palm	2
4.	Kurchashira	On either side (medial and lateral) over the heel, below ankle joint	Lateral Ligament of the Ankle Joint	1 finger	2
5.	Gulpha	Ankle joint	Ankle joint	2 finger	2
6.	Indravasti	In the mid-line, between 2 bellies of gastrocnemius muscle - lower leg's center	Calf Muscles	1/2finger	2
7.	Janu	Knee joint	Knee joint	3 finger	2
8.	Ani	3 fingers above knee joint - upper leg's lower part	Tendon of Quadriceps Femoris	1/2finger	2
9.	Urvi	Upper thigh's mid region	Femoral Vessels	1 finger	2
10.	Lohitaksha	Leg's upper part - below inguinal canal	Iliac Vessels	1/2finger	2
11.	Vitapa	Between testicles and inguinal canal	Inguinal Ligament	1 finger	2

Table 7: Location, anatomical correlation, size and number of Marmas of Abdomen.

Marmas of Abdomen (3 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation[3]	Size[1]	No.
1.	Guda	Anus and the area surrounding it	Anal Canal and Anus	1 palm	1
2.	Vasti	In lower abdomen area - behind and above pubic symphysis	Urinary Bladder	1 palm	1
3.	Nabhi	In and around navel	Umblicus	1 palm	1

Table 8: Location, anatomical correlation, size and number of Marmas of Thorax.

Marmas of Thorax (9 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation [3]	Size[1]	No.
1.	Hridaya	In thoracic cage's middle area, slightly to the left	Heart	1 fist	1
2.	Stanamula	2 finger below nipples' level (at about 6 th intercostal space)	Internal Mammary Vessels	1 finger	2
3.	Stanarohita	Breast's upper region (at about 2 nd - 3 rd intercostal space)	Lower Part of Pectoralis Major Muscle	1/2finger	2
4.	Apalapa	On top of flanks and below shoulder joint	Lateral Thoracic and Subscapular Vessel	1/2finger	2
5.	Apastambha	On either side of sternum, at 2 nd intercostal space	Two Bronchi	1/2finger	2

Table 9: Location, anatomical correlation, size and number of Marmas of Back.

Marmas of Back (14 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation [3]	Size [1]	No.
1.	Amsa	On top of back, between arm and neck - vertically parallel to either sacro-iliac(SI) joint	Coraco-humoral, Gleno-humoral Ligament, Trapezius Muscle	1/2 finger	2
2.	Amsaphalaka	Shoulder blade - just medial to scapular spine's root	Scapular Spine	1/2 finger	2
3.	Vrihati	In line with either sacro-iliac(SI) joint - just above the level of scapula's inferior angle	Subscapular and Transverse Cervical Arteries	1/2 finger	2
4.	Parshvasandhi	Below the 12 th rib's inferior border, between flanks and buttock, at Renal angle	Common Iliac Vessels / Renal Angles	1 finger	2
5.	Nitamba	Buttock's upper region	Ischial Tuberosity	1/2 finger	2
6.	Kukundara	On lower iliac spine's either side	Sacroiliac Joint	1/2 finger	2
7.	Katikataruna	Over the line joining ischial tuberosity and femur's greater trochanter	Sciatic Notch	1/2 finger	2

Table 10: Location, anatomical correlation, size & number of Marmas of Supraclavicular region.

Marmas of Supraclavicular region (37 in number)					
S.	Marma	Location [1,3,10]	Anatomical Correlation [3]	Size [1]	No.
1.	Nila	Just lateral to trachea - at throat's base	Right and Left Common Carotid Artery	1 palm	2
2.	Manya	About 1/2 finger downwards and posterior to angle of mandible - side of upper neck	Right Sub-clavian Artery and Internal Jugular Veins	1 palm	2
3.	Matrika	neck's both sides	Blood Vessels of the Neck	1 palm	8
4.	Krikatika	Joint of neck and head - just on occipital protuberance's inferior part	Atlanto Occipital Articulation	1/2finger	2
5.	Vidhura	Below and at the back of ears	Posterior Auricular Ligament	1/2finger	2
6.	Phana	Ala nasi's either side	Kiesselbach's Plexus in Little's Area of Nose	1/2finger	2
7.	Apanga	Eyes' outer corner	Zygomatico-temporal Vessels	1/2finger	2
8.	Avarta	At eyebrows' center - in orbital cavity's upper border	Junction of Frontal, Molar & Sphenoid Bone	1/2finger	2
9.	Utkshepa	At hairline's border - above the temples	Temporal Muscles and Fascia	1/2finger	2
10.	Shankha	On top of temples	Temples	1/2finger	2
11.	Sthapani	On front of forehead - between the eyebrows	Nasal Arch of the Frontal Vein	1/2finger	1
12.	Shringataka	At the Center of confluence of veins that supply nourishment to eyes, ears, nose and tongue	Cavernous and Inter-cavernous sinuses	1 palm	4
13.	Simanta	Fissure on skull	Cranial Sutures	1 palm	5
14.	Adhipati	Top of head	Torcular Harophili	1/2finger	1

7. Marmaghata (Injury to the Marma Points)

As described earlier, injury to the Marma points, i.e. Marmaghata, can lead to severe pain, loss of sensation, loss of function, disability, and death. A significant portion of Shalya Tantra (science of surgery) deals with the knowledge of the fatal spots (marmas), because any injury to these fatal spots leads to sudden death, and if anyone survives due to the efficiency of the physician, the occurrence of deformities is almost a certainty (Sushruta Sharira 6/33) [1].

7.1 Common symptoms of Marmaghata

According to Acharya Sushruta (Sushruta Sutra 25/34-35) [1], the common symptoms of Marmaghata are as follows:

भ्रमः प्रलापः पतनं प्रमोहो विचेष्टनं संलयनोष्णते च।

स्रस्तान्गता मूर्च्छनमूर्ध्ववास्तीव्रा रुजो वातकृताश्च तास्ताः॥

मांसोदकाभं रुधिरन्व गच्छेत् सर्वेन्द्रियार्थो परमस्तथैव।

दशार्धसंख्येष्वपि हि क्षतेषु सामान्यतो मर्मसु लिंगमुक्तम्॥ (Sushruta Sutra 25/34-35) [1]

- Bhrama (Giddiness)
- Pralapa (Delirium)
- Patana (Fainting)
- Pramoha (Delusion)
- Vicheshtana (Loss of activity of the body parts)
- Sanlayana (Semi- consciousness)
- Ushnataa (Increase of body temperature)
- Srastaangataa (weakness of body parts)
- Murchha (Fainting)
- Urdhwavata (Increased expiration)
- Vatastivra ruja (Severe pain caused by Vata)
- Mansadokabham rudhiram cha gachchheta (Flowing out blood resembling meat washed fluid)
- Sarvendriyaarthoparamastathaiva (Cessation of activity of all sense organs) are the common symptoms when all the five vital spots (mansa, sira, snayu, asthi, sandhi) are injured.

7.2 Symptoms of Marma Kshata/ Marma Viddha

Table 11 lists the symptoms of Marma Kshata / Marma Viddha (injury or piercing of Marma point) according to Acharya Sushruta (Sushruta Sutra 25/36-40) [1] and Acharya Vagbhata (Ashtanga Hridaya Sharira 4/47-51) [2]. Table 12 lists the symptoms of Marmaghata according to the vulnerability of Marmas.

Table 11: Symptoms of Marma Kshata / Marma Viddha according to Acharya Sushruta [1] and Acharya Vagbhata [2].

S. No.	Type of Marma	No.	Name of Marmas	Marma Viddha lakshanas (Acharya Sushruta) (Sushruta Sutra 25/36-40) [1]	Marma Viddha lakshanas (Acharya Vagbhata) (Ashtanga Hridaya Sharira 4/47-51) [2]
1.	Mamsa Marma	10	Talahridaya, Indravasti, Stanarohita	Loss of touch sensation, Vipaandutaa (profound yellowish white color of body)	Continuous bleeding, blood resembles meat washed water, consistency of blood is thin, pandu, loss of function of sense organs, causes immediate death
2.	Sira Marma	37	Urvi, Lohitaksha, Vitapa, Kakshadhara, Nabhi, Hridaya, Stanamula, Apalapa, Parshvasandhi, Vrihati, Nila, Manya, Matrika, Phana, Sthapani	Intense bleeding from the wound, color of blood resembles indragopa (bright red colored conchial insect), Vata gets aggravated and causes many diseases	Thick blood flows out continuously and in large quantity, thirst, dizziness, breathlessness, delirium, hiccough and ultimately leads to death
3.	Snayu Marma	23	Kurcha, Kurchsira, Kshipra, Ani, Vasti, Ansa, Apanga, Utkshepa	Shortening, debility of body parts, that become unable to perform their actions, excruciating pain, wound healing takes longer time	Ayama (distension), Akshepaka (convulsions), Jadata (stiffness), severe pain, inability to sit, stand, ride etc., causes distortions or even death
4.	Sandhi Marma	20	Gulpha, Janu, Manibandha, Kurpara, Krikatika, Kukundara, Avarta, Simanta, Adhipati	profuse swelling, severe pain, loss of strength of joints, splitting pain, oedema, and loss of function of joints	The site of injury feels like full of thorns, even after healing of the wound there is shortening of limb, lameness, diminution of strength and movement, atrophy, swelling of joints
5.	Asthi Marma	08	Katikataruna, Nitamba, Ansaphalaka, Shankha	Severe and constant pain during day and night, finds no comfort in any posture, thirst, body weakness, oedema, pain	Intermittent discharge of clear fluid mixed with majja, associated with pain
6.	Dhamani Marma	09	Guda, Apastambha, Vidhura, Shringataka	-----	Frothy and warm blood flows out with sound, person become unconscious

Table 12: Symptoms of Marmaghata according to vulnerability of Marmas.

S. No.	Type of Marma	No.	Trigunas	Bhutas	Prognosis/ Symptom of Marmaghata (Sushruta Sharira 6/36-40) [1] and (Ashtanga Hridaya Sharira 4/52-58) [2]
1.	Sadyah Pranahara	19	Rajas & Sattva	Agni (fire)	Loss of sensory perception, abnormalities of mind and intellect, different kinds of severe pain. Immediate death within seven days. When injured, there is sudden depletion of Agni Guna.
2.	Kalantara Pranahara	33	Rajas & Tamas	Agni (fire) & Soma (water)	Dhatukshya (loss or decrease of Dhatus), loss of consciousness. Death within fifteen or thirty days of injury. When injured, there is sudden depletion of Agni Guna, followed by gradual depletion of Soma Guna.
3.	Vishalyaghna	03	Rajas	Vayu (air)	Vayu escapes when Shalya (foreign material) is removed and results in death. Vayu, mansa, vasa, majja and mastulunga are dried; shwasa, kasa develops and destroys the life of the person.
4.	Vaikalyakara	44	Tamas	Soma (water)	Sthirattvam (stable) and Shaityam (cold) property of Soma leads to Pranavalambana (holds Prana - that is why it helps in sustenance of life), but results in deformity
5.	Rujakara	08	Rajo bahulya	Vayu (air) + Agni (fire)	Any injury results in pain (Agni is Ashukari - quick acting, and Vayu produces pain)

7.3 Specific Symptoms of Marmaghata for Individual Marmas

Table 13 gives the specific symptoms of Marmaghata for individual Marma points.

Table 13: Specific symptoms of Marmaghata for Individual Marmas (Sushruta Sharira 6/25-28) [1] and (Ashtanga Hridaya Sharira 4/2-36) [2].

S.No.	Marma	Effect of trauma	Resultant
1.	Kshipra	Death due to convulsions	Delayed fatal
2.	Talahridaya	Death due to severe pain	Delayed fatal
3.	Kurcha	Wrist drop / Foot drop and tremors	Disabling
4.	Kurchashira	Pain and swelling	Painful
5.	Manibandha	Pain, wrist drop and deformity	Painful
6.	Gulpha	Pain, restricted ankle movement and deformity	Painful
7.	Indravasti	Excessive haemorrhage and death	Delayed fatal
8.	Kurpara	Non- functioning and deformity of forearm	Disabling
9.	Janu	Non- functioning and deformity of leg	Disabling
10.	Ani	Excessive swelling and dysfunction of limb	Disabling
11.	Urvi	Haemorrhage and atrophy of limb	Disabling
12.	Lohitaksha	Excessive bleeding, paralysis and death	Disabling
13.	Kakshadhara	Paralysis	Disabling
14.	Vitapa	Impotency or decreased semen discharge	Disabling
15.	Guda	Immediate death	Immediate fatal
16.	Vasti	Immediate death	Immediate fatal
17.	Nabhi	Immediate death	Immediate fatal
18.	Hridaya	Immediate death	Immediate fatal
19.	Stanarohita	Haemothorax, cough, breathlessness and death	Delayed fatal
20.	Stanamula	Pleural effusion, cough, breathlessness and death	Delayed fatal
21.	Apalapa	Pyemia, septicemia and death	Delayed fatal
22.	Apastambha	Pneumothorax, cough, breathlessness and death	Delayed fatal
23.	Katikataruna	Excessive haemorrhage, severe anaemia and death	Delayed fatal
24.	Kukundara	Loss of sensation and locomotive activity	Disabling
25.	Nitamba	Atrophy of lower limbs and death	Delayed fatal
26.	Parshvasandhi	Renal injury, retroperitoneal haemorrhage & death	Delayed fatal
27.	Vrihati	Haemorrhagic complications and death	Delayed fatal
28.	Ansaphalaka	Numbness and paresis of upper limbs	Disabling
29.	Ansa	Stiff shoulder	Disabling
30.	Krikatika	Instability of head, continuous movement of head	Disabling
31.	Nila	Aphonia, dysphonia and loss of taste	Disabling
32.	Manya	Aphonia, dysphonia and loss of taste	Disabling
33.	Matrika	Sudden death	Immediate fatal
34.	Vidhura	Deafness	Disabling
35.	Phana	Anosmia (loss of smell sensation)	Disabling
36.	Apanga	Blindness or Diminution of vision	Disabling
37.	Avarta	Blindness or Diminution of vision	Disabling
38.	Utkshepa	Death, if foreign body removed	Fatal after removal of foreign body
39.	Sankha	Sudden death	Immediate fatal
40.	Sthapani	Death, if foreign body removed	Fatal after removal of foreign body
41.	Simanta	Madness, phobia, chittanasha, death	Delayed fatal
42.	Sringataka	Sudden death	Immediate fatal
43.	Adhipati	Sudden death	Immediate fatal

7.4 Symptoms caused by Marmaghata of Trimarmas

Table 14 lists the symptoms caused by Marmaghata of Trimarmas.

Table 14: Symptoms caused by Marmaghata of Trimarmas

S.No.	Marma	Symptom of Marmaghata (Charak Siddhi 9/6) [51]
1.	Hridaya	Kasa (cough), shwasa (breathlessness), balakshya (debility), kanthashosh (dryness of throat), traction of kloma, mukhatalushosha (dryness of mucous membrane of oral cavity), jihwa nirgaman (protraction of tongue), different types of psychotic disorders like apasmara (epilepsy), unmada (insanity), pralapa (delirium), chittanasha (emptiness of mind), etc.
2.	Shira	Manyastambha (neck stiffness), ardita (facial paralysis), chakshurvibhrama (rolling of eye balls), moha (mental confusion), uddveshtana (cramps), cheshtanasha (loss of movement), cough, shwasa (breathlessness), hanugraha (locked jaw), mooka (muteness), gadgadatva (stammering), akshinimilan (drooping of eyelids - ptosis), gandaspadana (quivering of cheeks), jrambha (yawning), lalashrava (salivation), swarahani (loss of voice), deformation of face, etc.
3.	Vasti	Apanavayu-mutra-varchanigraha (retention of flatus, urine and faeces), vankshana - mehana-vasti shoola (pain in groin, penis and urinary bladder), kundala, udavarta, gulma, vatashthila, upastambha (stiffness), nabhikukshigudashronigraha (spasm in navel, lower abdomen, anus and hip region), etc.

7.5 Samprapti of Marmabhighata

The Samprapti of Marmabhighata can be understood from the following flowchart (Figure 2) (Sushruta Sharira 6/18-20) [1] and (Ashtanga Hridaya Sharira 4/64,65) [2].

Figure 2: Samprapti of Marmabhighata.

7.6 Chikitsa of Marmabhighata

The chikitsa (treatment) of Marmabhighata is done in the following ways (Charaka Chikitsa 26) [51], (Sushruta Chikitsa 1, 2) [1]:

- Lakshanika chikitsa (symptomatic treatment) according to marma viddha lakshanas
- Vata vyadhi chikitsa
- Judicial selection of Shashti upakrama, for vranopachara

8. Conclusion

The present article explored the foundational elements of the Science of Marma with regards to the number of marmas, their location, structures involved, correlation with Panchamahabhutas, classification, as well as a detailed explanation of marmaghata or viddha lakshanas (effect of trauma), as given in classical texts written during Samhita kala. The anatomical correlation with modern science has also been presented.

It is observed that the Marmas are of different sizes varying from ardha-anguli (half finger) to hatheli (palm). If injured, different Marmas lead to different kind of symptoms varying from pain to immediate death.

In such a case, several methodologies for the treatment of Marmabhigata have also been suggested in the scriptures. Thus, an in-depth knowledge about the properties of Marmas is available in the scriptures.

The Part-3 of the exploration of the Science of Marma will deal with the foundational elements and current status of Marma Therapy, which is a relatively recent application of this ancient science.

Acknowledgements

Authors would like to acknowledge the subtle guidance of their spiritual guide, Revered Pandit Shriram Sharma Acharya (http://www.awgp.org/about_us/patron_founder). The authors thank the faculty and staff of the Department of Ayurveda and Holistic Health at Dev Sanskriti Vishwavidyalaya, Haridwar for their support in conducting this study.

Compliance with ethical standards: The authors have maintained necessary ethical standards while conducting the study.

Conflict of interest: The authors declare that they have no conflict of interest.

References

1. Murthy KRS. Susruta samhita. volume I, II, III. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2008.
2. Gupta KA. Ashtanga hrdayam of vagbhata - vidyotini hindi commentary. Varanasi, Uttar Pradesh, India: Chaukhamba Sanskrit Sansthan; 2005.
3. Joshi SK. Marma science and principles of marma therapy. 1st ed. Haridwar, Uttarakhand, India: Vani Publications; 2010.
4. Joshi SK. Marma chikitsa vigyan (Hindi). Haridwar, Uttarakhand, India: Mrityunjay Mission; 2012.
5. Joshi SK. Marma vigyan evam chikitsa - vaidik chikitsa vigyan (Hindi). Haridwar, Uttarakhand, India: Mrityunjay Mission; 2011.
6. Joshi SK. Marma vigyan evam aushadhopachar dwara chikitsa (Hindi). Haridwar, Uttarakhand, India: Mrityunjay Mission; 2013.
7. Frawley D, Ranade S, Lele A. Ayurveda and marma therapy. Delhi, India: Chaukhamba Sanskrit Pratishthan; 2015.
8. Lad V, Durve A. Marma points of ayurveda. Albuquerque, New Mexico, USA: The Ayurvedic Press; 2015.
9. Schrott E, Raju JR, Schrott S. Marma therapy. (Translated by) Lorys M. London, UK: Singing Dragon; 2016.
10. Phull G, Phull R. Clinical approach to marma chikitsa. New Delhi, India: IP Innovative Publication Pvt. Ltd.; 2019.
11. Phull G, Phull R. Marma vigyana ka chikitsiya upayoga (Hindi). New Delhi, India: IP Innovative Publication Pvt. Ltd.; 2019.
12. Denaud P. Kalaripayat - the martial arts tradition of India. (Translated by) Cain J. Vermont, USA: Destiny Books; 2009.
13. Fox M, Dickens A, Greaves C, Dixon M, James M. Marma therapy for stroke rehabilitation - a pilot study. Journal of Rehabilitation Medicine. 2006;38(4):268-271. DOI: 10.1080/16501970600630820. (https://www.medicaljournals.se/jrm/content_files/download.php?doi=10.1080/16501970600630820)
14. Kotelevskiy VI. Integrative technology of massage manipulations in physical rehabilitation of students with backbone pathology. Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports. 2016;20(3):31-40. <http://dx.doi.org/10.15561/18189172.2016.0305>. (<https://www.sportpedagogy.org.ua/html/journal/2016-03/html-en/16kviwbp.html>)

15. Murota M, Iwawaki Y, Uebaba K, Yamamoto Y, Takishita Y, Harada K, Shibata A, Narumoto J, Fukui K. Physical and psychological effects of head treatment in the supine position using specialized ayurveda-based techniques. *The Journal of Alternative and Complementary Medicine*. 2016;22(7):526–532. DOI: 10.1089/acm.2015.0388. (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4939366/>)
16. Sieler R. Kalari and vaithiyacalai: medicine and martial arts intertwined. *Asian Medicine*. 2012; 7(1): 164–195. <https://doi.org/10.1163/15734218-12341247>. (https://brill.com/view/journals/asme/7/1/article-p164_7.xml?language=en)
17. Pathak AK. A study on anatomical concept of kurpara marma and its therapeutic application in grivavata (cervical spondylosis). Thesis for the degree of Doctor of Philosophy (Ph.D.) in Rachana Sharir. Varanasi, Uttar Pradesh, India: Banaras Hindu University; 2015. (<https://shodhganga.inflibnet.ac.in/handle/10603/267960>)
18. Dharmesh K. Optimization of individual performance in football by augmenting classical Indian marma therapy, kinesiology-taping and related physical exercises through supportive bio-mechanical parameter. Thesis for the degree of Doctor of Philosophy (Ph.D.) in Physical Education. Tiruchirappalli, Tamil Nadu, India: Bharathidasan University; 2017. (<https://shodhganga.inflibnet.ac.in/handle/10603/220290>)
19. Bedekar SS. A critical study of gulpha marma in basket ball players with special reference to the role of mash tail along with snehan and swedan as preventive measure. Thesis for the degree of Doctor of Philosophy (Ph.D.) in Ayurved. Pune, Maharashtra, India: Tilak Maharashtra Vidyapeeth; 2007. (<https://shodhganga.inflibnet.ac.in/handle/10603/34851>)
20. Rajeshwari PN. A study on rujakara marma and management of viddha laxanas - a clinical study. Dissertation for the degree of Ayurveda Dhanwanthari (M.S.-Shalya Tantra). Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2010. (<http://52.172.27.147:8080/jspui/handle/123456789/6831>)
21. Vivek J. A comprehensive study on marma & acupuncture points and evaluation of their therapeutic importance. Dissertation for the degree of Master of Surgery (Ayurveda Dhanvantari) in Shalya Tantra. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2011. (<http://52.172.27.147:8080/jspui/handle/123456789/4737>)
22. Lele A, Ranade S, Frawley D. Secrets of marma - the lost secrets of ayurveda. Delhi, India: Chaukhamba Sanskrit Pratishthan; 2005.
23. Srivastava VK, Srivastava A. Hand book on marma and panchakarma therapy. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2019.
24. Pathak AK. Anatomy of marma. (Editor) Awasthi HH. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2014.
25. Mishra JN. Marma and its management. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2016.
26. Govindan SV. Massage therapy for diseases of vital areas (marma treatment). New Delhi, India: Abhinav Publications; 2005.
27. Banjare H. Marma - eka adhyayana, acupressure chikitsa paddhati ke vishesha shandarbh me. Dissertation for the degree of Ayurveda Vachaspati (M.D. - Ayurveda) in Rachana Sharira. Raipur, Chhattisgarh, India: Pt. Ravishankar Shukla University; 2009. (<https://shodhganga.inflibnet.ac.in/handle/10603/41426>)
28. Ismail SMB. Marmas in ayurveda and their explanation according to modern anatomy. Thesis for the degree of Doctor of Philosophy (Ph.D.) in Ayurveda. Pune, Maharashtra, India: Savitribai Phule Pune University; 1984. (<https://shodhganga.inflibnet.ac.in/handle/10603/145863>)
29. Kumar CS. A comprehensive study of marmas with special reference to Ayurvedic and Tamil marma sastras in relation to its applied anatomy. Thesis for the degree of Doctor of Philosophy (Ph.D.) in Ayurveda. Kalady, Kerala, India: Sree Sankaracharya University of Sanskrit; 1999. (<https://shodhganga.inflibnet.ac.in/handle/10603/136019>)
30. Muley SK. Ayurvediya sanhitokta marma vichara, vaikalyakara marmanche mahatva evam janumarmachya vaikalyakaravachi uparugna paddhatine punarpadatalani eka abhyasa (Marathi). Thesis for the degree of Doctor of Philosophy (Ph.D. - Ayurveda) in Sharira Rachana. Nanded, Maharashtra, India: Swami Ramanand Teerth Marathwada University; 2007. (<https://shodhganga.inflibnet.ac.in/handle/10603/240135>)
31. Parameswaran S. A comprehensive study on sandhi marma shareera w.s.r. to manibandha marma and its injuries (trauma). Dissertation for the degree of Doctor of Medicine (M.D. - Ayurveda) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2012. (<http://52.172.27.147:8080/jspui/handle/123456789/7127>)
32. Vijayanath V. A comprehensive study of marmas in the hasta (hand) w.s.r. to the surface and regional anatomy (cadaver dissection). Dissertation for the degree of Doctor of Medicine (M.D. - Ayurveda) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2011. (<http://52.172.27.147:8080/jspui/handle/123456789/4578>)

33. Vipin PC. A comprehensive study on gulpha sandhi shareera w.s.r. to sports injuries. Dissertation for the degree of Doctor of Medicine (Ayurveda) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2011. (<http://52.172.27.147:8080/jspui/handle/123456789/4579>)
34. Thatte DG. Acupuncture, marma and other asian therapeutic techniques. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2015.
35. Fedorova M. Die Marmantheorie in der klassischen indischen Medizin (German) (English translation of the title - the marma theory in classical Indian medicine). Thesis for the degree of Doctor of Philosophy (Ph.D.). Munich, Bavaria, Germany: Ludwig-Maximilians-Universität München; 1990. (<https://archive.org/details/DieMarmantheorieInDerKlassischenIndischenMedizinFedorova1990/page/n12/mode/2up>)
36. Mishra A, Shrivastava V. Exploring the science of marma - an ancient healing technique - part 1: its mention in ancient Indian scriptures. Submitted to the Dev Sanskriti Interdisciplinary International Journal (<http://dsiiij.dsvv.ac.in/>). February 2020.
37. Sastri H. Amarakosa. 3rd ed. Varanasi, Uttar Pradesh, India: Chaukhambha Sanskrit Sansthan; 1997. (https://archive.org/details/AmaraKoshaWithBhanuDIkshitSanskritTikaAndHarGovindShastriHindiTikaChowkhamba_201702/mode/2up)
38. Deva R.R.K. Shabda-kalpadrum - part 1. 3rd ed. Varanasi, Uttar Pradesh, India: The Chowkhamba Sanskrit Series Office; 1967. (<https://archive.org/details/ShabdaKalpaDrumCompleteIn5VolumnesVidyaVilasPress/mode/2up>)
39. Sankhyadhar SC. Raj nighantu - sri narhari pandit (English translation with critical commentary). Sankhyadhar D (compiled). Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2017.
40. Brahmavarchas. Pranashakti : ek divya vibhuti (Hindi). Pandit Shriram Sharma Acharya samagra vangamaya. volume 17. 2nd ed. Mathura, Uttar Pradesh, India: Akhand Jyoti Sansthan; 1998.
41. Sharma, S. Kaya me samaya, pranagni ka jakhira (Hindi). Gayatri Tapobhumi, Matura, Uttar Pradesh, India: Yug Nirman Yojana Vistar Trust; 2010. (http://literature.awgp.org/book/kaya_men_samaya_pranagni_ka_jakheera/v1.1)
42. Sharma, S. Kaya urja evam usaki chamatkari samarthya (Hindi). Gayatri Tapobhumi, Matura, Uttar Pradesh, India: Yug Nirman Yojana Vistar Trust; 2010. (http://literature.awgp.org/book/astonishing_power_of_physical_subtle_energy_of_human/v2.2)
43. Sharma, S. The astonishing power of the bio-physical and subtle energies of the human body. Haridwar, India: Shantikunj; 1996. (http://literature.awgp.org/book/astonishing_power_of_physical_subtle_energy_of_human/v1.1)
44. Gupta KA. Astanga samgraha (with Hindi commentary) (Hindi). part 1, 2. Varanasi, Uttar Pradesh, India: Chowkhamba Krishnadas Academy; 2016.
45. Murthy KRS. Astanga samgraha of Vagbhata (text, English translation, notes, indices, etc.). volume II - sarira, nidana, cikitsita and kalpa sthana. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2018b.
46. Kushwaha HCS. Caraka samhita - Chakrapani tika - second part (Hindi). Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2012.
47. Kunte AM, Navre KRS. Astangahridaya - composed by Vagbhata - with the commentaries (sarvangasundara) of arunadatta and ayurvedarasayana of hemadri. Paradkar H (editor). 6th edition. Bombay, India; Pandurang Jawaji; 1939. (<https://archive.org/details/ashtangahridaya/mode/2up>)
48. Misra B, Vaisya R. Bhavaprakasa of sribhava misra (including bhavaprakasa nighantu portion) - edited with the 'vidyotini' Hindi commentary, notes and appendix - first part. Varanasi, Uttar Pradesh, India: Chaukhambha Sanskrit Bhawan; 2013.
49. Murthy KRS. Bhavaprakasa of bhavamisra. volume 1 - including nighantu portion. Varanasi, Uttar Pradesh, India: Chowkhamba Krishnadas Academy; 2016.
50. Sushruta samhita - shridalhanacharyavirachitaya nibandhasandrahakhyavyakhyaya nidanaasthanasya shrigayadasacharyavirachitaya nyayachandrikakhyapanjikavyakhyaya cha samullasita (श्रीडल्हणाचार्यविरचितया निबन्धसङ्ग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता) (Sanskrit). Hyderabad, Telangana, India; National Institute of Indian Medical Heritage (Central Council for Research in Ayurveda and Siddha - CCRAS). (<http://niimh.nic.in/ebooks/esushruta/?mod=read>)
51. Sharma PV. Charaka-samhita (text with English translation). volume I, II. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2008.
52. Srivastava S. Sharngadhar samhita (jiwanprada Hindi commentary). 3rd ed. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia; 2003.
53. Cyranski C. Purifying purges and rejuvenating massages ayurvedic health tourism in South India. Thesis for the degree of Doctor of Philosophy (Dr. Phil.) in Anthropology. Heidelberg, Baden-Württemberg, Germany: Heidelberg University; 2016. (https://archiv.ub.uni-heidelberg.de/volltextserver/22342/1/Dissertation_Cyranski_2016.pdf)

54. Kamboj M. Concept of marma and its importance: a review. *International Journal of Research in Ayurveda & Pharmacy*. 2018; 9(6): 1-3. DOI: 10.7897/2277-4343.096161. (https://ijrap.net/admin/php/uploads/2151_pdf.pdf)
55. Pai DS. A Study on balya-rasayana and its applicability in sports medicine. Dissertation for the degree of Ayurveda Vachaspati (M.D.) in Ayurveda Siddhanta. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2010. (<http://52.172.27.147:8080/jspui/handle/123456789/4431>)
56. Upendran B. A comprehensive study of siravyadha w.s.r. to anatomical & marma relevance of the lower extremity. Dissertation for the degree of Ayurveda Vachaspati (M.D.) in Rachana Shareera. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2010. (<http://52.172.27.147:8080/jspui/handle/123456789/4507>)
57. Wujastyk D. Interpreting the image of the human body in premodern India. *International Journal of Hindu Studies*. 2009; 13(Article number 2), 189-228. <https://doi.org/10.1007/s11407-009-9077-0>. (<https://link.springer.com/content/pdf/10.1007/s11407-009-9077-0.pdf>)
58. Das B, Ganesh RM, Mishra PK, Bhuyan G. A study on apabahuka (frozen shoulder) and its management by laghumasha taila nasya. *Ayu*. 2010; 31(4): 488-494. doi: 10.4103/0974-8520.82048. (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3202264/>)
59. Narayanan CR, Korotkov K, Srinivasan TM. Bioenergy and its implication for yoga therapy. *International Journal of Yoga*. 2018; 11(2): 157-165. doi: 10.4103/ijoy.IJOY_54_17. (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5934952/>)
60. Santwani K, Shukla VD, Santwani MA, Thaker G. An assessment of Manasika Bhavas in menopausal syndrome and its management. *Ayu*. 2010; 31(3): 311-318. doi: 10.4103/0974-8520.77156. (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3221064/>)
61. Mulay SK, Paranjape MH, Bhingare SD. Study of janu marma in relation to its vaikalyakara effects when injured. *International Journal of Research in Ayurveda & Pharmacy*. 2011; 2(3): 715-722. (https://ijrap.net/admin/php/uploads/491_pdf.pdf)
62. Muley SK, Ingale NN, Bhingare SD. Study of vaikalyakara marma with special reference to kurpara marma. *Ayu*. 2011; 32(4): 472-477. doi: 10.4103/0974-8520.96118. (http://www.ayujournal.org/temp/Ayu324472-4518343_123303.pdf)
63. Zate MP, Sadgir MA, Khandare PB. A review on anatomical structures present at sthapani marma with special reference to ayurvedic & modern view point. *International Journal of Research in Ayurveda & Pharmacy*. 2017; 8(6): 48-50. DOI: 10.7897/2277-4343.086290. (https://ijrap.net/admin/php/uploads/1978_pdf.pdf)
64. Jyothi V. Comprehensive study on gulphasandhi shaareera w.s.r. to its structural changes in amavata. Dissertation for the degree of Doctor of Medicine (M.D. - Ayurveda) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2012. (<http://52.172.27.147:8080/jspui/handle/123456789/7129>)
65. Jyothis G. A comprehensive study on charakokta tri vidha marma w.s.r. to 'hridaya'. Dissertation for the degree of Ayurveda Vachaspati (M.D.) in Rachana Shareera. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2011. (<http://52.172.27.147:8080/jspui/handle/123456789/4669>)
66. Kumar ST. A comprehensive study on paada marma w.s.r. to the surface and regional anatomy (cadaver dissection). Dissertation for the degree of Ayurveda Vachaspati (M.D.) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2012. (<http://52.172.27.147:8080/jspui/handle/123456789/7126>)
67. Shariff SUR. A study on sandhi marma w.s.r. to regional and applied anatomy of kurpara marma. Dissertation for the degree of Doctor of Medicine (M.D. - Ayurveda) in Shareera Rachana. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2011. (<http://52.172.27.147:8080/jspui/handle/123456789/4575>)
68. Swamy SM. A study on prushtha marma w.s.r. to stabdha bahuta in amsa marmabhighata. Dissertation for the degree of Ayurveda Vachaspati (M.D. - Ayurveda) in Rachana Shareera. Bengaluru, Karnataka, India: Rajiv Gandhi University of Health Sciences; 2010. (<http://52.172.27.147:8080/jspui/handle/123456789/4710>)