Serial: Powerpoint Presentasi KARTS SYSTEMS, CHARACTERISTICS, DEVELOPMENT, PROBLEMS AND CHARACTERIZATION

By:

Tjahyo Nugroho Adji

**KARST RESEARCH GROUP
FACULTY OF GEOGRAPHY-UGM**

Karst – What's it all about?

Photograph 101-1001 by Gregg A. Gifford

Guiding parameters

Chemical processes

- solution of limestone, kinetic control is important

$$\text{CaCO}_3 + \text{H}_2\text{O} + \text{CO}_2 \rightleftharpoons \text{Ca}^{2+} + 2 \text{HCO}_3^-$$
- solution can be caused by mixing of saturated waters with different hardness

Resulting phenomena (surface)

- cutter/grike topology
- karren
- dry valleys
- karst springs
- swallow holes (ponor)
- dolines
 - cover collapse
 - subsidence
- poljes

Epikarst landforms

- **Epikarst:**
- **Grikes:** solutionally widened vertical joints
- **Clints:** remnant pavement surface in between grikes
- Rills and Runnels, a.k.a. "**karren**"
- "**Spongework**" dissolution

From Shaw 1994, *Geomorphology of Carbonate Masses*

■ Collapse Sinkhole, South Australia

Polje, E. Herzegovina

Swallow Hole

Underground structures: caves

- single conduits or large interconnected systems
- different ways of interaction with surface
 - large shafts/entrances
 - fractures
- shapes controlled by
 - solution
 - hydraulics
 - structural features
- formation of chemical sediments

**NON-KARST –
intergranuler-**primer**-
isotropok**

**KARST –
anisotropis
-**sekunder****

4

In karst region

Always exposes
problems to define
hydrological boundary

Hydrologic Units of the Big Spring Basin, Missouri

Tracer Flow Routes in the Barton Springs Basin, Edwards Aquifer, Texas

Courtesy of
Nico M. Hauwert, Hydrogeologist
Watershed Protection and
Development Review Department
City of Austin

Southwest Fillmore County, Minnesota

Watershed Boundaries (PINK and BLUE)

Courtesy of Jeff Green, Minnesota Department of Natural Resources

Tufa Falls Karst Basin

Sequoia and Kings Canyon National Parks, California

Courtesy Joel Despain, NPS
Cartography by Shane Fryer

Green: watershed boundary
Red: karst basin boundary

Basins in the Western Pennyroyal, Kentucky

Hydrologic Unit Boundaries (blue)

Karst basin boundaries (green)

HUC boundaries make significant excursions from karst basin boundaries.

Storm Response of Karst Springs

Discharge hydrograph and chemograph for the July 1996 high-flow event at Pleasant Grove Spring

Summary

- Karst basins sometimes **respond rapidly** to precipitation, in a manner similar to surface streams.
- Karst springs provide significant percentages of flow to streams.
- Karst basin boundaries frequently **do not coincide** with hydrologic unit boundaries.
- These discrepancies are commonly significant.

MEASUREMENTS-BOUNDARY CONDITIONS- MODELS

One of several proposed models in karst

KARST HYDROLOGIC SYSTEM

2 KARST MAIN FLOW TYPE

DIFFUSE FLOW SYSTEM

Approaches "Darcy" Flow

CONDUIT FLOW SYSTEM

Approaches Pipe Flow

Conduit Flow

Karst Dynamic System (KDS)

The catchment areas in karst vary according to the groundwater levels, i.e. change with time. The position of the watershed line depends upon the groundwater levels which change in time. In some situations at very high groundwater levels (after heavy rainfall) fossil and inactive channels and springs are activated in the karst underground causing the inter catchment overflow and/or redistribution of the catchment areas.

KDS is an open system because of the development corridor in the karst aquifer conduit that is connected directly to the surface through a sinkhole. Its going to change very quickly depending on the conditions of each phase, so the time scale changes are not necessarily depending on the season, but can be daily, hourly, even shorter again

3 KARST MAIN FLOW COMPONENTS ACCORDING TO ITS CRACK SIZE

-
1. ***Diffuse flow***, karst flow component which recharge underground river that flows from the aquifer through the cracks by size of ***10^{-3} - 10 mm***
 2. ***Fissure flow***, karst flow component which recharge underground river that flows from the aquifer through the cracks by size of ***10 - 10^2 mm***
 3. ***Conduit flow***, karst flow component which recharge underground river that flows from the aquifer through the cracks by size of ***10^2 - 10^4 mm or more***
-

Diffuse

Fissure

Conduit

How to characterized, which flow component is dominant within one underground river system ???

This will be your next experience within 2 session
Supervised Practicum of Karst Recession
Constant Analysis, today-22 Dec, and tomorrow-23
Dec 2010