University Sorbonne Paris Nord (Paris 13)
cherifabdoulmazid.niang@gmail.com

Paris,France

On Riemannian manifolds and their utility in topology

by Chérif Abdoul Mazid Niang(Idmazi)
ORCID:0000-0002-7491-8872

December, the 1rst 2020

Contents

1	Riemannian geometry	3
1.1	Riemannian metric	3
1.2	Riemannian manifolds	3
2	Euclidean Geometry	3
3	Declarations	4
3.1	Funding	4
3.2	Conflicts of interest/Competing interests	4
3.3	Availability of data and material	4
3.4	Code availability	4
3.5	Authors' contributions	4

1 Riemannian geometry

Infinitesimal calculus has been of great use in mathematical analysis. By introducing it, Isaac Newton and Leibniz revolutionized the field of mathematics and opened a new path for geometry considered in the period essentially Euclidean. However, it was not until the 19th century with the work of Bernhard Riemann that geometry took a completely different direction.

1.1 Riemannian metric

Bernhard Riemann implemented the concept of Riemannian metric, expressed by the tensor:

$$g = \sum_{i=1}^d g_{ij} dx^i dx^j.$$

This formula is very precise and uses the derivatives of the basic vectors and therefore reciprocally the limits. It thus lays the foundations of a differential geometry which describes the curvature of these spaces (Riemannians), thus opening the way to topology. The importance of this formula is found mainly in the definition of the concepts of space-time.

1.2 Riemannian manifolds

In the 19th century, Bernhard Riemann introduced the concept of Riemannian manifold, differential manifold in Riemannian spaces. We see no point in going into great detail about what Riemannian manifolds are, which is not the purpose of this article. This article serves only to clarify the design of topology in general, mainly Riemann's contribution in order to focus on the essential. Since the advent of Riemann's work, the topology has been greatly improved. The study of Riemannian curvatures is childishy amusing if we ultimately find no use in it. This is the reason why we believe that all of Riemann's work on topology must necessarily be limited to the improvement of modern, post-relativistic physics.

2 Euclidean Geometry

Euclidean geometry, for its part, is not based on any concept of curvature or varieties. It is not useful for topology, being only a special case of Riemannian geometry. Only, as signified above, abstract mathematics,

mathematical analysis can be strictly limited to Euclidean geometry. To rephrase, we can say that Riemannian geometry finds its utility in physics and turns out to be of lesser utility in mathematical analysis, except in the particular case of curvature equal to 1 (i.e. of the Euclidean geometry).

3 Declarations

3.1 Funding

The author received no specific funding for this work.

3.2 Conflicts of interest/Competing interests

The author declares that there is no conflict of interest.

3.3 Availability of data and material

The data that support the findings of this study are available from the corresponding author, upon reasonable request.

3.4 Code availability

Not applicable.

3.5 Authors' contributions

Not applicable. (There is one author)