Magnesium Klorida (MgCl_2): Karakteristik dan Dinamika Molekuler Pada MgCl_2

Wildayati*¹, Rahadian Zainul*²

¹Pendidikan kimia, FMIPA, Universitas Negeri Padang, Indonesia

²Physical Chemistry Laboratory, FMIPA, Universitas Negeri Padang, Indonesia

¹Email : yatiwilda9698@gmail.com

²E-mail : rahadianzmsiphd@yahoo.com

Abstrak Magnesium klorida adalah salah satu senyawa kimia dengan rumus MgCl_2 dan bentuk hidrat $\text{MgCl}_2 \cdot \text{H}_2\text{O}$. Magnesium klorida merupakan logam yang kuat, memiliki titik didih 714°C dan titik lebur 1412°C mampu larut dalam air, serta memiliki sifat termodinamika seperti $\Delta H_{f, 298}$ sebesar $-641,3 \text{ kJ/mol}$ dan $\Delta G_{f, 298}$ sebesar $-591,8 \text{ kJ/mol}$. Senyawa ini dapat diperoleh dengan proses kristalisasi dan elektrolisis atau dari reaksi $\text{Mg}(\text{OH})_2$ dengan HCl . Magnesium klorida merupakan salah satu garam yang memiliki peranan penting pada industri kimia dan banyak kegunaan dalam kehidupan sehari-hari seperti *de-icer*, *liquid tirest ballast*, *foam* pada instalasi kebakaran. Penelitian ini bertujuan untuk mengetahui karakteristik molekul, dan menganalisis dinamika molekul serta transport ion pada MgCl_2 . Metode yang digunakan adalah metode optimasi dilakukan dengan menggunakan aplikasi Chemoffice3D 15.0 dan ChemDraw Profesional 15.0. Dilihat dari penggambaran chemoffice 15.0 senyawa MgCl_2 memiliki karakteristik transfer ionik yang dapat diukur dari parameter mobilitas ion. Konduktivitas viskositas, dan gerakan hanyut. Dari parameter yang diukur diperoleh nilai perhitungan kecepatan hanyut Magnesium Klorida (MgCl_2) dengan potensial $3,61 \text{ V}$ dan jarak antara elektroda adalah $1,5 \text{ cm}$ adalah $2,407 \text{ V/cm}$.

Kata Kunci : *Magnesium Chloride, Karakteristik Molekul, Dinamika Molekul*

1. Pendahuluan

Dinamika molekul^(87; 88) merupakan bentuk simulasi komputer dimana atom dan molekul dapat diizinkan untuk berinteraksi dalam jangka waktu tertentu dengan pendekatan secara fisik yang memberikan pandangan dari gerak dan partikel. Dinamika molekul adalah tahapan dari lebih lanjut dari mekanika molekul dan didasari oleh prinsip bahwa atom dari suatu molekul merasakan kekuatan untuk bergerak. Dinamika molekul dapat digunakan untuk melihat interaksi^(89; 90) mikroskopik antar molekul. Melalui simulasi dinamika akan didapatkan data- data statistik dan dinamik antar molekul yang berkaitan pada skala atomik.

Melalui simulasi dinamika molekul yang dilakukan, maka informasi kinetika dan termodinamika suatu protein dapat ditelusuri lebih lanjut. Magnesium klorida adalah nama senyawa kimia dengan rumus MgCl_2 dan berbagai hidratnya $\text{MgCl}_2 \cdot (\text{H}_2\text{O})_x$. Garam ini adalah halida ionik khas⁽⁹¹⁾, sangat larut dalam air. Sifat fisik dari senyawa magnesium klorida yaitu memiliki densitas $1,56 \text{ g/cm}^3$, titik didih 714°C , titik lebur 1412°C , massa molekul $95,211 \text{ g/mol}$, dan memiliki sifat termodinamika $\Delta H_{f, 298} - 641,3 \text{ kJ/mol}$, $\Delta G_{f, 298} - 591,8 \text{ kJ/mol}$.

Amerika Utara magnesium klorida diproduksi terutama dari air garam⁽⁹²⁾ besar- besar. Melalui proses ekstraksi⁽⁹³⁾ yang sama dari Laut Mati di lembah Yordan. Magnesium klorida yang terbentuk dari atom magnesium dan atom klorida, atom Mg akan melepaskan dua elektron⁽⁹⁴⁻⁹⁶⁾ pada kulit terluarnya yaitu membentuk Mg^{2+} , dan atom Cl membentuk Cl^- , sehingga ion- ion dari dua elektron magnesium dan klorida melakukan tarik- menarik dengan gaya elektrostatik⁽⁹⁷⁾ sehingga membentuk senyawa $MgCl_2$. $MgCl_2$ anhidrat adalah asam Lewis, walaupun sangat lemah. Dalam proses Dow⁽⁹⁸⁾, magnesium klorida diregenerasi dari magnesium hidroksida menggunakan asam klorida:

Bisa juga dibuat dari magnesium karbonat dengan reaksi serupa.

Pada sebagian besar turunannya, $MgCl_2$ membentuk kompleks oktahedral. Derivat dengan tetrahedral Mg^{2+} kurang umum. Contohnya meliputi garam (tetraethylammonium) $2MgCl_4$ dan aduk seperti $MgCl$ (TMEDA).

Magnesium klorida berfungsi sebagai pendahulu senyawa magnesium lainnya, misalnya dengan presipitasi:

Hal ini dapat di elektrolisis untuk memberi magnesium logam:

Proses ini dipraktekkan dalam skala besar.

Magnesium klorida sebagai mineral bischofite⁽⁹⁹⁾ alami, juga diekstraksi (melalui larutan pertambangan) dari dasar laut kuno. Senyawa ini banyak memiliki peranan penting terutama pada industri dan juga digunakan dalam kehidupan sehari- hari seperti: pengendalian debu stabilisasi⁽¹⁰⁰⁾ jalan, pengendalian es, selain itu Magnesium klorida juga digunakan dalam beberapa aplikasi medis dan topikal (skin related).

2. Metode

Penelitian ini menggunakan metode penggambaran molekul dengan menggunakan aplikasi *chemoffice* 15.0 dan metode studi literatur menggunakan aplikasi endnote. Untuk analisis $MgCl_2$ lebih lanjut penelitian ini dilakukan beberapa tahapan, yakni (1) Analisis molekul $MgCl_2$ secara dua dimensi menggunakan aplikasi *ChemDraw* 2D, dan (2) Analisis molekul $MgCl_2$ melalui dinamika molekul secara tiga dimensi menggunakan aplikasi *Chem3D*. Pada penggunaan aplikasi *Chem3D* struktur $MgCl_2$ dirubah menjadi 3 dimensi dan dapat dianalisis dengan cara berikut ini :

1. Menghitung MM2 dari masing masing molekul yang terdiri atas MM2 minimization, MM2 *dynamics* dan MM2 properties. Langkah yang dilakukan dengan cara mengklik pada menu *calculation*, pilih MM2 minimization kemudian klik *minimize energy* lalu klik *run*. Kemudian dengan langkah yang sama dilakukan untuk menentukan *molecular dynamics* dan *compute properties*.
2. Analisis *Surface* molekul, diantaranya *Surface Solvent Accesibel* dengan tipe *Solid*, *Wire Mesh* dan *Tranculen*. Kemudian *Surface Cannoll Molecular* dengan tipe *Solid*, *Wire Mesh* dan *Trancukent*.
3. Menghitung nilai MOPAC dari masing- masing yang terdiri dari MOPAC *minimization* dan MOPAC *properties*. Caranya dengan pilih MOPAC, selanjutnya pilih MOPAC *minization* dan pilih *run*.

Kemudian dengan langkah yang sama dapat ditentukan MOPAC *properties*.

4. Kemudian analisis jarak antara masing-masing dari atom tiap-tiap, molekul dengan pilih bagian *structure*, kemudian pilih *measuremet*.

Bagan 1. Fishbone MgCl_2

3. Hasil dan Pembahasan

3.1 Sifat Senyawa $MgCl_2$

Magnesium klorida adalah logam yang kuat, bewarna putih keperakan dan akan menjadi kusam jika dibiarkan di udara, ringan (satu pertiga lebih ringan daripada aluminium). Dalam bentuk serbuk, logam ini sangat reaktif dan bisa terbakar dengan nyala putih apabila udaranya lembab.

Gambar 1. Magnesium Klorida ⁽¹⁰¹⁾

Magnesium klorida ialah padatan yang umumnya merupakan senyawa garam yang berasal dari asam dan basa kuat, senyawa ini termasuk kedalam senyawa halida ionik yang mudah larut didalam pelarut air, dan biasanya senyawa ini tersedia didalam senyawa hidrat. Senyawa magnesium ⁽¹⁰²⁻¹⁰⁵⁾ klorida memiliki sifat fisika dan sifat kimia yaitu diantaranya:

- Sifat fisik $MgCl_2$
 - Rumus molekul : $MgCl_2$
 - Kelarutan dalam air ⁽¹⁰⁶⁾ : 54,3 g/100 ml (20 °C)
 - Densitas ⁽¹⁰⁷⁾ : 2,32g/cm³ (anhidrat)
1,56g/cm³ (hexahidra)
 - Titik didih : 714°C
 - Titik lebur : 1412 °C
 - Masa molekul : 95,211 g/mol (anhidrat)
203,31 g/mol (hexahidrat)
 - Rumus molekul : $MgCl_2$
 - $\Delta H_f 298$ ⁽¹⁰⁸⁾ : -641,3kj/mol
 - $\Delta G_f 298$ ⁽¹⁰⁹⁾ : -591,8 kj/mol
 - Kerentanan magnetik ⁽¹¹⁰⁾ : $-47.4 \cdot 10^{-6} \text{ cm}^3/\text{mol}$
- Sifat kimia $MgCl_2$
 - Warna putih
 - Mudah terbakar
 - Larut dalam air, etanol, alkohol
 - Sedikit larut dalam aseton dan pirimidin
 - Fasa solid ⁽¹¹¹⁾
 - Mengandung racun

3.2 Sintesis Magnesium Klorida

Pembuatan magnesium klorida dilakukan dalam beberapa proses salah satunya menggunakan proses Dow, dalam proses Down magnesium klorida diregenerasi dari magnesium hidroksida menggunakan asam klorida:

Bisa juga dibuat dari magnesium karbonat dengan reaksi serupa. Pada sebagian besar turunannya, MgCl_2 membentuk kompleks oktahedral. Derivat dengan tetrahedral Mg^{2+} kurang umum. Contohnya meliputi garam (tetraethylammonium) 2MgCl_4 dan aduk seperti MgCl (TMEDA).

Magnesium klorida berfungsi sebagai pendahulu senyawa magnesium lainnya, misalnya dengan presipitasi: $\text{MgCl}_2 + \text{Ca (OH)}_2 \rightarrow \text{Mg (OH)}_2 + \text{CaCl}_2$

Reaksi ini dapat di elektrolisis untuk menjadikannya magnesium logam:

Proses ini dipraktekkan dalam skala besar.

Selain itu proses pembuatan magnesium klorida ada dilakukan dengan beberapa cara diantaranya yaitu: dengan Pembuatan dari air laut dan kapur ⁽¹¹²⁻¹¹⁴⁾ Ca(OH)_2 , Pembuatan dari dolomite dan air laut, pembuatan dari bittern, Pembuatan dari carnallite

3.3 Karakteristik atom penyusun dan ion pada senyawa MgCl_2

1. Atom Magnesium (Mg)

Magnesium merupakan salah satu unsur kimia didalam tabel periodik yang memiliki simbol Mg, nomor atom 12, dan berat atom 24,31. Magnesium adalah unsur kedelapan yang melimpah di alam dan banyak ditemukan dalam bentuk mineral penting didalam bebatuan, seperti dolomit, magnetit, dan olivin, dan juga ditemukan dalam air laut, air asin bawah tanah dan lapisan asin. Magnesium ialah elemen logam terbanyak ketiga (2%) di kerak bumi setelah besi dan aluminium dan tergolong unsur yang mudah larut ketiga terbanyak pada air laut. Magnesium memiliki struktur yang berada didalam kisi hexagonal sehingga tidak mudah slip. Magnesium klorida merupakan molekul ionik dan leburannya dapat mengalami elektrolisis pada saat meleleh. sifat listriknya disebabkan oleh gerakan ion-ion dan muatannya pada elektroda.

Gambar 2. Atom Magnesium ⁽¹¹⁵⁾

Logam Magnesium memiliki sifat yang berbeda dengan sifat logam lainnya, adapun sifat logam Magnesium sebagai berikut :

a. Sifat Fisika Magnesium

Tabel 1. Sifat Fisika Magnesium

Sifat fisika	Paduan Magnesium
Titik Cair, K	922 K
Titik Didih, K	1380 K
Energi Ionisasi 1	738 kJ/mol
Energi Ionisasi 11	1450 kJ/mol
Kerapatan massa ()	1,74 g/cm ³
Jari-jari atom	1,60 Å
Kapasitas Panas	1,02 J/gK
Potensial Ionisasi	7,646 Volt
Konduktivitas Kalor	156 W/mK
Entalpi Penguapan	127,6 kJ/mol
Entalpi Pembentukan	8,95 kJ/mol

b. Sifat Kimia Magnesium

1. Magnesium oksida merupakan oksida basa sederhana.
2. Reaksi dengan air:

$$\text{MgO} + \text{H}_2\text{O} \rightarrow \text{Mg(OH)}_2$$
3. Reaksi dengan udara: Menghasilkan MO dan M₃N₂ jika dipanaskan.
4. Reaksi dengan Hidrogen: tidak bereaksi
5. Reaksi dengan klor:

$$\text{M} + \text{X}_2 \rightarrow (\text{dipanaskan}) \rightarrow \text{MX}_2 \text{ (garam)}$$

c. Sifat mekanik magnesium

Rapat massa magnesium adalah 1,738 gram/cm³. Magnesium murni memiliki kekuatan tarik sebesar 110 N/mm² dalam bentuk hasil pengecoran (*Casting*).

d. Sifat Lain Magnesium

Bilangan oksidasi ⁽¹¹¹⁾	: 2, 1 (oksida basa kuat)
Elektronegativitas ⁽¹¹⁶⁾	: 1,31 (skala pauling)
Energi ionisasi ⁽¹¹⁷⁾ pertama	: 737,7 kJ·mol ⁻¹
ke-2	: 1450,7 kJ·mol ⁻¹
ke-3	: 7732,7 kJ·mol ⁻¹
Struktur kristal ⁽¹¹⁸⁾	: Hexagonal
Pembenaan magnetik	: Paramagnetik
Keterhambatan listrik ⁽¹¹⁹⁾	: (20 °C) 43,9 n .m
Konduktivitas termal ⁽¹²⁰⁾	: 156 W·m ⁻¹ ·K ⁻¹
Ekspansi termal ⁽¹²¹⁾	: (25 °C) 24,8 μ
Kecepatan suara (batang ringan)	: (suhu kamar) 4940 m·s ⁻¹
Modulus Young ⁽¹²²⁾	: 45 GPa
Modulus Shear ⁽¹²³⁾	: 17 GPa
Bulk modulus ⁽¹²⁴⁾	: 45 GPa
Isotop ⁽¹²⁵⁾ paling stabil	: ²⁴ Mg, NA: 78,99%

	²⁵ Mg, NA: 10%
Rasio Poisson ⁽¹²⁶⁾	: 0,290
Kekerasan Mohs ⁽¹²⁷⁾	: 2,5
Kekerasan Brinell ⁽¹²⁸⁾	: 260 MPa
Nomor CAS	: 7439-95- 4

2. Atom Chlorin (Cl)

Klorin merupakan suatu unsur dengan simbol Cl dengan nomor atom 17. Senyawa ini tergolong senyawa halogen yang ringan, berada diantara fluor dan bromin. Unsur klorin merupakan elemen sangat reaktif dan oksidator kuat, mempunyai afinitas elektron tertinggi. Senyawa ini bewujud gas berwarna kuning- hijau pada suhu kamar.

Gambar 2. Atom Klorin⁽¹²⁹⁾

a. Sifat fisika

Tabel 2. Sifat fisika klorin

Sifat fisika	Klorin
Fase	Gas
Titik lebur	171,6 K (-101,5°C -150,7°F)
Kepadatan	3,2g/l
Titik kritis	416,9 K, 7,991Mpa
Kalor peleburan	(Cl ₂) 6,406 kJ/mol
Kalor penguapan	(Cl ₂) 20,41 kJ/mol
Kapasitas kalor molar	(Cl ₂) 33,949 J/(mol.K)
Titik didih	239,11 K(-34,4°C- -29,27°F)

b. Sifat Atom

Tabel 3. Sifat Atom klorin

Bilangan oksidasi	±1,3,5,7 oksida asam kuat
Elektronegativitas	Skala pauling: 3,16
Jari- jari atom	Empiris :100 pm Perhitungan : 79 pm
Jari- jari kovalen	99 pm
Jari- jari vander waals	175 pm

3.4 Bentuk Molekul

Gambar 3. Magnesium Klorida bentuk kristal ⁽¹³⁰⁾

a. Analisis 2D pada Molekul MgCl_2

magnesium chloride

Gambar 2. Analisis 2D terhadap magnesium klorida
Analisis 2D pada Molekul ⁽¹³¹⁾ MgCl_2

b. Analisis 3D pada Molekul MgCl_2

Gambar 4. Analisis 3D pada molekul MgCl_2 model Ball and Stick. (a) jarak antara atom Mg(1) dan Cl(2) dan (b) jarak antara atom Mg(1) dan Cl(3).

Gambar 5. Analisis 3D pada molekul MgCl_2 model Ball and Stick. (a) molekul MgCl_2 terdiri dari atom Mg (bola abu-abu) dan atom Cl (bola hijau) (b) penampang girasi molekul MgCl_2 pada permukaan molekul pada sisi positif (merah).

Gambar 6. Analisis 3D pada molekul MgCl_2 model Ball and Stick. (a) molekul MgCl_2 dengan choose surface model connolly molecular dan display model solid (b) molekul MgCl_2 dengan choose surface model solvent accesible dan display model solid (c) molekul MgCl_2 dengan choose surface model connolly molecular dan display model wire mash dan (d) molekul MgCl_2 dengan choose surface model connolly molecular dan display model translucent.

3.5 Data Molekul

Optimasi Molekul H_2O menggunakan Molecular Mechanic (MM2)

Optimasi molekul H_2O dilakukan dengan Molekular Mekanik (MM2) dan menghasilkan output data dalam bentuk data geometri atom atom dalam molekul dan Energi optimumnya. Hasil output yang dioleh dapat dilihat sebagai berikut :

1. Optimasi MM2 Minimization
2. Optimasi MM2 Dynamics
3. Optimasi MM2 Properties

Output MM2 Minimization, Dynamics dan Properties

MM2 Calculation completed successfully

-----MM2 Minimization-----

Warning: The number of ligands attached does not match the geometry of Mg(1)

Warning: The number of ligands attached does not match the geometry of Cl(2)

Warning: The number of ligands attached does not match the geometry of Cl(3)

Warning: Some parameters are guessed (Quality = 1).

Iteration	1	Steric Energy	496.366	RMS Gradient	26.635	RMS Move	0.0000
Iteration	2	Steric Energy	495.039	RMS Gradient	6.763	RMS Move	0.0141
Iteration	3	Steric Energy	494.958	RMS Gradient	0.019	RMS Move	0.0027
Iteration	4	Steric Energy	361.304	RMS Gradient	487.064	RMS Move	0.0896
Iteration	5	Steric Energy	95.959	RMS Gradient	122.006	RMS Move	0.1205
Iteration	6	Steric Energy	62.902	RMS Gradient	136.650	RMS Move	0.0599
Iteration	7	Steric Energy	23.718	RMS Gradient	65.265	RMS Move	0.1029
Iteration	8	Steric Energy	12.649	RMS Gradient	50.985	RMS Move	0.0787

Iteration	9	Steric Energy	5.467	RMS Gradient	18.091	RMS Move	0.0464
Iteration	10	Steric Energy	4.465	RMS Gradient	18.430	RMS Move	0.0181
Iteration	11	Steric Energy	1.116	RMS Gradient	11.501	RMS Move	0.0726
Iteration	12	Steric Energy	0.979	RMS Gradient	7.158	RMS Move	0.0037
Iteration	13	Steric Energy	0.900	RMS Gradient	4.532	RMS Move	0.0024
Iteration	14	Steric Energy	0.847	RMS Gradient	3.557	RMS Move	0.0021
Iteration	15	Steric Energy	0.464	RMS Gradient	16.075	RMS Move	0.0372
Iteration	16	Steric Energy	0.179	RMS Gradient	11.260	RMS Move	0.0162
Iteration	17	Steric Energy	0.112	RMS Gradient	6.751	RMS Move	0.0044
Iteration	18	Steric Energy	0.065	RMS Gradient	2.298	RMS Move	0.0013
Iteration	19	Steric Energy	0.060	RMS Gradient	1.809	RMS Move	0.0005
Iteration	20	Steric Energy	0.056	RMS Gradient	0.933	RMS Move	0.0005
Iteration	21	Steric Energy	0.052	RMS Gradient	2.005	RMS Move	0.0013
Iteration	22	Steric Energy	0.029	RMS Gradient	3.306	RMS Move	0.0067
Iteration	23	Steric Energy	0.005	RMS Gradient	2.102	RMS Move	0.0085
Iteration	24	Steric Energy	0.002	RMS Gradient	1.335	RMS Move	0.0014
Iteration	25	Steric Energy	0.000	RMS Gradient	0.017	RMS Move	0.0003
Iteration	26	Steric Energy	0.000	RMS Gradient	0.004	RMS Move	0.0000

Iteration 26: Minimization terminated normally because the gradient norm is less than the minimum gradient norm

Stretch	:	0.0000
Bend	:	0.0000
Stretch-Bend	:	-0.0000
Torsion	:	0.0000
Non-1,4 VDW	:	0.0000
1,4 VDW	:	0.0000
Charge/Charge	:	0.0000
Total Energy	:	0.0000 kcal/mol

MM2 Calculation completed successfully

-----MM2 Dynamics-----

Warning: The number of ligands attached does not match the geometry of Mg(1)

Warning: The number of ligands attached does not match the geometry of Cl(2)

Warning: The number of ligands attached does not match the geometry of Cl(3)

Warning: Some parameters are guessed (Quality = 1).

Iteration Time Total Energy Potential Energy Temperature

1	0.002	0.000 ± 0.000	0.000 ± 0.000	0.00 ± 0.00
2	0.004	0.006 ± 0.000	0.001 ± 0.000	0.56 ± 0.00
3	0.006	0.013 ± 0.000	0.006 ± 0.000	0.81 ± 0.00
4	0.008	0.018 ± 0.000	0.013 ± 0.000	0.56 ± 0.00
5	0.010	0.023 ± 0.000	0.018 ± 0.000	0.60 ± 0.00
6	0.012	0.026 ± 0.000	0.014 ± 0.000	1.31 ± 0.00
7	0.014	0.032 ± 0.000	0.004 ± 0.000	3.05 ± 0.00
8	0.016	0.038 ± 0.000	0.001 ± 0.000	4.17 ± 0.00
9	0.018	0.046 ± 0.000	0.011 ± 0.000	3.85 ± 0.00
10	0.020	0.048 ± 0.000	0.026 ± 0.000	2.54 ± 0.00
11	0.022	0.054 ± 0.000	0.030 ± 0.000	2.66 ± 0.00
12	0.024	0.058 ± 0.000	0.023 ± 0.000	3.97 ± 0.00
13	0.026	0.064 ± 0.000	0.008 ± 0.000	6.19 ± 0.00

14	0.028	0.070 ± 0.000	0.004 ± 0.000	7.31 ± 0.00
15	0.030	0.078 ± 0.000	0.018 ± 0.000	6.72 ± 0.00
16	0.032	0.082 ± 0.000	0.039 ± 0.000	4.82 ± 0.00
17	0.034	0.084 ± 0.000	0.049 ± 0.000	3.93 ± 0.00
18	0.036	0.090 ± 0.000	0.040 ± 0.000	5.61 ± 0.00
19	0.038	0.097 ± 0.000	0.020 ± 0.000	8.62 ± 0.00
20	0.040	0.104 ± 0.000	0.013 ± 0.000	10.22 ± 0.00
21	0.042	0.108 ± 0.000	0.028 ± 0.000	8.90 ± 0.00
22	0.044	0.112 ± 0.000	0.056 ± 0.000	6.28 ± 0.00
23	0.046	0.116 ± 0.000	0.072 ± 0.000	4.86 ± 0.00
24	0.048	0.121 ± 0.000	0.062 ± 0.000	6.64 ± 0.00
25	0.050	0.123 ± 0.000	0.040 ± 0.000	9.37 ± 0.00
26	0.052	0.129 ± 0.000	0.030 ± 0.000	11.11 ± 0.00
27	0.054	0.132 ± 0.000	0.044 ± 0.000	9.82 ± 0.00
28	0.056	0.138 ± 0.000	0.073 ± 0.000	7.19 ± 0.00
29	0.058	0.140 ± 0.000	0.094 ± 0.000	5.19 ± 0.00
30	0.060	0.142 ± 0.000	0.092 ± 0.000	5.62 ± 0.00

Translational Kinetic Energy: 0.0000 Rotational Kinetic Energy: 0.0033

Calculation ended

MM2 Calculation completed successfully

-----MM2 Properties-----

Warning: The number of ligands attached does not match the geometry of Mg(1)

Warning: The number of ligands attached does not match the geometry of Cl(2)

Warning: The number of ligands attached does not match the geometry of Cl(3)

Warning: Some parameters are guessed (Quality = 1).

Stretch : 2.3926

Bend : 0.5107

Stretch-Bend : -0.1721

Torsion: 0.0000

Non-1,4 VDW : 0.0000

1,4 VDW : 0.0000

Charge/Charge : 0.0000

Total Energy : 2.7313 kcal/mol

The total energy for this frame: 2.731 kcal/mol

Calculation ended

Tabel 4. Atom Property

No	Atom	Atom type (MM2)	Charge (MM2)	Charge (Huckel)
1.	Mg (1)	Mg	2	0.348503
2.	Cl(2)	Cl Anion	-1	-0.196277
3.	Cl(3)	Cl Anion	-1	-0.152226

Magnesium klorida adalah nama senyawa kimia dengan rumus MgCl_2 dan berbagai hidratnya $\text{MgCl}_2 \cdot (\text{H}_2\text{O})_x$. Magnesium klorida ini adalah garam dalam halida ionik⁽¹³²⁻¹³⁴⁾ yang khas, sangat mudah larut dalam air. MgCl_2 anhidrat adalah asam Lewis, walaupun bersifat sangat lemah. Di Amerika Utara, magnesium klorida diproduksi terutama yaitu dari air garam garam besar. Magnesium klorida ini digunakan sebagai mineral bischofite⁽¹³⁵⁻¹³⁹⁾ alami, juga diekstraksi (melalui larutan pertambangan) dari dasar laut kuno; misalnya, dasar laut Zechstein di barat laut Eropa. Sebagian magnesium klorida berasal dari penguapan^(140; 141) air laut dan matahari. Sedangkan Anhidrat magnesium klorida merupakan prekursor utama logam magnesium, yang diproduksi dalam skala yang lebih besar.

3.6 Kegunaan MgCl_2

Magnesium klorida sangat banyak sekali kegunaanya, paling sering digunakan untuk pengendalian debu dan stabilisasi^(103-105; 142) jalan. Penggunaan kedua untuk pengendalian es. Selain untuk produksi logam magnesium, magnesium klorida juga digunakan untuk berbagai aplikasi lain seperti pupuk, suplemen mineral untuk hewan, pengolahan air limbah, papan dinding, air laut buatan, suplemen pakan, tekstil, kertas, bahan tahan api, semen dan air pendingin. Dicampur dengan magnesium oksida terhidrasi, magnesium klorida membentuk bahan keras yang disebut semen Sorel.

Senyawa ini juga digunakan dalam alat pemadam kebakaran: diperoleh dengan reaksi magnesium hidroksida dan asam hidroklorida (HCl) dalam bentuk cair bersama dengan air dalam keadaan gas. Magnesium klorida juga digunakan dalam beberapa aplikasi medis dan topikal (skin related). Ini telah digunakan dalam pil sebagai sumber magnesium tambahan, di mana ia berfungsi sebagai senyawa terlarut yang tidak seperti pencakar sebagai magnesium sulfat⁽¹⁴³⁻¹⁴⁷⁾, dan lebih banyak bioavailabilitas daripada magnesium hidroksida dan magnesium oksida, karena asam lambung tidak memerlukan asam lambung untuk menghasilkan ion Mg^{2+} yang mudah larut. Ini juga dapat digunakan sebagai bius efektif untuk cephalopoda, beberapa spesies krustasea, dan beberapa spesies bivalvia, termasuk tiram. Magnesium klorida digunakan untuk suhu rendah de-icing jalan raya, trotoar, dan tempat parkir.

3.7 Jari-jari Atom

Asal kata halogen adalah dalam bahas yunani yang berarti produksi garam dengan reaksi langsung dengan logam. Krena kereaktifanya yang sangat tinggi, halogen ditemukan dalam hanya dalam bentuk senyawa. Konfigurasi elektron halogen adalah ns^2np^5 , dan halogen kekurangan satu elektron untuk membentuk gas mulia yang merupakan kulit tertutup. Jadi atom halogen mengeluarkan energi bila menangkap satu elektron. Jadi atom halogen melepaskan energi bila menangkap satu elektron. Jadi perubahan entalpi reaksi reaksi $\text{X(g)} + e \rightarrow \text{X}^-(\text{g})$ bernilai negatif.

Tabel 5. Sifat Halogen

	Energi Ionisasi (KJ/mol^{-1})	Keeletronegatifan X_p	Jari-jari Ion $r(\text{X}^-)$ (pm)
F	1680.6	3.98	133
Cl	1255.7	3.16	181
Br	1142.7	2.96	196
I	1008.7	2.66	220

Tabel 6. Sifat Molekul Halogen

	Jarak – antaratomik R(X-X) (pm)	pm°C	Bp °C	Warna
F	143	-218.6	-188.1	Gas tidak bewarn
Cl	199	101.0	-34.0	Gas kuning kehijauan
Br	228	-7.75	59.5	Cairan merah tua
I	266	113.6	185.2	Padatan ungu violet

Afinitas elektron khlorin ($348.5 \text{ kJ/mol}^{-1}$) adalah yang yang terbesar fluorin ($332.6 \text{ kJ/mol}^{-1}$) nilainya terletak diantara afinitas elektron khlorin dan bromin (324.7 kJ/mol) keelektronegatifan fluorin adalah yang tertinggi.

a. Jari jari Atom Mg

-) Jari- jari vander waals: 173 pm
-) Jari-jari kovalen: 170 pm
-) Jari-jari atom: 160 pm
-) Empiris ⁽¹⁴⁸⁻¹⁵²⁾ : 150
-) Hasil perhitungan : 145
-) Jari- jari atom : 1,60
-) Jari ion M^{2+}, A^0 : 0,65

b. Jari- jari Atom Cl

-) Jari- jari vander waals : 99 pm
-) Jari-jari kovalen : 175 pm
-) Empiris : 100
-) Hasil perhitungan : 109

3.8 Sifat- sifat Thermodinamika

Pengetahuan thermodinamika sederhana sangat bermanfaat untuk memutuskan apakah struktur suatu senyawa akan stabil, kemungkinan kespontanan reaksi dan pemahaman elektrokimia. Entalpi merupakan kandungan kalor sistem dalam tekanan tetap, perubahan ΔH bernilai negatif untuk reaksi eksoterm, dan positif untuk reaksi endoterm. Entalpi reaksi standar, ΔH^0 . Adalah perubahan entalpi dari 1 mol reaktan dan produk pada keadaan standar (105 Pa dan 298.15 K) . Entalpi pembentukan standar ΔH_f^0 , suatu senyawa adalah entalpi reaksi standar untuk pembentukan senyawa dari unsur-unsurnya. Karena entalpi adalah fungsi keadaan, entalpi reaksi standar dapat dihitung dengan mendefinisikan entalpi pembentukan zat sederhana (unsur) bernilai nol.

Entropi adalah fungsi keadaan, dan merupakan kriteria yang dapat menentukan apakah suatu keadaan dapat dicapai dengan spontan dari keadaan lain. Hukum ke-2 termodinamika menyatakan bahwa entropi yang disimbkan dengan S, sistem yang terisolasi dalam proses yang spontan. Dapat dinyatakan dengan secara matematis yaitu:

$$\Delta S > 0$$

Proses secara thermodinamika akan menghasilkan entropi. Entropi berkaitan dengan ketidakteraturan sistem dalam thermodinamika statistik, berdasarkan persamaan dapat dinyatakan :

$$S = k \ln W$$

Dimana K merupakan tetapan boltzman dan W adalah jumlah susunan atom atau molekul dalam sistem dengan energi yang sama dan berhubungan dengan besarnya ketidakteraturan. dengan meningkatnya entropi, maka akan meningkat pula ketidakteraturan sistem.

Persamaan Energi gibbs bebas dapat dituliskan sebagai berikut:

$$\Delta G = \Delta H - T\Delta S$$

Reaksi spontan terjadi bila reaksi energi gibbs berada pada suhu dan tekanan negatif. Adapun besar entalpy dan Energi gibbs bebas dari magnesium korida yaitu ΔH_{f298} -641,3kJ/mol dan ΔG_{f298} -591,8 kJ/mol.

3.9 Viskositas $MgCl_2$

Viskositas^(1; 153-161) adalah sifat penting dari cairan ionik yang digunakan sebagai larutan elektrolit dan viskositas rendah cairan ionik yang diharapkan. Viskositas cairan⁽¹⁶²⁻¹⁷⁶⁾ ionik ditentukan oleh gaya Vander Waals dan ikatan hidrogen. viskositas campuran ChCl-EG-MgCl sebagai fungsi ChCl. Perlu diketahui viskositas meningkat ketika garam ditambahkan dalam campuran. Ini karena diol membentuk agregat linear^(103; 177-185) molekul ikatan hidrogen^(71; 186-194). Perubahan viskositas (h) dengan suhu dapat dilihat dari persamaan Persamaan (1):

$$\ln \eta = \ln \eta_0 + \frac{E}{RT}$$

Grafik 7. Viscosity

Di mana η_0 adalah konstanta, E adalah energi⁽¹⁹⁵⁻¹⁹⁸⁾ untuk aktivasi⁽¹⁹⁹⁻²⁰¹⁾ Flow16 kental, dan R adalah konstanta gas^(70; 202; 203).

ChCl/EG/ $MgCl_2$	E [kJ×mol ⁻¹]	R	E [kJ×mol ⁻¹]	-r
2:5:0	292.1	0.933	473.2	-0.998
2:5:0.035	244.0	0.969	295.0	-0.958
2:5:0.06	238.7	0.972	284.9	-0.957

Tabel 5. menunjukkan bahwa semua data dalam gambar baik Persamaan Nilai-nilai yang diperoleh untuk E membantu dengan desain viskositas rendah cairan ionik.

Dalam sistem metrik satuan viskositas disebut stoke dan mempunyai satuan centimeter kuadrat perdetik. Viskositas kinematik⁽¹¹²⁻¹¹⁴⁾ adalah viskositas absolut^(204; 205) dibagi dengan kerapatan.

Satuan stoke dinyatakan setelah stoke menemukan dasar tentang dinamika fluida, satu stoke terlalu besar untuk jenis fluida yang digunakan dalam hidrolika industri, dan viskositas kinematik yang dinyatakan dalam satuan SI diberikan dalam skala yang lebih kecil yaitu centistoke.

3.10 Gerakan Ion

Sebelum menentukan pengukuran konduktivitas, terlebih dahulu mengetahui penyebab dari gerakan ion dengan laju yang berbeda-beda, dan penyebab ion tersebut memiliki konduktivitas molar yang berlainan, serta sebab konduktivitas molar, elektrolit kuat berkurang dengan akar konsentrasi.

Konsep nya adalah: makin besar mobilitas ion dalam larutan, maka makin besar pula kontribusinya pada konduktivitas (untuk muatan tertentu).

Kecepatan hanyut.

3.11 Kecepatan Hanyut

Jika dua elektroda ⁽²⁰⁶⁻²¹⁰⁾ yang terpisah dengan jarak l berada pada selisih potensial (ζW), maka ion dalam larutan diantara kedua elektroda tersebut, mengalami medan listrik ⁽²¹¹⁻²¹⁵⁾ (E) sebesar :

$$E = \frac{\zeta W}{l}$$

Untuk ion ze (muatan ion) mengalami gaya sebesar :

$$F = zeE = \frac{ze\zeta W}{l}$$

Sedangkan gaya perlambatan (F'), sedangkan gaya gesek (f) maka :

$$F' = fs \quad f = 6\eta r$$

Kedua gaya ini bekerja dalam arah yang berlawanan dan ion mencapai kecepatan akhir, yaitu kecepatan hanyut ion (s), jika gaya mempercepat F diimbangi oleh gaya perlambatan ⁽²¹⁶⁻²²⁰⁾ F' . Gaya neto menjadi nol ($F=F'$) jika :

$$s = \frac{zeE}{f}$$

Z = valensi kation

F = Faraday

Karena kecepatan hanyut mengatur laju transportasi ion, maka di harapkan konduktivitas akan berkurang dengan bertambahnya viskositas pelarut akan ukuran ion.

Perhitungan kecepatan hanyut :

Pemisalan Jika potensial $MgCl_2$ 3,61 V dan jarak antara elektroda adalah 1,5 cm, maka kecepatan hanyutnya dapat dihitung sebagai berikut :

$$E = \frac{\Delta\phi}{l}$$

$$E = \frac{3,61 \text{ V}}{1,5 \text{ cm}} = 2,407 \text{ V/cm}$$

Jadi kecepatan hanyut $MgCl_2$ adalah 2,407 V/cm

3.12 Mobilitas Ion (U)

Mobilitas ion ⁽²²¹⁻²²⁵⁾ dapat dihitung dengan pengukuran sebenarnya jarak yang ditempuh setiap ion dalam waktu tertentu dengan metode batas bergerak.

$$U = \frac{x}{t \left(\frac{dE}{dx} \right)}$$

x = jarak (m)

t = waktu (dt)

$$\left(\frac{dE}{dx}\right) = \text{kekuatan medan (volt.m}^{-1}\text{)}$$

$$E \propto \frac{dE}{dx} \propto \frac{I}{AL_s}$$

$$\text{Maka } U \propto \frac{I_m}{zF}$$

Z = valensi kation

F = Faraday

$$\text{Sehingga } t_{\Gamma} \propto \frac{U_{\Gamma}}{U_{\Gamma} \Gamma U_Z}$$

$$u \propto \frac{s}{E}$$

Jika larutan elektrolit ⁽²²⁶⁻²³⁰⁾ kuat pada konsentrasi molar (c) menimbulkan v_{Γ} kation dengan muatan z_{Γ}

$$J(\text{ion}) \propto \frac{s \zeta t A x v c N_A}{A \zeta t} \propto s v c N_A$$

setiap ion membawa muatan ze sehingga fluks muatan adalah :

$$J(\text{muatan}) \propto z s v c e N_A \propto z s v c F$$

Dengan $F \propto e N_A$ merupakan konstanta Faraday dan $s \propto u E$ maka fluksnya

$$J(\text{muatan}) \propto z u v c F E$$

Maka arus I : fluks muatan x luas

$$I \propto J A \propto z u v c F A E$$

Karena medan listrik merupakan gradien potensial ζ_w / l maka :

$$I \propto \frac{z u v c F A \zeta_w}{l} \text{ atau } I \propto \frac{\zeta_w}{R} \propto \frac{L_s A \zeta_w}{l}$$

$$\text{Atau } L_s \propto z u v c F$$

Untuk larutan dalam limit konsentrasi nol :

$$O_m^0 \propto (z_{\Gamma} u_{\Gamma} v_{\Gamma} \Gamma z_Z u_Z v_Z) F$$

untuk elektrolit simetris $z : z$ (misalnya CuSO_4) maka

$$\frac{1}{z} \sum_i u_i \Gamma_i = \frac{1}{z} \sum_i u_i \Gamma_i$$

3.13 Bilangan Transport⁽²³¹⁻²³⁵⁾ (t)

Definisi : Fraksi dari arus total yang dibawa oleh ion jenis tertentu. Untuk larutan dengan 2 jenis ion, bilangan transport kation:

$$t_+ = \frac{I_+}{I} \quad I = \text{ arus total}$$

$$I = \sum_i I_i$$

Bilangan transport pembatas (t^0) untuk limit konsentrasi nol dari larutan elektrolit. Jika $I \rightarrow 0$ sehingga :

$$t^0 = \frac{z_+ u_+}{z_+ u_+ + z_- u_-}$$

Untuk elektrolit simetris (bilangan muatan untuk kedua ion sama) maka persamaan diatas

$$t^0 = \frac{u_+}{u_+ + u_-}$$

disederhanakan :

Hubungan antara konduktivitas ion dengan mobilitas ion :

$$t^0 = \frac{\kappa_+}{\kappa} \quad \kappa = \sum_i \kappa_i$$

Jadi untuk setiap jenis ion :

$$\kappa_i = t_i^0 \kappa$$

Penentuan bilangan transport:

1. Metode Hittorf^(236; 237)
2. Metoda perbatasan bergerak

3.14 Transport Ion

Konduktivitas listrik⁽²³⁸⁻²⁴²⁾ adalah ukuran kemampuan suatu larutan untuk menghantarkan arus listrik. Arus listrik di dalam larutan di hantarkan oleh ion yang terkandung di dalamnya. Ion memiliki karakteristik tersendiri dalam menghantarkan arus listrik. Maka dari itu nilai konduktivitas listrik hanya menunjukkan konsentrasi ion total dalam larutan. Semakin besar jumlah padatan terlarut di dalam larutan maka kemungkinan jumlah ion dalam larutan juga akan semakin besar, sehingga nilai konduktivitas listrik juga akan semakin besar.

3.15 Mobilitas Ion

Mobilitas ion⁽²²¹⁻²²⁵⁾ merupakan kecepatan ion pada beda potensial antara kedua elektroda atau bias dibidang perbandingan antara laju dan kuat medan. Mobilitas Ionik dalam air pada suhu 298 K.

Tabel 8. Mobilitas ion

Ion	Mobilitas Ionik ($10^{-8} \text{ m}^2 \text{ s}^{-1} \text{ V}^{-1}$)
K^+	7,62
Na^+	5,19
Cl^-	7,91
NO_3^-	7,40
F^-	5,70

Mobilitas ion dapat dihitung dengan pengukuran sebenarnya antara jarak yang ditempuh setiap ion dalam waktu tertentu dengan metode batas bergerak.

$$U = x \cdot \frac{dE}{dx}$$

x = jarak (m)

t = waktu (dt)

$\left(\frac{dE}{dx}\right)$ = kekuatan medan (volt.m⁻¹)

$$U = \frac{dE}{dx} \cdot \frac{I}{AL_s}$$

$$\text{Maka } U = \frac{Z}{F} \cdot \frac{m}{z}$$

Z = valensi kation

F = Faraday (243-252)

3.16 Konduktivitas Ionik

Konduktivitas ionik adalah kategori molekuler yang mengukur kemampuan partikel bermuatan (ion) untuk bergerak melalui struktur kristal material. Senyawa dan unsur yang mampu menerima pergerakan ion melalui strukturnya disebut elektrolit dan biasanya padat atau cair. Meskipun konduktivitas ionik tampaknya memiliki lebih sedikit aplikasi praktis daripada bentuk konduktivitas lain dan yang lebih dikenal, mengukur dan mengendalikan konduksi ionik sebenarnya yang membuat benda-benda biasa seperti gelombang mikro dan baterai bekerja. Magnesium klorida merupakan padatan dengan titik leleh dan titik didih yang tinggi karena banyaknya panas yang dibutuhkan untuk memecahkan daya tarik ionik yang kuat.

4. Kesimpulan

Magnesium klorida adalah nama senyawa kimia dengan rumus MgCl_2 dan berbagai hidratnya $\text{MgCl}_2 \cdot x\text{H}_2\text{O}$. Garam ini adalah halida ionik khas, sangat larut dalam air, larut dalam alkohol dan etanol, namun tidak dapat larut dalam aseton dan pirimidin. Senyawa ini termasuk senyawa ionik. Magnesium klorida terhidrasi dapat diambil dari air asin atau air laut. Sifat fisik dari senyawa MgCl_2 yaitu memiliki densitas 1,56g/cm³, titik didih 714°C, titik lebur 1412 °C, masa molekul 95,211g/mol, Kelarutan dalam air 54,3 g/100 ml (20 °C) dan memiliki sifat termodinamika $\Delta H_{f, 298}^\circ$ -641,3 kJ/mol, $\Delta G_{f, 298}^\circ$ 591,8 kJ/mol. Dari parameter yang diukur diperoleh perhitungan

nilai kecepatan hanyut Magnesium Klorida (MgCl_2) dengan potensial 3,61 V dan jarak antara elektroda adalah 1,5 cm adalah 2,407 V/cm.

Referensi

1. Sun W, Cui JX, Ma LL, Lu ZL, Gong B, et al. 2018. Imaging nucleus viscosity and G-quadruplex DNA in living cells using a nucleus-targeting two-photon fluorescent probe. *The Analyst*
2. Jiang C, Ma B, Song S, Lai OM, Cheong LZ. 2018. Fingerprinting of Phospholipid Molecular Species from Human Milk and Infant Formula Using HILIC-ESI-IT-TOF-MS and Discriminatory Analysis by Principal Component Analysis. *Journal of agricultural and food chemistry* 66:7131-8
3. Yang Y, Yang K, Hao T, Zhu G, Ling R, et al. 2018. Prediction of Molecular Mechanisms for LianXia NingXin Formula: A Network Pharmacology Study. *Frontiers in physiology* 9:489
4. Zhang H, Lyu S, Zhou X, Gu H, Ma C, et al. 2018. Super light 3D hierarchical nanocellulose aerogel foam with superior oil adsorption. *Journal of colloid and interface science* 536:245-51
5. Bresolin D, Estrella AS, da Silva JRP, Valerio A, Sayer C, et al. 2018. Synthesis of a green polyurethane foam from a biopolyol obtained by enzymatic glycerolysis and its use for immobilization of lipase NS-40116. *Bioprocess and biosystems engineering*
6. Wang H, Li TT, Wu L, Lou CW, Lin JH. 2018. Multifunctional, Polyurethane-Based Foam Composites Reinforced by a Fabric Structure: Preparation, Mechanical, Acoustic, and EMI Shielding Properties. *Materials* 11
7. Ellis GFR. 2018. Top-down causation and quantum physics. *Proceedings of the National Academy of Sciences of the United States of America*
8. Samei E, Mills MD. 2018. Medical Physics 3.0, physics for every patient. *Journal of applied clinical medical physics*
9. Clements J. 2018. AAPM medical physics practice guideline 10.a.: Scope of practice for clinical medical physics. *Journal of applied clinical medical physics*
10. Yousefshahi H, Aminsobhani M, Shokri M, Shahbazi R. 2018. Anti-bacterial properties of calcium hydroxide in combination with silver, copper, zinc oxide or magnesium oxide. *European journal of translational myology* 28:7545
11. Wang C, Wang Y, Han Z. 2018. Enhanced flame retardancy of polyethylene/magnesium hydroxide with polycarbosilane. *Scientific reports* 8:14494
12. Dostal J, Brynda J, Blaha J, Machacek S, Heidingsfeld O, Pichova I. 2018. Crystal structure of carbonic anhydrase CaNce103p from the pathogenic yeast *Candida albicans*. *BMC structural biology* 18:14
13. Smialek JL, Gray S. 2018. Low Temperature Hot Corrosion Screening of Single Crystal Superalloys. *Materials* 11
14. Villa-Arango S, Betancur D, Torres R, Kyriacou P. 2018. Use of Transient Time Response as a Measure to Characterize Phononic Crystal Sensors. *Sensors* 18
15. Jiang H, Vogtt K, Thomas JB, Beaucage G, Mulderig A. 2018. Enthalpy and Entropy of Scission in Wormlike Micelles. *Langmuir : the ACS journal of surfaces and colloids*
16. Shimizu M, Matsuoka J, Kato H, Kato T, Nishi M, et al. 2018. Role of partial molar enthalpy of oxides on Soret effect in high-temperature CaO-SiO₂ melts. *Scientific reports* 8:15489

17. Otte M, Schweinitz A, Bonus M, Enke U, Schumann C, et al. 2018. Hydrophobic alkyl chains substituted to the 8-position of cyclic nucleotides enhance activation of CNG and HCN channels by an intricate enthalpy - entropy compensation. *Scientific reports* 8:14960
18. Djikaev YS, Ruckenstein E. 2018. Does the Enthalpy of Heterogeneous Chemical Reactions Affect the Formation of Aqueous Secondary Organic Aerosols? *The journal of physical chemistry letters* 9:5311-6
19. Sheng S, Liu W, Zhu K, Cheng K, Ye K, et al. 2018. Fe₃O₄ nanospheres in situ decorated graphene as high-performance anode for asymmetric supercapacitor with impressive energy density. *Journal of colloid and interface science* 536:235-44
20. Ozdogan H, Sekerci M, Kaplan A. 2018. Investigation of gamma strength functions and level density models effects on photon induced reaction cross-section calculations for the fusion structural materials (46,50)Ti, (51)V, (58)Ni and (63)Cu. *Applied radiation and isotopes : including data, instrumentation and methods for use in agriculture, industry and medicine* 143:6-10
21. de Heer IJ, Bouman SJM, Weber F. 2018. Electroencephalographic (EEG) density spectral array monitoring in children during sevoflurane anaesthesia: a prospective observational study. *Anaesthesia*
22. Ahmad I, Dutra LM. 2018. Imitating waterpipe: Another tobacco industry attempt to create a cigarette that seems safer. *Addictive behaviors*
23. Korkmaz S, Park DJ. 2018. Comparison of Safety Perception between Foreign and Local Workers in the Construction Industry in Republic of Korea. *Safety and health at work* 9:53-8
24. Nalbandyan VB, Evstigneeva MA, Vasilchikova TM, Bukhteev KY, Vasiliev AN, Zvereva EA. 2018. Trigonal layered rosiaite-related antiferromagnet MnSnTeO₆: ion-exchange preparation, structure and magnetic properties. *Dalton transactions* 47:14760-6
25. Wu C, Han J, Sun L, Gong H, Liang C. 2018. Corrigendum to "Effects of trigonal deformation on electronic structure and thermoelectric properties of bismuth" [2018 J Phys Condens Matter 30 285504]. *Journal of physics. Condensed matter : an Institute of Physics journal*
26. Krishnan SS, Nigam P, Anand VSS, Vasudevan MC. 2018. Case series of trigonal meningiomas. *Neurologia i neurochirurgia polska* 52:606-11
27. Ryu JY, Lee JM, Van Nghia N, Lee KM, Lee S, et al. 2018. Supramolecular Pt(II) and Ru(II) Trigonal Prismatic Cages Constructed with a Tris(pyridyl)borane Donor. *Inorganic chemistry* 57:11696-703
28. Gao W, Zhu X, Zheng F, Wu M, Zhang J, et al. 2018. A possible candidate for triply degenerate point fermions in trigonal layered PtBi₂. *Nature communications* 9:3249
29. Ohba S, Tsuchimoto M, Kurachi S. 2018. Investigation of solid-state photochemical nitro-nitrito linkage isomerization: crystal structures of trans-bis-(ethyl-enedi-amine)(iso-thio-cyanato)-nitritocobalt(III) salts: thio-cyanate, chloride monohydrate, and perchlorate-thio-cyanate-(0.75/0.25). *Acta crystallographica. Section E, Crystallographic communications* 74:1526-31
30. Mague JT, Larrabee E, Olivier D, Vaccaro F, Riley KE, Koplitz LV. 2018. Crystal structures of the hexa-fluorido-phosphate salts of the isomeric 2-, 3- and 4-cyano-1-methyl-pyridinium cations and determination of solid-state inter-action energies. *Acta crystallographica. Section E, Crystallographic communications* 74:1322-9

31. Schubert L, Doerenkamp C, Haverkamp S, Heletta L, Eckert H, Pottgen R. 2018. Sc5Pd4Si6- crystal structure and (29)Si/(45)Sc solid state MAS NMR spectroscopic investigations. *Dalton transactions* 47:13025-31
32. Bhangare RC, Ajmal PY, Rathod TD, Tiwari M, Sahu SK. 2018. Experimental and Theoretical Determination of Henry's Law Constant for Polychlorinated Biphenyls: Its Dependence on Solubility and Degree of Chlorination. *Archives of environmental contamination and toxicology*
33. Chen X, McClements DJ, Zhu Y, Chen Y, Zou L, et al. 2018. Enhancement of the solubility, stability and bioaccessibility of quercetin using protein-based excipient emulsions. *Food research international* 114:30-7
34. Kim DH, Maharjan P, Kim JY, Jang DJ, Koo TS, et al. 2019. Enhanced Solubility, In-Vitro Dissolution and Lipase Inhibition of a Self-Nanoemulsifying Drug Delivery System Containing Orlistat. *Journal of nanoscience and nanotechnology* 19:634-9
35. Bujak M. 2018. Melting point, molecular symmetry and aggregation of tetrachlorobenzene isomers: the role of halogen bonding. *Acta crystallographica Section B, Structural science, crystal engineering and materials* 74:458-66
36. Tang Y, Zhang L. 2018. Effect of Thermal Vacancy on Thermodynamic Behaviors in BCC W Close to Melting Point: A Thermodynamic Study. *Materials* 11
37. Seidi S, Alavi L, Jabbari A. 2018. Dispersed Solidified Fine Droplets Based on Sonication of a Low Melting Point Deep Eutectic Solvent: a Novel Concept for Fast and Efficient Determination of Cr(VI) in Urine Samples. *Biological trace element research*
38. Lin W, Yuan D, Deng Z, Niu B, Chen Q. 2018. The cellular and molecular mechanism of glutaraldehyde- didecyldimethylammonium bromide as a disinfectant against Candida albicans. *Journal of applied microbiology*
39. West AM, Nkemngong CA, Voorn MG, Wu T, Li X, et al. 2018. Surface area wiped, product type, and target strain impact bactericidal efficacy of ready-to-use disinfectant Towelettes. *Antimicrobial resistance and infection control* 7:122
40. Subedi D, Vijay AK, Willcox M. 2018. Study of Disinfectant Resistance Genes in Ocular Isolates of Pseudomonas aeruginosa. *Antibiotics* 7
41. Yang X, Wu Y, Wei K, Fang W, Sun H. 2018. Non-Isothermal Crystallization Kinetics of Short Glass Fiber Reinforced Poly (Ether Ether Ketone) Composites. *Materials* 11
42. Winnik MA, Jia L, Guerin G, Lu Y, Yu Q, Mannes I. 2018. Creating biomorphic barbed and branched mesostructures in solution through block copolymer crystallization. *Angewandte Chemie*
43. Powell AW, Stavrinadis A, de Miguel I, Konstantatos G, Quidant R. 2018. White and Brightly Colored 3D Printing Based on Resonant Photothermal Sensitizers. *Nano letters*
44. Takeoka Y. 2018. Environment and human friendly colored materials prepared using black and white components. *Chemical communications* 54:4905-14
45. Ustuner P, Balevi A, Ozdemir M. 2016. Efficacy and safety of mascara dyeing as an adjunct to Alexandrite and Nd:YAG laser applications for removing thin and white-colored facial and axillary hair. *Journal of cosmetic and laser therapy : official publication of the European Society for Laser Dermatology* 18:459-66
46. Lee SH, Oh SH, Hwang IG, Kim HY, Woo KS, et al. 2016. Antioxidant Contents and Antioxidant Activities of White and Colored Potatoes (Solanum tuberosum L.). *Preventive nutrition and food science* 21:110-6

47. Endres KJ, Hill JA, Lu K, Foster MD, Wesdemiotis C. 2018. Surface Layer Matrix-Assisted Laser Desorption Ionization Mass Spectrometry Imaging: A Surface Imaging Technique for the Molecular-Level Analysis of Synthetic Material Surfaces. *Analytical chemistry*
48. Saudemont P, Quanico J, Robin YM, Baud A, Balog J, et al. 2018. Real-Time Molecular Diagnosis of Tumors Using Water-Assisted Laser Desorption/Ionization Mass Spectrometry Technology. *Cancer cell*
49. Aydin HU, Savvidou C, Ozyurekoglu T. 2018. Comparison of Homodigital Dorsolateral Flap and Cross-Finger Flap for the Reconstruction of Pulp Defects. *The Journal of hand surgery*
50. Zhao D, Deng Y, Han D, Tan L, Ding Y, et al. 2019. Exploring structural variations of hydrogen-bonding patterns in cellulose during mechanical pulp refining of tobacco stems. *Carbohydrate polymers* 204:247-54
51. Bastos JV, Cortes MIS. 2018. Pulp canal obliteration after traumatic injuries in permanent teeth - scientific fact or fiction? *Brazilian oral research* 32:e75
52. Iezzi I, Cerqueni G, Licini C, Lucarini G, Mattioli Belmonte M. 2018. Dental pulp stem cells senescence and regenerative potential relationship. *Journal of cellular physiology*
53. Wu J, Zhang L. 2018. Dissolution behavior and conformation change of chitosan in concentrated chitosan hydrochloric acid solution and comparison with dilute and semidilute solutions. *International journal of biological macromolecules*
54. Turssi CP, Amaral FLB, Franca FMG, Basting RT, Hara AT. 2018. Effect of sucralfate against hydrochloric acid-induced dental erosion. *Clinical oral investigations*
55. An S, Li W, Liu Q, Xia Y, Zhang T, et al. 2018. Combined dilute hydrochloric acid and alkaline wet oxidation pretreatment to improve sugar recovery of corn stover. *Bioresource technology* 271:283-8
56. Saratale RG, Sivapathan S, Saratale GD, Banu JR, Kim DS. 2018. Hydroxamic acid mediated heterogeneous Fenton-like catalysts for the efficient removal of Acid Red 88, textile wastewater and their phytotoxicity studies. *Ecotoxicology and environmental safety* 167:385-95
57. Gorski M, Krzywon R, Borodenko M. 2018. Development of Self-Sensing Textile Strengthening System Based on High-Strength Carbon Fiber. *Materials* 11
58. Promphet N, Rattanawaleedirojn P, Siralermukul K, Soatthiyanon N, Potiyaraj P, et al. 2019. Non-invasive textile based colorimetric sensor for the simultaneous detection of sweat pH and lactate. *Talanta* 192:424-30
59. Haque MA, Sailo BL, Padmavathi G, Kunnumakkara AB, Jana CK. 2018. Nature-inspired development of unnatural meroterpenoids as the non-toxic anti-colon cancer agents. *European journal of medicinal chemistry* 160:256-65
60. Sengupta U, Montalbano M, McAllen S, Minuesa G, Kharas M, Kaye R. 2018. Formation of Toxic Oligomeric Assemblies of RNA-binding Protein: Musashi in Alzheimer's disease. *Acta neuropathologica communications* 6:113
61. Jamila N, Khan N, Hwang IM, Choi JY, Nho EY, et al. 2018. Determination of macro, micro, trace essential, and toxic elements in Garcinia cambogia fruit and its anti-obesity commercial products. *Journal of the science of food and agriculture*
62. Warner K, See W, Haerry D, Klingmann I, Hunter A, May M. 2018. EUPATI Guidance for Patient Involvement in Medicines Research and Development (R&D); Guidance for Pharmaceutical Industry-Led Medicines R&D. *Frontiers in medicine* 5:270

63. Adlington NK, Agnew LR, Campbell AD, Cox RJ, Dobson A, et al. 2018. Process Design and Optimisation in the Pharmaceutical Industry: a Suzuki-Miyaura Procedure for the Synthesis of Savolitinib. *The Journal of organic chemistry*
64. Hering S, Loretz B, Friedli T, Lehr CM, Stieneker F. 2018. Can lifecycle management safeguard innovation in the pharmaceutical industry? *Drug discovery today*
65. Borisover M. 2018. Accumulated Gibbs free energy as a quantitative measure of desorption hysteresis associated with the formation of metastable states. *Chemosphere* 215:490-9
66. Thomas EM, Ghimire S, Kohara R, Anil AN, Yuyama KI, et al. 2018. Blinking Suppression in Highly Excited CdSe/ZnS Quantum Dots by Electron Transfer under Large Positive Gibbs (Free) Energy Change. *ACS nano* 12:9060-9
67. Zhang Y, Li J, Liu F, Yan H, Li J, Zhang X. 2018. Reduction of Gibbs free energy and enhancement of Methanosaeta by bicarbonate to promote anaerobic syntrophic butyrate oxidation. *Bioresource technology* 267:209-17
68. Hsu CC, Singh D, Watkins TW, Kwan GNC, Hapugoda S. 2017. High resolution magnetic resonance imaging for exposing facial nerve zonal vulnerability to microbleeds: A rare cause of facial palsy. *The neuroradiology journal* 30:385-8
69. Sun B, Zhao H, Li X, Yao H, Liu X, et al. 2017. Angiotensin II-accelerated vulnerability of carotid plaque in a cholesterol-fed rabbit model-assessed with magnetic resonance imaging comparing to histopathology. *Saudi journal of biological sciences* 24:495-503
70. Cai J, Chen T, Xu Y, Wei S, Huang W, et al. 2018. A versatile signal-enhanced ECL sensing platform based on molecular imprinting technique via PET-RAFT cross-linking polymerization using bifunctional ruthenium complex as both catalyst and sensing probes. *Biosensors & bioelectronics* 124-125:15-24
71. Shen Y, Shan B, Cai H, Qin Y, Agarwal A, et al. 2018. Ultimate Control over Hydrogen Bond Formation and Reaction Rates for Scalable Synthesis of Highly Crystalline vdW MOF Nanosheets with Large Aspect Ratio. *Advanced materials*:e1802497
72. Akuodor GC, Eban LK, Ajoku GA, Nwobodo NN, Akpan JL, et al. 2018. Antidiabetic and antihyperlipidemic potential of ethanol extract of Salacia lehmbachii stem bark in alloxan-induced diabetic rats. *Journal of basic and clinical physiology and pharmacology*
73. Lutte AH, Nazario LR, Majolo JH, Pereira TCB, Altenhofen S, et al. 2018. Persistent increase in ecto5'nucleotidase activity from encephala of adult zebrafish exposed to ethanol during early development. *Neurotoxicology and teratology*
74. Yang P, Wu Y, Zheng Z, Cao L, Zhu X, et al. 2018. CRISPR-Cas9 Approach Constructing Cellulase sestc-Engineered Saccharomyces cerevisiae for the Production of Orange Peel Ethanol. *Frontiers in microbiology* 9:2436
75. Zainul, R., Alif, A., Aziz, H., Arief, S., & s. (2015, October 22). Photoelectrospitting Water Mechanism at Carbon Electrode Surface using Indoor lights. <https://doi.org/10.31227/osf.io/vcxq8>
76. Zainul, R., Alif, A., Aziz, H., Arief, S., & s. (2015, October 22). Photoelectrospitting Water Mechanism at Carbon Electrode Surface using Indoor lights. <https://doi.org/10.31227/osf.io/vcxq8>
77. M., Yani, S. R., & Zainul, R. (2017, September 4). Aktivasi Tanah Napa dan Pengaruhnya Terhadap Adsorpsi Ion Timbal (II)/ Pb2+. <https://doi.org/10.31227/osf.io/ps523>

78. P, O. M., A, L. G., S, A. Y. M., & Zainul, R. (2018, September 1). A Review Grinding : Teknik dan Prinsip Dasar pada Pengolahan Material. <https://doi.org/10.31227/osf.io/trv4q>
79. H., Sanjaya, H., & Zainul, R. (2016, August 30). Synthesis and Electrical Properties of ZnO-ITO and Al-ITO thin Film by Spin Coating Technique Through Sol Gel Process. <https://doi.org/10.31227/osf.io/unrt4>
80. M., Sanjaya, H., & Zainul, R. (2015, December 30). Characterization of napa soil and adsorption of Pb (II) from aqueous solutions using on column method. <https://doi.org/10.31227/osf.io/t8fh9>
81. Horiza, H., Azhar, M. and Efendi, J. (2017) "EKSTRAKSI DAN KARAKTERISASI INULIN DARI UMBI DAHLIA (Dahlia sp.L) SEGAR DAN DISIMPAN", *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 18(01), pp. 31-39. doi: <https://doi.org/10.24036/eksakta/vol18-iss01/14>.
82. Iryani, I., Iswendi, I. and Katrina, I. T. (2017) "UJI AKTIVITAS ANTI DIABETES MELLITUS SENYAWA METABOLIT SEKUNDER FRAKSI AIR DARI BERAS KETAN HITAM (Oryza satival. Var glutinosa) PADA MENCIT PUTIH", *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 18(01), pp. 54-60. doi: <https://doi.org/10.24036/eksakta/vol18-iss01/17>.
83. Suryelita, S., Etika, S. B. and Kurnia, N. S. (2017) "ISOLASI DAN KARAKTERISASI SENYAWA STEROID DARI DAUN CEMARA NATAL (Cupressus funebris Endl.)", *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 18(01), pp. 86-94. doi: <https://doi.org/10.24036/eksakta/vol18-iss01/23>.
84. Zhang Q, Zhu W, Yao J, Li X, Zhou H. 2018. Electrolysis promoted reductive amination of electron-deficient aldehydes/ketones: a green route to the racemic clopidogrel. *Organic & biomolecular chemistry*
85. Arras JM. 1969. An empirical build-up formula. *Health physics* 17:738
86. Sevcik B. 1975. [Research and development of veterinary preparations and food additives in the Czechoslovak drug industry]. *Ceskoslovenska farmacie* 24:2-4
87. Hong Z, Zhang H, Zhang Y, Xu L, Liu T, et al. 2018. Secondary organic aerosol of PM2.5 in a mountainous forest area in southeastern China: Molecular compositions and tracers implication. *The Science of the total environment* 653:496-503
88. Zhang SF, Chen Y, Xie ZX, Zhang H, Lin L, Wang DZ. 2018. Unraveling the molecular mechanism of the response to changing ambient phosphorus in the dinoflagellate Alexandrium catenella with quantitative proteomics. *Journal of proteomics*
89. M M, H DR. 2018. Interpretation of the binding interaction between bupropion hydrochloride with human serum albumin: A collective spectroscopic and computational approach. *Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy* 209:264-73
90. Patlolla PR, Desai N, Gupta S, Datta B. 2018. Interaction of a dimeric carbocyanine dye aggregate with bovine serum albumin in non-aggregated and aggregated forms. *Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy* 209:256-63
91. Febriani SS, Yolanda T, Arianti VA, Zainul R. 2018. A Review Solid Stated: Principles and Methode. <https://doi.org/10.31227/osf.io/7us4x>
92. Liza YM, Yasin RC, Maidani SS, Zainul R. 2018. SOL GEL: PRINCIPLE AND TECHNIQUE (A REVIEW).
93. Dinata AA, Rosyadi AM, Hamid S, Zainul R. 2018. A Review CHEMICAL VAPOR DEPOSITION: PROCESS AND APPLICATION.

94. Torrado A, Ramirez-Moncayo C, Navarro JA, Mariscal V, Molina-Heredia FP. 2018. Cytochrome c6 is the main respiratory and photosynthetic soluble electron donor in heterocysts of the cyanobacterium *Anabaena* sp. PCC 7120. *Biochimica et biophysica acta. Bioenergetics*
95. Pantazis A, Westerberg K, Althoff T, Abramson J, Olcese R. 2018. Harnessing photoinduced electron transfer to optically determine protein sub-nanoscale atomic distances. *Nature communications* 9:4738
96. Hettler S, Onoda J, Wolkow R, Pitters J, Malac M. 2018. Charging of electron beam irradiated amorphous carbon thin films at liquid nitrogen temperature. *Ultramicroscopy* 196:161-6
97. Awalliyah A, Ikhwan H, Nugiasari V, Zainul R. 2018. A REVIEW PRINSIP DASAR MILLING DALAM SINTESIS MATERIAL.
98. Tschan MJ, Launay H, Hagen H, Benet-Buchholz J, van Leeuwen PW. 2011. Telomerisation of buta-1,3-diene and methanol: superiority of chromanyl-type phosphines in the Dow process for the industrial production of 1-MOD. *Chemistry* 17:8922-8
99. Fatimah, P., Jumalia, R., Novianti, E. R., & Zainul, R. (2018, August 31). A REVIEW Teknik Blended : Prinsip dan Dasar-Dasar. <https://doi.org/10.31227/osf.io/tm2w4>
100. Zainul R. 2016. Design and Modification of Copper Oxide Electrodes for Improving Conversion Coefficient Indoors Lights (PV-Cell) Photocells. <https://doi.org/10.31227/osf.io/pgn84>
101. Li Y, He J, Lyu X, Yuan Y, Wang G, Zhao B. 2018. Chitosan-based thermosensitive hydrogel for nasal delivery of exenatide: Effect of magnesium chloride. *International journal of pharmaceutics* 553:375-85
102. Clark PCJ, Flavell WR. 2018. Surface and Interface Chemistry in Colloidal Quantum Dots for Solar Applications Studied by X-Ray Photoelectron Spectroscopy. *Chemical record*
103. Locke GM, Bernhard SSR, Senge MO. 2018. Nonconjugated Hydrocarbons as Rigid-Linear Motifs: Isosteres for Material Sciences and Bioorganic and Medicinal Chemistry. *Chemistry*
104. Teran C, Besada P, Vila N, Costas-Lago MC. 2018. Recent advances in the synthesis of phthalazin-1(2H)-one core as a relevant pharmacophore in medicinal chemistry. *European journal of medicinal chemistry* 161:468-78
105. Yang J, Gong XD, Mei H, Li T, Zhang J, Gozin M. 2018. Design of Zero Oxygen Balance Energetic Materials on a Ba-sis of Diels-Alder Chemistry. *The Journal of organic chemistry*
106. Zainul R. 2016. Determination of the half-life and the quantum yield of ZnO semiconductor photocatalyst in humic acid. <https://doi.org/10.31227/osf.io/e8a9x>
107. Zainul, R., Oktavia, B., Dewata, I., & efendi, j. (2017, February 4). Studi Dinamika Molekular dan Kinetika Reaksi pada Pembelahan Molekul Air untuk Produksi Gas Hidrogen. <https://doi.org/10.31227/osf.io/876s3>
108. Mawardi M, Deyundha D, Zainul R. Characterization of PCC Cement by Addition of Napa Soil from Subdistrict Sarilamak 50 Kota District as Alternative Additional Material for Semen Padang. *Proc. IOP Conference Series: Materials Science and Engineering, 2018*, 335:012034: IOP Publishing
109. Anhar A, Sumarmin R, Zainul R. 2016. Measurement of Glycemic Index of West Sumatera Local Rice Genotypes for Healthy Food Selection.

110. Zainul R, Dewata I. 2015. Determination of pH-BOD-COD and degradation in batang arau watersheds at Padang city. [10.31227/osf.io/efdzj](https://doi.org/10.31227/osf.io/efdzj)
111. Zainul R, Alif A, Aziz H, Arief S. 2015. DISAIN GEOMETRI REAKTOR FOTOSEL CAHAYA RUANG. *Jurnal Riset Kimia* 8:131 <https://doi.org/10.25077/jrk.v8i2.230>
112. Chen N, Valdes D, Marlin C, Blanchoud H, Guerin R, et al. 2018. Water, nitrate and atrazine transfer through the unsaturated zone of the Chalk aquifer in northern France. *The Science of the total environment* 652:927-38
113. Wood B. 2017. Chalk and cheese 2.0. *Journal of human evolution* 113:103-6
114. Checa AG, Harper EM, Gonzalez-Segura A. 2018. Structure and crystallography of foliated and chalk shell microstructures of the oyster Magallana: the same materials grown under different conditions. *Scientific reports* 8:7507
115. Hou R, Willumeit-Romer R, Garamus VM, Frant M, Koll J, Feyerabend F. 2018. The Adsorption of Proteins on Degradable Magnesium - Which Factors are Relevant? *ACS applied materials & interfaces*
116. Zainul R, Alif A, Aziz H, Arief S, Darajat S. 2015. Modifikasi dan Karakteristik IV Sel Fotovoltaik Cu₂O/Cu-Gel Na₂SO₄ Melalui Iluminasi Lampu Neon. *EKSAKTA* 2:50
117. Zainul R, Alif A, AZIZ, H., Arief, S., & s. (2015, October 22). Photoelectrospitting Water Mechanism at Carbon Electrode Surface using Indoor lights. <https://doi.org/10.31227/osf.io/vcxq8>
118. Yasthopi A. 2015. Photoelectrospitting water for hydrogen production using illumination of indoor lights. *Journal of Chemical and Pharmaceutical Research* 7:246-56
119. Zainul R. 2015. Disain dan Modifikasi Kolektor dan Reflektor Cahaya pada Panel Sel Surya Al/Cu₂O-Gel Na₂SO₄. <http://repository.unp.ac.id/id/eprint/610>
120. Mawardi Anwar E, Kosela S, Wibowo W, Zainul R. 2015. Study of Pb (II) biosorption from aqueous solution using immobilized Spirogyra subsalsa biomass. *Journal of Chemical and Pharmaceutical Research* 7:715-22
121. Desy Kurniawati I, Harmiwati SS, Chaidir Z, Munaf E. Rahmiana Zein, Hermansyah Aziz, Rahadian Zainul. 2015. Biosorption of Pb (II) from Aqueous Solutions Using Column Method by Lengken (Euphoria logan lour) Seed and Shell. *Journal of Chemical and Pharmaceutical Research* 7:872-7
122. Zainul R. 2016. Effect of Temperature and Particle Motion against the ability of ZnO Semiconductor Photocatalyst in Humic Acid. <https://doi.org/10.31227/osf.io/wnygb>
123. Putri DF, Ritonga HM, Murdiati V, Zainul R. 2018. A REVIEW WHAT IS HYDROTHERMAL?
124. Yolla A, Zainul R. A Review Grinding: Teknik dan Prinsip Dasar pada Pengolahan Material.
125. Hariprasath K, Deepthi B, Babu IS, Venkatesh P, Sharfudeen S, Soumya V. 2010. Journal of Chemical and Pharmaceutical Research. *J. Chem* 2:496-9
126. Yani SR, Zainul R. Aktivasi Tanah Napa dan Pengaruhnya Terhadap Adsorpsi Ion Timbal (II)/Pb²⁺.
127. Sanjaya H, Zainul R. Synthesis and Electrical Properties of ZnO-ITO and Al-ITO thin Film by Spin Coating Technique Through Sol Gel Process.
128. Zainul R, Nurakhbari D, Salim M. Optimization of Spirulina Platensis Culture for Antioxidant Production.
129. Geringer SA, Demchenko AV. 2018. Iron(iii) chloride-catalyzed activation of glycosyl chlorides. *Organic & biomolecular chemistry*

130. Chowdhury A, Sharma H. 2018. A review of 571 radiographs on Tuffier's inter-crystal line and its' application in lumbar spinal surgery. *Journal of spine surgery* 4:383-7
131. Hayakawa K, Sekiguchi C, Sokabe M, Ono S, Tatsumi H. 2018. Real-Time Single Molecule Kinetics Analyses of AIP1-Enhanced Actin Filament Severing in the Presence of Cofilin. *Journal of molecular biology*
132. Chen G, Feng H, Feng F, Xu P, Xu J, et al. 2018. Photophysical Tuning of Organic Ionic Crystals from Ultralong Afterglow to Highly Efficient Phosphorescence by Variation of Halides. *The journal of physical chemistry letters* 9:6305-11
133. Stefanovic R, Chen Z, FitzGerald PA, Warr GG, Atkin R, et al. 2019. Effect of halides on the solvation of poly(ethylene oxide) in the ionic liquid propylammonium nitrate. *Journal of colloid and interface science* 534:649-54
134. Efimova A, Varga J, Matuschek G, Saraji-Bozorgzad MR, Denner T, et al. 2018. Thermal Resilience of Imidazolium-Based Ionic Liquids-Studies on Short- and Long-Term Thermal Stability and Decomposition Mechanism of 1-Alkyl-3-methylimidazolium Halides by Thermal Analysis and Single-Photon Ionization Time-of-Flight Mass Spectrometry. *The journal of physical chemistry. B* 122:8738-49
135. Gluck J, Klapotke TM, Sabatini JJ. 2018. Flare or strobe: a tunable chlorine-free pyrotechnic system based on lithium nitrate. *Chemical communications* 54:821-4
136. Jia W, Fan C, Wang L, Wang Q, Zhao M, et al. 2016. Extremely Accessible Potassium Nitrate (KNO₃) as the Highly Efficient Electrolyte Additive in Lithium Battery. *ACS applied materials & interfaces* 8:15399-405
137. Kachmar A, Carignano M, Laino T, Iannuzzi M, Hutter J. 2017. Mapping the Free Energy of Lithium Solvation in the Protic Ionic Liquid Ethylammonium Nitrate: A Metadynamics Study. *ChemSusChem* 10:3083-90
138. Liu S, Li GR, Gao XP. 2016. Lanthanum Nitrate As Electrolyte Additive To Stabilize the Surface Morphology of Lithium Anode for Lithium-Sulfur Battery. *ACS applied materials & interfaces* 8:7783-9
139. Liu Y, Lin D, Li Y, Chen G, Pei A, et al. 2018. Solubility-mediated sustained release enabling nitrate additive in carbonate electrolytes for stable lithium metal anode. *Nature communications* 9:3656
140. Cabin-Flaman A, Delaune A, Poutrain P, Gangwe Nana YG, Jourdain B, et al. 2018. Effect of zein additive on perfume evaporation. *International journal of cosmetic science*
141. Sabanci S, Cevik M, Cokgezme OF, Yildiz H, Icier F. 2018. Quality characteristics of pomegranate juice concentrates produced by ohmic heating assisted vacuum evaporation. *Journal of the science of food and agriculture*
142. Yan C, Yao YX, Chen X, Cheng XB, Zhang XQ, et al. 2018. Lithium Nitrate Solvation Chemistry in Carbonate Electrolyte Sustains High-Voltage Lithium Metal Batteries. *Angewandte Chemie* 57:14055-9
143. Walia C, Gupta R, Kaur M, Mahajan L, Kaur G, Kaur B. 2018. Propofol sparing effect of dexmedetomidine and magnesium sulfate during BIS targeted anesthesia: A prospective, randomized, placebo controlled trial. *Journal of anaesthesiology, clinical pharmacology* 34:335-40
144. Elsharkawy RA, Farahat TE, Abdelhafez MS. 2018. Analgesic effect of adding magnesium sulfate to epidural levobupivacaine in patients with pre-eclampsia undergoing elective cesarean section. *Journal of anaesthesiology, clinical pharmacology* 34:328-34

145. Zhong HY, Zhang WP. 2018. Effect of intravenous magnesium sulfate on bupivacaine spinal anesthesia in preeclamptic patients. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie* 108:1289-93
146. Plush K, Weaver A, Staveley L, van Wettere W. 2018. Maternal Magnesium Sulfate Supplementation in a Pre-Farrow Diet Improves Factors Important for Piglet Viability. *Animals : an open access journal from MDPI* 8
147. Jayaram PM, Mohan MK, Farid I, Lindow S. 2018. Antenatal magnesium sulfate for fetal neuroprotection: a critical appraisal and systematic review of clinical practice guidelines. *Journal of perinatal medicine*
148. Fay L, Cai H, Real K. 2018. A Systematic Literature Review of Empirical Studies on Decentralized Nursing Stations. *Herd*:1937586718805222
149. Liu X, Pan M, Li J. 2018. Does Sharing Your Emotion Make You Feel Better? An Empirical Investigation on the Association Between Sharing Emotions on a Virtual Mood Wall and the Relief of Patients' Negative Emotions. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association*
150. Okonta PI, Ajayi R, Bamgbopa K, Ogbeche R, Okeke CC, Onwuzurigbo K. 2018. Ethical Issues in the Practice of Assisted Reproductive Technologies in Nigeria: Empirical Data from Fertility Practitioners. *African journal of reproductive health* 22:51-8
151. Mitsuboshi S, Tsuruma N, Watanabe K, Takahashi S, Nakashita M, et al. 2018. Does quick Sepsis-related Organ Failure Assessment (qSOFA) suggest the use of initial empirical carbapenem therapy in bacteremia caused by extended-spectrum beta-lactamase-producing bacteria? A multicenter case-control study. *Japanese journal of infectious diseases*
152. Wu X, Li Y, Yao Y, Luo X, He X, Yin W. 2018. Development of Construction Workers Job Stress Scale to Study and the Relationship between Job Stress and Safety Behavior: An Empirical Study in Beijing. *International journal of environmental research and public health* 15
153. Kampf N, Wachtel EJ, Zilman A, Ben-Shalom N, Klein J. 2018. Anomalous viscosity-time behavior of polysaccharide dispersions. *The Journal of chemical physics* 149:163320
154. Zhang Y, Moins S, Coulembier O, Seveno D, De Coninck J. 2018. Capillary rise of polydimethylsiloxane around a poly(ethylene terephthalate) fiber versus viscosity: Existence of a sharp transition in the dynamic wetting behavior. *Journal of colloid and interface science* 536:499-506
155. Gitis M. 2018. On the interpretation of shear viscosity ultrasonic measurements. *Ultrasonics* 93:1-6
156. Leuzinger S, Steingotter A, Nystrom L. 2018. Viscosity of Cereal beta-Glucan in the Gastrointestinal Tract. *Chimia* 72:733-5
157. Kim DS, Lee JK. 2019. Effect of Slurry Viscosity and Dispersant Agent on the Sintering of 3Y-TZP Ceramics Fabricated by Slip Casting. *Journal of nanoscience and nanotechnology* 19:1118-21
158. Wylie L, Seeger ZL, Hancock AN, Izgorodina EI. 2018. Increased stability of nitroxide radicals in ionic liquids: more than a viscosity effect. *Physical chemistry chemical physics : PCCP*
159. Sia I, Crary MA, Kairalla J, Carnaby GD, Sheplak M, McCulloch T. 2018. Bolus volume and viscosity effects on pharyngeal swallowing power-How physiological bolus accommodation affects bolus dynamics. *Neurogastroenterology and*

motility : the official journal of the European Gastrointestinal Motility Society:e13481

160. Wu HC, Lee LC, Wang WJ. 2018. Plasmapheresis for hypertriglyceridemia: The association between blood viscosity and triglyceride clearance rate. *Journal of clinical laboratory analysis*:e22688
161. Heyes DM, Dini D, Smith ER. 2018. Incremental viscosity by non-equilibrium molecular dynamics and the Eyring model. *The Journal of chemical physics* 148:194506
162. Kobayashi KU, Kurita R. 2017. Ubiquitous transient stagnant domain formation during thermal convection in a well-mixed two component fluid with large viscosity difference. *Scientific reports* 7:12983
163. Uddin MJ, Khan WA, Amin NS. 2014. g-Jitter mixed convective slip flow of nanofluid past a permeable stretching sheet embedded in a Darcian porous media with variable viscosity. *PloS one* 9:e99384
164. Chatterjee A, Das B. 2013. Radii of gyration of sodium carboxymethylcellulose in aqueous and mixed solvent media from viscosity measurement. *Carbohydrate polymers* 98:1297-303
165. Zaw HM, Li T, Nagaoka H. 2011. Simulation of membrane fouling considering mixed liquor viscosity and variation of shear stress on membrane surface. *Water science and technology : a journal of the International Association on Water Pollution Research* 63:270-5
166. Ziserman L, Abezgauz L, Ramon O, Raghavan SR, Danino D. 2009. Origins of the viscosity peak in wormlike micellar solutions. 1. Mixed catanionic surfactants. A cryo-transmission electron microscopy study. *Langmuir : the ACS journal of surfaces and colloids* 25:10483-9
167. Shrinivasan S, Eggleton CD. 2004. Viscosity of animal erythrocyte suspensions mixed with a perfluorocarbon emulsion. *Artificial cells, blood substitutes, and immobilization biotechnology* 32:387-400
168. Sato S, Sayid CJ, Raleigh DP. 2000. The failure of simple empirical relationships to predict the viscosity of mixed aqueous solutions of guanidine hydrochloride and glucose has important implications for the study of protein folding. *Protein science : a publication of the Protein Society* 9:1601-3
169. Kisliuk A, Loheider S, Sokolov A, Soltwisch M, Quitmann D, et al. 1995. Relaxation and shear viscosity in mixed ionic melts. *Physical review. B, Condensed matter* 52:13083-6
170. Brajovic M, Dujic A. 1990. [The amount and viscosity of nonstimulated mixed saliva and dental caries]. *Vojnosanitetski pregled* 47:333-8
171. Ferri C, Mannini L, Bartoli V, Gremignai G, Genovesi-Ebert F, et al. 1990. Blood viscosity and filtration abnormalities in mixed cryoglobulinemia patients. *Clinical and experimental rheumatology* 8:271-81
172. Nakazato K, Sakurai T, Kubota K, Kurabayashi H, Tamura J, Shirakura T. 1988. [Whole-blood and plasma viscosity in two cases of mixed connective tissue disease with Raynaud's phenomenon and cold agglutininemia]. *Rinsho byori. The Japanese journal of clinical pathology* 36:1201-4
173. Higashi S, Yasuda S, Anzai M, Oitate M, Hirata Y. 1971. Studies on rubber base impression materials. 23. Discussions on the setting mechanism of polysulfide rubber as the dental impression material, chiefly viewed from the variations of viscosity and molecular weight. 3. Mixed oxidizing agent of PbO₂ and MnO₂: its ability of condensing polysulfide. *The Journal of Nihon University School of Dentistry* 13:93-105

174. Joos P. 1970. Cholesterol as liquifier in phospholipid membranes studied by surface viscosity measurements of mixed monolayers. *Chemistry and physics of lipids* 4:162-8
175. Nakagaki M, Kokado H. 1968. [Viscosity and turbidity of mixed solutions of chondroitin sulfate and cationic surface active agents]. *Yakugaku zasshi : Journal of the Pharmaceutical Society of Japan* 88:761-6
176. Dawson LR, Leader GR, Keely WM, Zimmerman HK, Jr. 1951. The low-temperature conductance and viscosity of concentrated solutions of ammonium formate and ammonium acetate in some mixed solvents. *The Journal of physical and colloid chemistry* 55:422-8
177. Booth R, Insua I, Bhak G, Montenegro J. 2018. Self-assembled micro-fibres by oxime connection of linear peptide amphiphiles. *Organic & biomolecular chemistry*
178. Ernst C, Heidrich J, Sessler C, Sindlinger J, Schwarzer D, et al. 2018. Switching Between Bicyclic and Linear Peptides - The Sulfhydryl-Specific Linker TPSMB Enables Reversible Cyclization of Peptides. *Frontiers in chemistry* 6:484
179. Hayashi K, Motoishi M, Sawai S, Hanaoka J. 2018. Hemothorax after emphysematous bullectomy using a linear staple device with bioabsorbable polyglycolic acid felt. *Journal of surgical case reports* 2018:rjy289
180. Costa AL, Barbosa BV, Perez-Gomes JP, Calle AJ, Santamaria MP, Lopes SC. 2018. Influence of voxel size on the accuracy of linear measurements of the condyle in images of cone beam computed tomography: A pilot study. *Journal of clinical and experimental dentistry* 10:e876-e82
181. Guo Y, Gok S, Sahin M. 2018. Convolutional Networks Outperform Linear Decoders in Predicting EMG From Spinal Cord Signals. *Frontiers in neuroscience* 12:689
182. Masuda T, Nakaura T, Funama Y, Sato T, Higaki T, et al. 2018. Development and Validation of Generalized Linear Regression Models to Predict Vessel Enhancement on Coronary CT Angiography. *Korean journal of radiology* 19:1021-30
183. Rezende HD, Dias M, Kempf W, Treub RM. 2018. Linear Circumscribed Scleroderma-Like Folliculitis Decalvans: Yet Another Face of a Protean Condition. *International journal of trichology* 10:175-9
184. Zhou Q, Guan Y. 2018. On the Null Distribution of Bayes Factors in Linear Regression. *Journal of the American Statistical Association* 113:1362-71
185. Song B, Kandapal S, Gu J, Zhang K, Reese A, et al. 2018. Self-assembly of polycyclic supramolecules using linear metal-organic ligands. *Nature communications* 9:4575
186. Chu J, Carroll TG, Wu G, Telser J, Dobrovetsky R, Menard G. 2018. Probing Hydrogen Atom Transfer at a Phosphorus(V) Oxide Bond Using a "Bulky Hydrogen Atom" Surrogate: Analogies to PCET. *Journal of the American Chemical Society*
187. Scheidt K, Maskeri M, O'Connor M, Jaworski AA, Davies A. 2018. A Cooperative Hydrogen Bond Donor/Bronsted Acid System for the Enantioselective Synthesis of Tetrahydropyrans. *Angewandte Chemie*
188. Sabater P, Zapata F, Lopez B, Fernandez I, Caballero A, Molina P. 2018. Enhancement of anion recognition exhibited by a zinc-imidazole-based ion-pair receptor composed of C-H hydrogen- and halogen-bond donor groups. *Dalton transactions*

189. Sano-Furukawa A, Hattori T, Komatsu K, Kagi H, Nagai T, et al. 2018. Direct observation of symmetrization of hydrogen bond in delta-AIOOH under mantle conditions using neutron diffraction. *Scientific reports* 8:15520
190. Radisavljevic Z. 2018. Muon disrupts AKT hydrogen bond network in cancer. *Journal of cellular physiology*
191. Riel AMS, Decato DA, Sun J, Massena CJ, Jessop MJ, Berryman OB. 2018. Correction: The intramolecular hydrogen bonded-halogen bond: a new strategy for preorganization and enhanced binding. *Chemical science* 9:6451
192. Strate A, Neumann J, Overbeck V, Bonsa AM, Michalik D, et al. 2018. Rotational and translational dynamics and their relation to hydrogen bond lifetimes in an ionic liquid by means of NMR relaxation time experiments and molecular dynamics simulation. *The Journal of chemical physics* 148:193843
193. Chen J, Wei D, Gong W, Zheng A, Guan Y. 2018. Hydrogen-Bond Assembly of Poly(vinyl alcohol) and Polyhexamethylene Guanidine for Nonleaching and Transparent Antimicrobial Films. *ACS applied materials & interfaces* 10:37535-43
194. Hohl JA, Harris MW, Strasser N, Kelterer AM, Lavrich RJ. 2018. Competing Intramolecular Hydrogen Bond Strengths and Intermolecular Interactions in the 4-Aminobutanol-Water Complex. *The journal of physical chemistry. A* 122:8505-10
195. Kolbe I, Brehm N, Oster H. 2018. Interplay of central and peripheral circadian clocks in energy metabolism regulation. *Journal of neuroendocrinology*:e12659
196. Kordbacheh H, Baliyan V, Singh P, Eisner BH, Sahani DV, Kambadakone AR. 2018. Rapid kVp switching dual-energy CT in the assessment of urolithiasis in patients with large body habitus: preliminary observations on image quality and stone characterization. *Abdominal radiology*
197. Orlando UD, Castillo AF, Medrano MAR, Solano AR, Maloberti PM, Podesta EJ. 2018. Acyl-CoA Synthetase-4 is implicated in drug resistance in breast cancer cell lines involving the regulation of energy-dependent transporter expression. *Biochemical pharmacology*
198. Bina D, Durchan M, Kuznetsova V, Vacha F, Litvin R, Polivka T. 2018. Energy transfer dynamics in a red-shifted violaxanthin-chlorophyll a light-harvesting complex. *Biochimica et biophysica acta. Bioenergetics*
199. Wang G, Wang Q, Huang Q, Chen Y, Sun X, et al. 2018. Upregulation of mtSSB by interleukin-6 promotes cell growth through mitochondrial biogenesis-mediated telomerase activation in colorectal cancer. *International journal of cancer*
200. Hidayani, T. (2018) "GRAFTING POLIPROPILENA DENGAN MALEAT ANHIDRIDA SEBAGAI PENGIKAT SILANG DENGAN INISIATOR BENZOIL PEROKSIDA", EKSakta: Berkala Ilmiah Bidang MIPA, 19(1), Pp. 56-62. Doi: <https://doi.org/10.24036/Eksakta/Vol19-Iss1/127>.
201. Prabowo, H. (2018) "PENYELIDIKAN KELAYAKAN KIMIA DAN PENYEBARAN CADANGAN PASIR BESI DAERAH TIKU KABUPATEN AGAM UNTUK BAHAN BAKU SEMEN PADA PT. SEMEN PADANG", EKSakta: Berkala Ilmiah Bidang MIPA, 19(1), pp. 39-42. doi: <https://doi.org/10.24036/eksakta/vol19-iss1/121>
202. Sun H, Lu H, Feng Y. 2018. Greenhouse gas emissions vary in response to different biochar amendments: an assessment based on two consecutive rice growth cycles. *Environmental science and pollution research international*
203. Bunge F, van den Driesche S, Vellekoop MJ. 2018. PDMS-free microfluidic cell culture with integrated gas supply through a porous membrane of anodized aluminum oxide. *Biomedical microdevices* 20:98
204. Laesecke A, Meier K, Hafer RF. 2018. Wide-ranging Absolute Viscosity Measurements of Sub- and Supercritical 1,1,1-trifluoroethane (R143a). *Journal of molecular liquids* 251:128-41

205. Donnelly RJ, LaMar MM. 1987. Absolute measurement of the viscosity of classical and quantum fluids by rotating-cylinder viscometers. *Physical review. A, General physics* 36:4507-10
206. Zarei SS, Soleimani-Zad S, Ensafi AA. 2018. An impedimetric aptasensor for *Shigella dysenteriae* using a gold nanoparticle-modified glassy carbon electrode. *Mikrochimica acta* 185:538
207. Chiu HY, Cho CP. 2018. Mixed-Phase MnO(2)/N-Containing Graphene Composites Applied as Electrode Active Materials for Flexible Asymmetric Solid-State Supercapacitors. *Nanomaterials* 8
208. Amin K, Mao L, Wei Z. 2018. Recent Progress in Polymeric Carbonyl-Based Electrode Materials for Lithium and Sodium Ion Batteries. *Macromolecular rapid communications*:e1800565
209. Devi R, Gogoi S, Barua S, Sankar Dutta H, Bordoloi M, Khan R. 2019. Electrochemical detection of monosodium glutamate in foodstuffs based on Au@MoS₂/chitosan modified glassy carbon electrode. *Food chemistry* 276:350-7
210. Chourashiya MG, Sharma R, Andersen SM. 2018. Accurate determination of catalyst loading on glassy carbon disk and its impact on thin film rotating disk electrode for oxygen re-duction reaction. *Analytical chemistry*
211. Sampath J, Hall LM. 2018. Impact of ion content and electric field on mechanical properties of coarse-grained ionomers. *The Journal of chemical physics* 149:163313
212. Roman MA, Klokishner SI. 2018. Electric Field Effects on Magnetic and Polarizability Properties of Clusters with Two-Electron Transfer. *The journal of physical chemistry. A*
213. Li W, Wang W, Hou Q, Yan Y, Dai C, Zhang J. 2018. Alternating electric field-induced ion current rectification and electroosmotic pump in ultranarrow charged carbon nanocones. *Physical chemistry chemical physics : PCCP*
214. Sindoro M, Granick S. 2018. Ionic Janus Liquid Droplets Assembled and Propelled by Electric Field. *Angewandte Chemie*
215. Ren J, Tao YC, Li X, Ma T, Liu B, Lu D. 2018. Effect of External Electric Field on the Ordered Structure of Molecular Chains and Hole Mobility in Regioregular Poly(3-hexylthiophene) with Different Molecular Weights. *Langmuir : the ACS journal of surfaces and colloids*
216. Chandler RF. 2003. John Paul Stapp and Deceleration Research Part III: Project 7850 and Other Research at Holloman Air Force Base. *Stapp car crash journal* 47:v-xvi
217. Chandler RF. 2002. John Paul Stapp and Deceleration Research Part II: Windblast and Deceleration Tests at Holloman Air Force Base. *Stapp car crash journal* 46:v-xxiv
218. Gustas P, Johnston C, Roepstorff L, Drevemo S, Lanshammar H. 2004. Relationships between fore- and hindlimb ground reaction force and hoof deceleration patterns in trotting horses. *Equine veterinary journal* 36:737-42
219. Morrison AL, King TM, Korell MA, Smialek JE, Troncoso JC. 1998. Acceleration-deceleration injuries to the brain in blunt force trauma. *The American journal of forensic medicine and pathology* 19:109-12
220. Seling A, Peters H. 1975. [Life-threatening intrathoracic injuries due to indirect force (deceleration injury)]. *Hefte zur Unfallheilkunde*:235-7

221. Meier F, Brunner AD, Koch S, Koch H, Lubeck M, et al. 2018. Online parallel accumulation - serial fragmentation (PASEF) with a novel trapped ion mobility mass spectrometer. *Molecular & cellular proteomics : MCP*
222. Oranzi NR, Polfer NC, Lei J, Yost RA. 2018. Influence of experimental conditions on the ratio of 25-hydroxyvitamin D3 conformers for validating a liquid chromatography-ion mobility-mass spectrometry method for routine quantitation. *Analytical chemistry*
223. Zang X, Monge ME, Gaul DA, Fernandez FM. 2018. Flow Injection-Travelling Wave Ion Mobility-Mass Spectrometry for Rapid Prostate Cancer Metabolomics. *Analytical chemistry*
224. Gomez JD, Ridgeway ME, Park MA, Fritz KS. 2018. Utilizing Ion Mobility to Identify Isobaric Post-Translational Modifications: Resolving Acrolein and Propionyl Lysine Adducts by TIMS Mass Spectrometry. *International journal for ion mobility spectrometry : official publication of the International Society for Ion Mobility Spectrometry* 21:65-9
225. Sutinen M, Kontunen A, Karjalainen M, Kiiski J, Hannus J, et al. 2018. Identification of breast tumors from diathermy smoke by differential ion mobility spectrometry. *European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology*
226. Pin-On P, Saringkarinkul A, Punjasawadwong Y, Kacha S, Wilairat D. 2018. Serum electrolyte imbalance and prognostic factors of postoperative death in adult traumatic brain injury patients: A prospective cohort study. *Medicine* 97:e13081
227. Ke X, Drache M, Gohs U, Kunz U, Beuermann S. 2018. Preparation of Polymer Electrolyte Membranes via Radiation-Induced Graft Copolymerization on Poly(ethylene-alt-tetrafluoroethylene) (ETFE) Using the Crosslinker N,N'-Methylenebis(acrylamide). *Membranes* 8
228. An L, Zhang Z, Feng J, Lv F, Li Y, et al. 2018. Heterostructure-Promoted Oxygen Electrocatalysis Enables Rechargeable Zinc-Air Battery with Neutral Aqueous Electrolyte. *Journal of the American Chemical Society*
229. He Y, Bai P, Gao S, Xu Y. 2018. The Marriage of An Ether-Based Electrolyte with Hard Carbon Anodes Creates Superior Sodium-Ion Batteries with High Mass Loading. *ACS applied materials & interfaces*
230. Saiya, A. (2017) "ANALISIS RESIDU Klorpirifos dalam Sayuran KUBIS dengan Metode HPLC di Beberapa Pasar Tradisional di Sulawesi Utara", EKSakta: Berkala Ilmiah Bidang MIPA, 18(02), pp. 77-85. doi: <https://doi.org/10.24036/eksakta/vol18-iss02/57>.
231. Syafei, N. (2017) "ANALISA FENOMENA KOROSI PELAT PIPA BAJA KARBON API 5L-X65 dalam Larutan 250 ml Asam Asetat dan 4750 ml Aquades pada Kondisi Gas CO2 dan H2S Jenuh pada Suhu Ruang", EKSakta: Berkala Ilmiah Bidang MIPA, 18(02), pp. 113-120. doi: <https://doi.org/10.24036/eksakta/vol18-iss02/63>.
232. Tutuarima, T. (2017) "SIFAT FISIK DAN KIMIA MARMALADE JERUK KALAMANSI (Citrus microcarpa) : KAJIAN KONSENTRASI PEKTIN DAN SUKROSA Physical and Chemical Properties of Marmalade Citrus of Calamondin (Citrus microcarpa) : Study of Pectin and Sucrose Concentrations", EKSakta: Berkala Ilmiah Bidang MIPA, 18(02), pp. 164-172. doi: <https://doi.org/10.24036/eksakta/vol18-iss02/73>.
233. Ruswandi, R. (2018) "Determination of Fructose Content resulted by Inulin Hydrolysis with DNS as Oxidizer", EKSakta: Berkala Ilmiah Bidang MIPA, 19(1), pp. 14-23. doi: <https://doi.org/10.24036/eksakta/vol19-iss1/102>.

234. Sanjaya, H. (2018) "DEGRADASI METIL VIOLET MENGGUNAKAN KATALIS ZnO-TiO₂ SECARA FOTOSONOLISIS", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(1), pp. 91-99. doi: <https://doi.org/10.24036/eksakta/vol19-iss1/131>
235. Ningsih, S. K. (2017) "SINTESIS DAN KARAKTERISASI NANOPARTIKEL ZnO DOPED Cu²⁺ MELALUI METODA SOL-GEL", EKSAKTA: Berkala Ilmiah Bidang MIPA, 18(02), pp. 39-51. doi: <https://doi.org/10.24036/eksakta/vol18-iss02/51>
236. Muller F. 2011. Johann Wilhelm Hittorf and the material culture of nineteenth-century gas discharge research. *British journal for the history of science* 44:211-44
237. Barus C. 1901. The Hittorf Jubilee. *Science* 14:897-8
238. Matubayasi N. 2018. Spatial-Decomposition Analysis of Electrical Conductivity. *Chemical record*
239. Yuan D, Liu L, Jiao X, Zou Y, McNeill CR, et al. 2018. Quinoid-Resonant Conducting Polymers Achieve High Electrical Conductivity over 4000 S cm⁻¹ for Thermoelectrics. *Advanced science* 5:1800947
240. Wu B, Peng C, Hu Y, Xing S, Jiang D, et al. 2018. Molding processed multi-layered and multi-functional nanocomposites with high structural ability, electrical conductivity and durable superhydrophobicity. *Nanoscale* 10:19916-26
241. Hsieh PL, Lee AT, Chen LJ, Huang MH. 2018. Germanium Wafers Possess Facet-Dependent Electrical Conductivity Properties. *Angewandte Chemie*
242. Kaklamani G, Kazaryan D, Bowen J, Iacovella F, Anastasiadis SH, Deligeorgis G. 2018. On the electrical conductivity of alginate hydrogels. *Regenerative biomaterials* 5:293-301
243. Gerhardt I. 2018. How anomalous is my Faraday filter? *Optics letters* 43:5295-8
244. Li M, Reimers JR, Dobson JF, Gould T. 2018. Faraday cage screening reveals intrinsic aspects of the van der Waals attraction. *Proceedings of the National Academy of Sciences of the United States of America* 115:E10295-E302
245. Hayden J, Westberg J, Patrick CL, Lendl B, Wysocki G. 2018. Frequency-locked cavity ring-down Faraday rotation spectroscopy. *Optics letters* 43:5046-9
246. Sungar N, Sharpe JP, Pilgram JJ, Bernard J, Tambasco LD. 2018. Faraday-Talbot effect: Alternating phase and circular arrays. *Chaos* 28:096101
247. Syafei, N. (2018) "Riset Material ANALISA FENOMENA KOROSI PELAT PIPA BAJA KARBON API 5L-X65 DALAM LARUTAN 7900 ML AIR LAUT DAN 100 ML AMONIAK PADA KONDISI GAS CO₂ DAN H₂S JENUH PADA SUHU RUANG.", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(1), pp. 7-13. doi: <https://doi.org/10.24036/eksakta/vol19-iss1/83>.
248. Parbuntari, H., Prestica, Y., Gunawan, R., Nurman, M. and Adella, F. (2018) "Preliminary Phytochemical Screening (Qualitative Analysis) of Cacao Leaves (Theobroma cacao L.)", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(2), pp. 40-45. doi: <https://doi.org/10.24036/eksakta/vol19-iss2/142>.
249. Dinata, M. and Soehardi, F. (2018) "Factor Analysis of Physics Chemistry Waters that Affects Damage Safety Cliff on the Outskirts of River Siak", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(2), pp. 46-49. doi: <https://doi.org/10.24036/eksakta/vol19-iss2/143>.
250. Sofyanita, S. and Octaria, Z. (2018) "Fenthion Compound Degradation in the Pesticide Bayleton 500 ec in Sonolysis, Ozonolysis and Sonozolysis with Addition of TiO₂-anatase", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(2), pp. 70-79. doi: <https://doi.org/10.24036/eksakta/vol19-iss2/153>
251. Harahap, F. and Lubis, L. (2018) "Analysis of Heavy Metals Distribution in the River Town of Hamasaki's Rod Padangsidimpuan", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(2), pp. 50-56. doi: <https://doi.org/10.24036/eksakta/vol19-iss2/149>.
252. Syafei, N., Hidayat, D., Emilliano, E. and Men, L. (2018) "Analysis Cracking Corrosion on Carbon Steel Pipes API 5L-X65 In Solution 7700 ml Aquades, 250 ml Acetic Acid and 50 ml Ammonia with Gas CO₂ and H₂S in Saturation Condition", EKSAKTA: Berkala Ilmiah Bidang MIPA, 19(2), pp. 21-31. doi: <https://doi.org/10.24036/eksakta/vol19-iss2/138>.