ICONTES

ABSTRACT BOOK

FEB 01- 02 , 2018, KUALA LUMPUR - MALAYSIA

WWW.ICONTES.ORG

5TH

INTERNATIONAL

CONGRESS

ON

TECHNOLOGY-ENGINEERING & SCIENCE

Indexed by PROCEDIA

A · P · U
ASIA PACIFIC UNIVERSITY
OF TECHNOLOGY & INNOVATION

SETARA 2017

APU amongst the Highest Rated
Emerging Universities

EXPERIENCE APU'S ICONIC CAMPUS

Rated No:1
in Asia and Malaysia
for multicultural
learning experience*

**MALAYSIA'S
AWARD
WINNING
UNIVERSITY**

Engineering Degrees
Accredited under
**WASHINGTON
ACCORD**

[accepted Worldwide]

95%+
Employed
by Graduation

11,000
STUDENTS
on campus from
110 COUNTRIES

**MORE THAN
30,000**
GRADUATES
& ALUMNI

*Student Barometer Wave 2015, 'Studying with people from other cultures'

Computing & Technology | Engineering | Business & Finance | Design & Media | International Studies

PROF. GHASEM D. NAJAFPOUR

Presentation Title:

**Enhanced Energy Recovery and Wastewater Treatment Efficiency
in Microbial Desalination Cell**

Brief Resume:

Professor Ghasem D. Najafpour is a distinguished professor in Chemical Engineering and Chairman of Biotechnology Research Center, Babol Noshirvani University of Technology, Iran. He is an educated scholar from University of Arkansas, USA with strong background in biological processes. He is deeply involved in research and teaching in biochemical engineering subjects and he has conducted many practical researches in enzyme technology, fermentation processes, biodiesel, biofuel, biosurfactant, wastewater treatment and biochemical engineering.

He is a Chemical Engineer and Biotechnologist, B.Sc., Medical Technology University of Isfahan, Iran (1972), M.Sc., Chemical Engineering University of Oklahoma, USA (1977) and Ph.D., Chemical Engineering University of Arkansas, USA (1983). He served as assistant professor at University of Mazandran, Iran (1983-1989). Visiting Professor at University of Waterloo Canada and University of Arkansas, USA (1990-1991). He also spent his sabbatical leave at University of Arkansas, USA (1992-1993). There, he has expanded his scientific research activities on single cell protein (SCP), Microbial fuel cells, renewable energy and synthetic fuels. He served as associate professor at University of Mazandaran, Iran, (1994-1998) and Universiti of Sains Malaysia, Malaysia (1998 – 2005). Since 2005, he was qualified and appointed as professor in Faculty of Chemical Engineering at Babol Noshirvani University of Technology, Iran.

Since 2008, he is serving as Editor in Chief of International Journal of Engineering, World Applied Sciences Journal, and Middle East Journal of Scientific Research. He is also Editor in Chief of Iranica Journal of Energy and Environment since 2006. In addition, he is Editor of Journal of Environmental Chemistry and Ecotoxicology, Academic Journals, since 2007. He is an active member of many international institutes, editor and reviewers of number of international journals and many scientific societies. Often he is invited to many international conferences as keynote speakers.

In past decades, he has supervised more than 165 master and 38 Ph.D. students. He has published more than 450 papers in international journals and has written 10 books in the field of Chemical Engineering and Biotechnology. In year 2006, he has published his 1st edition of his book with Elsevier entitled "Biochemical Engineering & Biotechnology". The 2nd edition of "Biochemical Engineering & Biotechnology" with 20 chapters is published by Elsevier on Feb. 2015.

A few times, he has been awarded and appointed by the Ministry of High Education of Iran as the best and top researcher in Iranian Universities. He won number of awards for research achievements and winner of gold medal for the Invention/Innovation sponsored by Ministry of Science, Technology Malaysia, 2004. His researches for formulation of transparent soap and natural biodegradable liquid detergent from palm oil's fatty acids, was patented with SIRIM Berhad, Malaysia (2003). Currently, he is supervising number of PhD scholars and conducting top research projects on microbial fuel cells, biodiesel biohydrogen, biodiesel, biofuel from algae, bioethanol from agro-wastes, enzyme technology, renewable energy, heterogeneous catalytic processes, wastewater treatment and biological treatment processes.

PROF. DR. NORANI MUTI MOHAMED

Presentation Title:

Designing Nanomaterials to Maximize Performance

Brief Resume:

Norani Muti is a professor at the Department of Fundamental & Applied Sciences at Universiti Teknologi PETRONAS (UTP). Currently she is holding the position as a Director for UTP Centre of Innovative Nanostructures & Nanodevices (COINN). She obtained her BSc, MSc and PhD in Physics from University of Essex, UK. She specializes in the area of Thin Film Technology, Semiconductor Technology and Nanotechnology. She established “*Centre of Innovative Nanostructures and Nanodevices (COINN)*” at UTP with the objective of establishing a library of nanomaterials and synthesis techniques for accelerated production of innovative and beneficial commercialized products. In 2011, COINN had been recognized as NanoMalaysia Centre of Excellence based on its continuous effort on R&D on nanotechnology, focusing on alternative and renewable energy. Research works undertaken are very much focused on cutting-edge research areas ranging from novel materials with innovative nanostructures to novel nanodevices. She has published over 200 research papers with some of her achievements been awarded medals at various local and international exhibitions. About RM25 million in research funding has been secured with accomplishment of more than 10 research grants as principle investigator. She is also actively involved in International Organization of Standardization in Nanotechnologies (ISO/TC229) as the technical expert and as chairperson of working group 2 (measurement and characterization) in Malaysia. At international level, she is a Programme Management Board member of Lloyd’s Register Foundation International Consortium of Nanotechnologies (LRF-ICON) which is based in Southampton, UK. Nationally, she is the fellow of the Academy of Sciences Malaysia (ASM) and the project leader in NanoMalaysia Institute for Innovative Technology (NanoMITe) Global Research Consortium.

ASSOC. PROF. DR. CHOONG KOK KEONG

Presentation Title:

Evolution of New Precast Retaining Wall Design: Malaysian Experience

Brief Resume:

Associate Professor Dr. Choong Kok Keong is an academic staff at School of Civil Engineering, Universiti Sains Malaysia. Currently, he is holding the position of deputy dean (research, postgraduate & networking) of School of Civil Engineering. Dr. Choong specializes in the field of computational analysis of shell & spatial structures. He also collaborates with industry in areas of precast concrete technology, cold-form steel structures, dynamics of structures and tensioned fabric structures. Dr. Choong is a registered professional engineer with Board of Engineers, Malaysia.

DR. LAI NAI SHYAN

Presentation Title:

Towards Silicon MOS Quantum Dots Spin Qubits

Brief Resume:

Dr. Lai Nai Shyan was born in Seremban, Malaysia, is currently a Senior Lecturer at School of Engineering, Asia Pacific University of Technology & Innovation, working in the area of micro- and nano-electronics. He received his B. Eng. (Hons) in Electrical Engineering (2007) and Ph.D. in the field of Silicon-Based Nano-electronics and Radiation Detectors (2012) from University of New South Wales. His main research interest includes semiconductor micro- and nano-fabrication, quantum dot devices, low temperature (milli-Kelvin) measurements, single electron transistors, quantum computation and silicon microdosimeters. Over the past few years, he was involved in multi-million dollar projects funded by the Australian Research Council, U. S. National Security Agency and U. S. Army Research Office. His work has resulted into various notable technical publications in Nature Publishing Group.

Session Chairpersons

PROF. GHASEM D. NAJAFPOUR

ASSOC. PROF. DR. CHOONG
KOK KEONG

PROF. DR. NORANI MUTI
MOHAMED

PROFESSOR KYO-SEON KIM

PROFESSOR YEONG-TARNG
SHIEH

DR. SAEED KAKOOEI

PROFESSOR SEYYED
MOHAMMAD GHOREISHI

DR. ALI HASSANI
JOSHAGHANI

DR. LAI NAI SHYAN

DR. M. BATAEE

DR. HOSSEIN MAZAHERI

DR. KHALED ELGENDY

Congress Executive Members

- Dr. Saeid Kakooei
- Dr. Ali Hassani
- Mr. Mahdi Feizbahr
- Dr. Robabeh Asadpour
- Dr. Mahmood Bathaee
- Mrs. Murni Miru
- Mrs. Aisya Azlin Binti Azizuddin
- Mrs. Audree Leanne Co

Title	Page
In Silico Analysis of Major Proteins from Salmonella Typhimurium Biofilm.....	1
Detection and Classification of Short and Long Duration Disturbances in Power System ..	2
A New Topology for Multilevel Inverters with Symmetric and Asymmetric Configurations	3
Contrasting Online Algorithms and Scsi Disks	11
Automatic Testing Method of Mobile Applications for E-commerce.....	12
Effect of Sensory Electrical Stimulation on Tremor: Comparison of Parkinsonian and Swedd Tremor	18
Controlled Temperature of Smart Solar Dryer by Smart Phone	20
Using Wireless Sensors Monitor and Analyze Air Pollution System	28
r-Fuzzy ω -Continuous & r-Fuzzy ω -Closed Functions	34
Introducing a New Object Function for Optimal Power Flow Problem	42
Chest X-ray Segmentation Using Cnn on Small Amounts of High-variance Data.....	52
Applying Data Science Methods in Production and Geological Data Verification	60
Application of Network Security Approaches to University Management	64
Geoelectrical Equipment Research Activity in Laboratory of Exploration and Geothermal, at Geology Department ITB	75
Novel Structure for Reactive Power Market by Considering Reactive Losses Caused by Active Power Flow	85
Early Usability Evaluation on User Centered Requirement Engineering Case Study: Web Mobile Application for Sme	86
User Experienced Based Clustering for Opac Design	99
ANFIS Fault Diagnostic Model for Turbo-Jet Engine.....	105
Optimal Scheduling of Electric Vehicles Parking Lot in a Smart Distribution System ...	120
Estimating Media Impact of Municipal Government Planning Using Topic Model	121
Evolutionary Trends in Palynological Studies of Family Polygonaceae from Pakistan ..	126
The Efficacy of a Macroalgae Gracilaria Corticata on Growth Parameters and Vibriosis Resistance in Shrimp Litopenaeus Vannamei	135
Evaluation of Heterosis for Heat Tolerance in Wheat	136
Integrated Use of Nitrogen and Phosphorus Improved Sunflower Yield, Nutrient Uptake and Use Efficiencies in Rainfed Areas	137
Comparative Efficacy of Different Indigenous Drugs Against Paramphistomosis from Pakistan	139

Title	Page
Studying Effects of Seed Different Moisture at Hand Picking on Seed Germination Maize (<i>Zea mays L.</i>) Variety Hybrid S.c 704.	145
Antimicrobial Activity of Poly Lactic Acid Films Containing Ziziphora Clinopodioides Essential Oil Against <i>Bacillus Subtilis</i> and <i>Salmonella Typhimurium</i>	146
Antibacterial Activity of <i>Lactobacillus Casei</i> on Growth and Enterotoxin Production of <i>Staphylococcus Aureus</i> 29213.....	147
Inhibitory Activity of <i>Lactobacillus Acidophilus</i> Against Growth and Enterotoxin Production of <i>Staphylococcus Aureus</i>	148
The Contribution of Extension Service Delivery on Agricultural Based Adaptation Practices to Climate Change Impact in Nigeria.....	149
Effect of Wavelength and Organic Agriculture on Reduce Oxalate Accumulation in Tomato Fruit (<i>Lycopersicon esculentum</i>) Mill.....	150
Potassium Phosphite Enhanced Defense Responses in Downy Mildew- Infected Cucumber (<i>Cucumis sativus L.</i>) Plants.....	151
Impact of the Introduction of Fish in Al Rahad Turda on the Fishermen and Fishing Activity.....	156
Non-toxic -naturally Control Methods for Sustainable Control of Main Pests in Olive Farms in Egypt.....	167
Impact of Silver and Copper Nanoparticles on <i>Fusarium Solani</i> F. Sp. <i>Phaseoli</i> Causal Bean Dry Root Rot Disease.....	168
Turning Constitutive Core Promoters into Tunable Tissue Specific Promoters by Combining Functional Analysis Coupled with Bioinformatic Tools	169
Study of the Effect of <i>Pinus Gerardiana</i> Seed on Blood Glucose and Oxidative Stress in Serum and Liver in Diabetic Rats.....	170
Cocoa Maturity Colors Kit (Co-MaCK) Derivation Using Digital Image Processing Approach	171
Effect of Aflatoxins on Infant Growth.....	172
The Role of Nutrition in the Prevention of Drug Addiction	173
In Vitro Determination of a Coated Urea Solubility Over Time	174
P-wave Reflection Coefficient for a VTI/VTI Interface	177
Estimation of Depth Values Using Multispectral Worldview-2 Satellite Imagery- Feasibility Study: Hendorabi Island, Persian Gulf	178
CFRP Cables: The Future Material for Cable Structures.....	186
The Development High Strength of HDPE Fiber Reinforced Cement Mortar	193

Title	Page
Sector-specific Routines and Curricula for Eco-engineering in the Mediterranean.....	202
A Laboratory Modeling Investigation of Vegetative Rod Diameter Effects on Fr. No. in Sediment Flow Conditions	205
Fouling Characteristics of Nanofiltration (NF) and Reverse Osmosis (RO) Membranes for Reuse of Organized Industrial Zone Wastewater	216
Effect of Hydrophobisation onDurability Related Properties of Concrete with Expanded Perlite	218
Solar Passive Architecture.....	220
Determination of Optimal Tuning Parameters for Tuned Mass Dampers Under Earthquake Excitation.....	222
Effect of Enhanced Road Marking in Speed and Lateral Position	224
Performance of Traffic Contraflow Strategy in Malaysia.....	225
A Sensitivity Analysis for Improvement of Stormwater Interception Ratio Estimating of Vegetative Swale LID Facility	226
The Development Strategy of Ornamental Brick Shell: A Materialization of Environmentally-Friendly Materials.....	229
Kinetic Modeling of Co-digestion of Food Waste with Sewage Sludge: A Review.....	230
Can Leca Be Used to Improve the Thermal Performance of an Extensive Green Roof?.	231
Phosphorus Removal from Landfill Leachate by Microalgae.....	233
Assessment of Landslide Vulnerability : Case of Small and Medium Sized Cities	244
Are Intersections of the Capital of Bangladesh Performing Well? A Factor Based Analysis	246
Applicability of Landsat Tm and Modis Images for Soil Salinity Mapping of Coastal Bangladesh	247
Effect of Graphene Oxide on Pull Out Strength of Hardened Concrete	250
Selection of a Membrane Module Treating Organized Industrial Zone Wastewater with a Membrane Bioreactor (MBR)	263
Salinity Assesment by Using Gis Model to Explore Safe Water Options in South Coast of Bangladesh	264
The Effect of Inlet Baffle Position in Improving the Efficiency of Oil and Water Gravity Separator Tanks	266
Numerical Investigation of One-way Reinforced Concrete Slab Subjected to Underwater Explosion.....	267
Properties of Mortars Incorporating Brick Dust.....	273

Title	Page
The Analysis of Skin Friction on Prebored and Precast Piles	274
Analysis of Soil-pile Systems Subjected to Dynamic Loads	276
Engineering Education and the Differential Effects of Student-Level Factors on Science and Mathematics Achievement: A Study Using TIMSS 2015 Data of Singapore	279
Experimental and Numerical Investigation on Fair-faced Concrete	293
Comparison of Petrophysical Relationship for Soil Water Content Estimation at Peat Soil Using GPR Common-Offset Measurements	305
Seismic Retrofit of Flat Plate and Flat Slabs Using Ferrocement	317
Utilization of Agro-Waste in Cement Mortar	327
Numerical Evaluation of One-way Reinforced Concrete Slab Subjected to Air Blast Loading	328
Production of Fluid Gas Desulphurization Wastes as a Composite Filler	330
Assessment of Various Waste Resources for the Stabilization of Pb Contaminated Mine Tailings	334
Preliminary Study on The Lyso:ce/bcf-12 Phoswich Detector for Simultaneous Detection of Beta and Gamma Radiations	335
Photosynthesis Assisted Anaerobic Digestion: A Novel Technique for Wastewater Treatment and Highly Pure Methane Production	340
Effect of Reaction Time on Performance of Aerobic Granular System	341
Vegetables Waste Caused by Horticultural Activity in Bandung City	342
Performance of Asphaltic Concrete Containing Black Rice Husk Ash at Different Aging	347
Numerical Modeling of Mechanical Behavior Concrete Slabs Reinforced by FRP Materials	354
Snow Landscape and Design Plants	355
Investigation of the Effect of Openings on the Behavior of Arched Concrete Shear and Reinforced Walls Using FRP Fibers	356
Numerical performance of different interpolation functions in simulation of dam breaking flow using incompressible SPH method	357
Recovery Prediction of Thymol from Ajwain Using Supercritical CO ₂ Via Broken and Intact Cells and Shrinking Core Models	358
Development of Composite Catalyst and its Catalytic Performance in FCC Cracking ...	388
[Bis(2,2'-bipyridine)(Salphen)ruthenium(II)] Complexes as Anticancer Agents	389
The Novel Compound Shows Potent Anti-Human Cytomegalovirus Activity	390

Title	Page
Study of Production of Aromatic Compounds by Different Process Configurations in a Crude Oil Refinery.....	391
Preparation of Narrower 1-D Nanostructured Tungsten Oxide Thin Film by Precursor Feed Rate Control.....	392
Growth of 1-D Nanostructured MoO _x Thin Films by Flame Vapor Deposition Process .	394
Cobalt Phosphate Oxygen Evolution Catalyst for Efficient Photoelectrochemical Water Splitting	396
Reflectance Spectrophotometric DNA Biosensor Based on Metal Complex Intercalator	398
Surface Characterization of Oil-carbonate Rocks Interaction for Enhanced Oil Recovery	400
Synthesis of Efficient SCR Catalyst for Lean Burn Nox Emission Control.....	401
In Vivo and in Silico Toxicity Assessment of Hexane Rhizome Extract from Black Turmeric (<i>Curcuma caesia Roxb</i>).....	402
Copper(II), Palladium(II) and Zinc(II) Complexes of O [^] O and N [^] S Donor Ligands as Anticancer Agents.....	403
Photocatalytic Performance of H ₆ P ₂ W ₁₈ O ₆₂ /TiO ₂ /Beta Zeolite Nanocomposite in the Degradation of Methyl Orange.....	404
Effect of the Structure on the Binding of Nickel Schiff Base Complexes to DNA.....	405
An Investigation on Performance of Coupled Newly Constructed Wetland with Microbial Fuel Cell for Industrial Wastewater Treatment and Bioelectricity Generation: Batch vs Continuous Flow	406
Phenotypic and Genotypic Characterization of a Novel Soil-isolated Strain of <i>Pantoea</i> Genus with High EPS Production.....	407
Enhanced Microwave Extraction of Bioactive Compound Curcumin from Turmeric	409
Production of <i>Bassia</i> (<i>Bassia Longifolia</i>) Oil-based Polyol via Epoxidation and Ring Opening	410
Synthesis and Characterization of Vegetable Oil-Based Biopolymer for Decorative Coating	411
New Spectrophotometric Determination of Zn (II) in Some Plants and Pharmaceutical Preparations in Presence of Surfactant.....	412
Safety Modeling in Gas Delivery of Liquefied Natural Gas (LNG) to Cars	425
The Production of Biofuels from Waste Almond Shell (Biomass) by the Following Process Critical Fluid.....	430
Industrial and Raw Knots of the North Within Social and Economic Interactions	432

Title	Page
The Contribution of Extension Service Delivery in Agricultural Adaptation to Climate Change Impact in Nigeria	433
Critical Factors Affecting Work Life Balance of Managerial Women - An Empirical Study with Reference to Tamilnadu, India.....	434
Analyzing the Impact of Organizational Justice on Organizational Citizenship Behavior with the Moderating Role of Power Distance	442
Banga Crossing Massacre and the Saguibin Festival: The Paradigmatic Philosophical Influence of Levinas' Ethico-Political Milieu to Women Local Governance and Political Affairs	456
Apoliticism in the Progression of Leadership Triads as Depicted in Augustine's Literary Activity and Philosophy of Education	457
The Diverging Clashes of Neuro-philosophical Viewpoints on Qualitative Properties of Consciousness.....	458
Online Shopping Behaviour Among College Students in Tamilnadu, India	459
Requirement Prototyping for Student Admission System: Cases for Junior High Schools in Indonesia	467
Myth of the Queen of the South Sea and Kasunanan Palace as a Tourism Attraction of Baluwarti, Surakarta	473
Lady Mahin, Shapour and the Wise (Yungi Analysis of the Wise in Khosrow and Shirin Poetry of Nezami Gangavi in Iran).....	474
A Review on Alternate Theories of Motivation Adopted by SLA Researchers	479
Performance Goals, Mastery Goals and L2 Motivation (A Brief Review).....	484
Characteristic Analysis of Bi-Axial Stretching PVDF Thin Film.....	489
Bayesian Planning of Progressive Simple Step-Stress Accelerated Life Test for Birnbaum-saunders Lifetime Distribution Under Type I Right Censoring	491
Investigation Titanium-graphene Nanocomposite Fabrication by Powder Metallurgy....	511
Energy Absorption Capability and Failure Modes Reinforced Composite Hexagonal Tubes	512
MHD Mixed Convective Heat Transfer in a Double Lid-Driven Oblique Cavity Filled with Ferrofluids	513
The Development and Testing of Wind Tunnel Arduino Based System (Windtabs)	521
Investigation and Performance Analysis of Innovative Solar Still for Small Family Potable Water Requirement	529
Paper Giant Magneto-Impedance and Magnetic Properties of Co-rich Crossed Amorphous Microwires: Focus on Angular Dependence	530

Title	Page
Ultrasonic Wave Propagation in Aerospace Structures: Highly Efficient Simulation with a Minimal Model	531
Remaining Useful Life Prediction of Drill String Using Fuzzy Systems and Cumulative Damage Theory	536
Gear Fault Analysis Based on Acoustic Signal and Least Square Support Vector Machine	537
Experimental and Numerical Study of a Double Pass Solar Air Heater	538
Electrodeposited Li- Doped ZnO Nanowire for Photovoltaic Applications	539
Effect of Nanosilica on Compressive Strength of Mortar with Using Silica Sand and Volcano Sand.....	540
Gold Nanoparticle-based Colorimetric Biosensors for the Detection of Glycated Hemoglobin	549
Nanofabrication of Emulsified BSA-MWCNTs Nanohybrids.....	550
Synthesis and Self-Assembly Process of Aqueous Silica Hybrids and Their Application for Sustainable Environmental Remediation	551
Investigation of Mechanical Properties of Borophene: A Molecular Dynamics Simulation Study	552
The Thermal Degradation Kinetic of ABS/OMT Nanocomposites	554
Formulation and Evaluation of Surface Functionalized Nanoparticles Enclosing Myelin Basic Protein for Treatment of Multiple Sclerosis	555
Structural and Electrical Characterization of SrCeO ₃ and Sr ₂ CeO ₄ :a Comparative Study	560
Adsorption of Chromium from Aqueous Solutions by Polyaniline/Melamine/Al ₂ O ₃ Nanocomposite	563
Structural, Optical and Electrical Properties of Al-Mn Co-Doped SnO ₂ Nanoparticles Synthesised by Sol-Gel Process	564
Fabrication of Cellulose Acetate Supported Alkali Metal Functionalized Ionic Liquid Membrane for Electrochemical Measurements Using Impedance Spectroscopy	575
Interfacial Damage in Phase Change Materials Tuned Optical Structures	576
Electrospinning and the Scaling Law Model for Beaded Fiber and Smooth Fiber from Poly(Vinyl Alcohol) (PVA)	580
Enhanced Shear Thickening Effect of Silica Nanoparticle Suspension by Using Carbon Nanotube for the Body Armour and Energy Absorbing Applications	588
Preparation and Characterization of Vitamin B Complex Infiltrated Oxidized Nanocrystalline Porous Silicon for Biosensor Application.....	590
Formulation, Evaluation and Optimization of Metronidazole Sr Buccal Tablet for Gingivitis Using Artificial Intelligence.....	600

Title	Page
The Binding Energy of Deformed Super Heavy Nuclei with $Z \geq 105$	601
DFT Electron Transport Study of Ferrocene Molecule Along with Thiol and Amine Anchors	602
Preparation and Characterization of Amino Acid - Modified PVC Adsorbing Film for Methyl Red Removal	606
Synthesis of 5-Substituted 1 <i>H</i> -Tetrazoles Catalyzed by Zeolite Modified with Copper Oxide Nanoparticles	611
Design of Damage-Free Oxide Etching Chamber for 450mm Process Technology ...	616
Investigation of Structural and Electrical Properties of Manganese Doped ZnO Varistors Prepared from Nanopowders	622
Transitions of Nanosized Magnetite in Glass-ceramics.....	623
Strain Effects and Symmetry Mismatch at Heterointerfaces in BiFeO ₃ /LaFeO ₃ Superlattices.....	624
Production of Graphene Reinforced Nylon 6.6 Nanofibers by Electrospun Method.	625
Chemical Analysis and Mechanical Properties of Epoxy Adhesives of Graphene Reinforced Nylon-6.6 Nanomats.....	628
Radical Scavenging Abilities of Carbon Nanotubes and Their Applications.....	633
Structural and Electrical Characterizations of Double Perovskite System Sr ₂ CoMoO _{6-δ}	635
Impedance Studies on Aluminium Doped SnO ₂ Nanoparticles Synthesised by Sol-gel Process.....	638
Application of forward Osmosis Method in Recovery of Refined Sewage with Potassium Chloride.....	640
Color Change Analysis Study Using Thermos-chromic Pigment.....	646
Study on the Photomechanical Effects Caused by Short Pulse Width Lasers	648
Preyssler Heteropolyacid: A Green Co-reducing Agent in the Bio-synthesis of Ag Nanoparticles in the Presence of <i>Chaetomorpha linum</i> Seaweed.....	650
Application of Forward Osmosis Method in Recovery of Refined Sewage with Magnesium chloride.....	654
Biocompatible and Biodegradable Drug Delivery System for Tumor Microenvironment-responsive Triggered Release.....	661
A Nano-structured Vanadium (V)-Quercetin Complex: Synthesis, Characterization and Applications.....	663
Effects Of Corrosive Environment To Concrete Structures Performance With Multi-layered Carbon Nanotubes	664

Geoelectrical Equipment Research Activity in Laboratory of Exploration and Geothermal, at Geology Department ITB

Prihadi Sumintadireja

Geology Department, Faculty Earth Sciences and Technology, Institut Teknologi Bandung (ITB)

(Phone: +62-22-2511159; Email: prihadi@gc.itb.ac.id)

CPI: <http://procedia.org/cpi/ICONTES-5-2111194>

Abstract

The Exploration Geology and Geothermal Laboratory (LEGG) was established in June 2017 as a research institution under the Faculty of Earth Science and Technology (FITB), Institut Teknologi of Bandung (ITB). As indicted by the three principle of higher education (Education, Research, and Community Services), the research lab has a goal to conduct researches on applied geosciences and modeling surface and subsurface geosciences data for exploration, geological hazard mitigation, and environmental geosciences and to publish the results both in national as well as international level. The lab specializes in creating a geological model from surface and subsurface data in order to solve real world problem.

LEGG's research activities that was done in between 2005 – 2017 are funded by ITB's Research and Community Services Institute in addition to funding from petroleum and geothermal industry. The researches done in several stages that is listed below: 1.) Lab scale geo-electric measuring device prototype development, 2.) Field scale geo-electric measuring device development, 3.) Field scale measurement simulation, 4.) Environmental geoscience implementation and 5.) Petroleum industry implementation.

This paper is meant to highlight the LEGG's success story of more than 10 years of researching geoelectric acquisition and its implementaiton in the industry. The fruit of the research is LVG GLS, newly developed geoelectric acquisition instrument, that could record vast amount of higher quality data in shorter amount of time. Latest version of the device has 120 channels which means it has almost twice wider coverage and could be used to map three dimensional subsurface configuration quicker compared to any previous version.

Keywords: Current and potential electrode, mise-a-la-masse, R&D, LEGG

1. Introduction

Exploration and Geothermal Laboratory (LEGG), previously known as Volcanology and Geothermal Laboratory (LVG) since 2004, was founded in June 2017. In alignment with Institut Teknologi Bandung's (ITB) mission as a higher education institute (Education, Research, and Community Services), the research group is directed to:

1. Conduct researches on applied geoscience,
2. Develop modeling algorithm that could be well utilized in the industry, geological hazard mitigation and environmental geoscience,
3. Publish the results in national and international level.

Research activities from 2005 – 2017 was funded by the Research and Community Service Institute in combination with co-operation with the petroleum and geothermal industry. One of the lab's prominent product is a geo-electric measuring device specialized for mise-a-la-masse (MAM) method that could enable faster acquisition of higher data quality. Over the years, development of the measuring device could be classified into several different step as shown in the rest of this paper.

Phase I: Lab Scale Geo-Electric Measuring Device Prototype Development

The research started by designing a hardware for data logging. A logger is used to manage the data by directly storing and sorting it. Figure 1 illustrate how the data logger works. The sensor records electrical current and temperature that goes through the device which then transferred to multiplexer where it could be pre – processed and compiled. Each logger is connected to four blocks of sensor that contains electrical current measuring sensor. The sensor blocks are equipped with additional components to handle reduction that is caused by resistance of copper wire. Thus information that is received by the data logger has been corrected and concluded as valid data.

Then the data that has been acquired will be stored in an external memory or directly to a workstation. An external memory is able to hold at least 64 kilobytes of data where each data only requires 1 byte of space. The time step for acquisition could be set through keypad on the data logger. Significant changes in each time step is calculated instead of storing the whole dataset in order to utilize the memory effectively.

This newly improved system is able to monitor differences in spontaneous potential without restraining the user. An automatic system has been installed to the microcontroller therefore the user does not have to be present by the device at all times during measurement. The user could simply download the data after a certain period of time.

The measurement device was also designed to be comprised of multiple channels in order to shorten acquisition time. Single current injection to the ground could be measured simultaneously by all 64 electrodes. Calculation algorithm embedded in the machine is able to adjust for geometric factor and directly process the data. [1]

Figure 1. Logging workflow of the geo-electric measuring device.

The first phase of this research has successfully produced a device that could record data acquisitioned using the MAM configuration in several setting for spontaneous potential, instantaneous potential or resistivity measurement. However, full field implementation could not be done since the logger was still lacking of supporting equipment such as cables and electrodes (Figure 2). [2]

Figure 2. Prototype of geo-electric data logger.

Phase II: Field Scale Geo-Electric Measuring Device Development

The prototype from the first phase was not able to be tested for field measurement due to absence of cable and casing. In this second phase, the aim was to improve the device so it could be prepared for field condition (Figure 3). Analogue to digital converter (ADC) could measure up to 220 volts current however low voltage current of around 0 – 5 volts' measurement should be avoided. Digital display for real time measurement has been added

however direct communication to a computer has not been added. The use of Union T-60A multi-tester series is suitable to roughly measure voltage and currents.

Figure 3. Field conditioning of the geo-electric measuring device.

Phase III: Field Scale Measurement Simulation

In the third phase, the device was developed even further. Now the device is comprised of one controller unit, one receiver unit, 64 electrodes, one current injector unit and 44 kilometers long cable (Figure 4). AC/DC electric transmitter of 220 volts was changed to 12 volts DC power into 220 volts of AC with 50 Hz frequency. Multi-meter receiver electric reader that consisted of Ampere-Volt-Ohm meter has also been installed to the device. The receiver also measures accuracy of the reading that is expressed in percentage. The instrument was tested with a resistor model shown in Figure 5. It was able to give a correct measurement as the designed model.

Then the prototype went through field measurement simulation. A dipping contour with flowing water was made by digging a pit into the ground. The electrodes were assembled in the pit based on the MAM configuration in order to record spontaneous potential and resistivity distribution (Figure 6). The acquired data (Figure 7) was able to produce a fluid flow model from the simulation. No significant problem arose during the simulation.

Phase IV: Environmental Geoscience Implementation

In the fourth phase, the device was upgraded and tested in karst area to detect underground water movement. The field test was done in a karst that is located in Cijulang, West Java. The test was configured in MAM setting. Measurement from 64 electrodes was done in less than 15 minutes. Then the result could be stored directly into the computer in ASCII format using a VGA connection (Figure 8).

The measurement result (Figure 9) was able to delineate the underground river at the karst area. The low resistivity area was found to be in alignment with the interpreted fault lineaments. Calibrated with cave entrances, the underground river seems to flow in E-W direction.

Phase V: Petroleum Industry Implementation

Another field test was also done in an oil field. Kasikan field which is located in West Sumatra implemented cyclic steam stimulation where steam is injected in order to lower the oil's viscosity and increase its mobility. Resistivity is influenced by temperature and pore fluid content. [4] Hydrocarbon saturated reservoir in low temperature has a value between 4 – 10 ohmm while the high temperature steam saturated reservoir is between 9 – 17 ohmm. [3] [5]

Geoelectric acquisition using MAM configuration was done in between the injector and producer to monitor the steam distribution. Measurement prior the steam injection that reservoir fluid was flowing in NE-SW direction. Subsequent to the steam injection, area nearby the injector in the south increased toward the north. Periods after injection, the resistivity distribution turned back into a state similar before injection.

Data processing considered geometrical factor based on potential electrode located in the wellbores [6]. Three dimensional inversion model workflow was programmed and adjusted to the geometric factor as well.

Then three dimensional resistivity distribution was utilized for an inversion based on the injector. Figure 11 illustrate measurement during injection. High resistivity value (9 – 17 ohmm) represented the flow of steam that is moving toward NE direction. Lower resistivity area (4 – 9 ohmm) represented hydrocarbon saturated reservoir that is not influenced by steam injection. The workover strategy could be determined based the flow direction that has been identified through geoelectric measurement.

Figure 4. Complete set geo-electric measuring device for MAM configuration from the 3rd phase.

Figure 5. Measurement of resistor model from a slope layer.

Figure 6. Measurement in dipping slope with flowing water simulation.

Figure 7. Measurement result from fluid flow in dipping slope simulation.

Figure 8. Field proofed geo-electric measuring device with computer connection.

Figure 9. Underground river detection using geo-electric ini MAM configuration.

Figure 10. Resistivity map prior (a), during (b) and aftermath (c) of the steam injection.

Figure 11. Three dimensional inversion result from acquired data during steam injection.

By the end of 2017, the latest version of LVG GLS has been completed. The device was able to measure from 120 electrodes simultaneously using a single current injection. Data acquisition could now be done to retrieve higher quality data in a shorter time frame. The latest version still requires to be proven through field testing.

2. Conclusion

1. Over the years, LEGG has been successful in developing a geoelectric measuring device which is specialized for Mise Ala Masse configuration.
2. Field testing has shown that the device could be well applied in the industry, geohazard mitigation and environmental geoscience.
3. While previous version of the LVG GLS has been proven to be well working in several field conditions. Latest version of the geoelectric measuring device still requires further testing.

Acknowledgment

The funding for development of the monitoring equipment mainly came from ITB Research and Community Services Institute. The author would also like to express his sincerest gratitude to the management of PT. BOB Siak Pusako for their permission to publish this paper. Special appreciation for the Faculty Earth Science and Technology for its continuous support to the Laboratory Exploration Geology and Geothermal by awarding Faculty Research Grant No. 0004/K01.03.2/PL2.1.5/I/2006 and P3MI research 2017. Finally, to all LVG/LEGG's staff, without their support the research and field works will not possible.

References

- [1] Sumintadireja P., 2001, Application of Geostatistical and Neural Network Methods for Mise-a-la-masse interpretation, Buletin Geologi ITB, vol.33, No.3, pp. 109-118
- [2] Sumintadireja P., M. Fudiansyah and Diky Irawan, Fluid Flow Monitoring for Well Producing Through Casing Pipe Electrode, Jurnal Geoplika, v.1 n.3, 2006
- [3] Grandis, H and Irawan, D., 1D inversion model of Schlumberger VES data using Markov chain Monte Carlo (MCMC) method, Proceedings PIT HAGI, 37th HAGI Annual Convention & Exhibition, Palembang, 2012.
- [4] Grandis, H., Irawan, D. and Sumintadireja, P., Shallow to Moderate Resistivity Structure of a Geothermal Field, Proceedings 2nd ITB Geothermal Workshop 2013, Bandung, Indonesia, 2013.
- [5] Mizunaga, H and Ushijima K, 1991, Three Dimensional Numerical Modeling for the Mise-a-la-masse Method, SEGJ, vol. 44, no. 4, pp 215-226
- [6] Sumintadireja P., Sudarman S., Ushijima K., and Mizunaga H., 2000, Mise-a-la-masse and gravity data surveys at the Kamojang geothermal field, Proceeding World Geothermal Congress, Beppu-Morioka Japan, pp. 1777-1784.