Swing Voting in the 2016 Presidential Election in Counties Where Midlife Mortality has been Rising in White Non-Hispanic Americans

Usama Bilal MD MPH PhD^{a,b}, Emily A. Knapp MHS^a, Richard S. Cooper MD^c

1. Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, MD, 21205, USA
2. Urban Health Collaborative, Drexel University, Philadelphia, PA, 19104, USA
3. Department of Public Health Sciences. Loyola University Stritch School of Medicine. Chicago, IL, 60153 USA

Corresponding Author:

Usama Bilal, MD MPH PhD

Urban Health Collaborative, Drexel University

3600 Market St, 7th Floor, Philadelphia, PA, 19104

Phone: +1 410 419 6170

ubilal@drexel.edu

ABSTRACT

Understanding the effects of widespread disruption of the social fabric on public health outcomes can provide insight into the forces that drive major political realignment. Our objective was to estimate the association between increases in mortality in middle-aged non-Hispanic white adults from 1999-2005 to 2009-2015, health inequalities in life expectancy by income, and the surge in support for the Republican Party in pivotal US counties in the 2016 presidential election. We conducted a longitudinal ecological study in 2764 US counties from 1999 to 2016. Increases in mortality were measured using age-specific (45-54 years of age) all-cause mortality from 1999-2005 to 2009-2015 at the county level. Support for the Republican Party was measured as the party's vote share in the presidential election in 2016 adjusted for results in 2008 and 2012. We found a significant up-turn in mortality from 1999-2005 to 2009-2015 in counties where the Democratic Party won twice (2008 and 2012) but where the Republican Party won in 2016 (+10.7/100,000), as compared to those in which the Democratic Party won in 2016 (-15.7/100,000). An increase in mortality of 15.2/100,000 was associated with a significant ($p < 0.001$) 1% vote swing from the 2008-2012 average to 2016. We also found that counties with wider health inequalities in life expectancy were more likely to vote Republican in 2016, regardless of the previous voting patterns. Counties with worsening premature mortality in the last 15 years and wider health inequalities shifted votes toward the

Republican Party presidential candidate. Further understanding of causes of unanticipated deterioration in health in the general population can inform social policy.

Keywords: politics, mortality, social class, health inequalities

INTRODUCTION

In 2015 Case and Deaton reported an increase in the mortality rate of middle-aged non-Hispanic white Americans(Case and Deaton, 2015). From 1999 to 2013 an increase in all-cause mortality of 33.9 per 100,000 was observed among non-Hispanic whites, while a decrease was observed among other racial/ethnic groups. This increase was concentrated among non-Hispanic whites without a college degree, where mortality increased by 134.4 per 100,000. A more recent analysis by the same authors highlighted the increasing inequalities in mortality by level of education in non-Hispanic white Americans(Case and Deaton, 2017).

Media coverage of the 2016 US presidential election highlighted the electoral platform that the Republican presidential candidate built around non-college educated whites(Norris, 2016). Early post-election analyses in particular have highlighted the role this group played in the Republican victory in crucial swing states like Wisconsin, Pennsylvania and Ohio(Tankersley, 2016). Further analyses in the months following the election have described several correlates of the shift in voting, namely: (1) changes in trade and imports(Autor et al., 2016); (2) changes in economic distress(Monnat, 2016), well-being(Rocha et al., 2017) and social hardship(Rothwell and Diego-Rosell, 2016); (3) presence of a higher proportion of working class people(Monnat, 2016) and other demographic features(Rothwell and Diego-Rosell, 2016; Weinhold, 2017); and (4) higher inequality(Weinhold, 2017).

In summary, a series of economic and social conditions and associated inequality seemed to have fueled, at least in part, the shift in voting patterns.

A number of analyses of the potential causes of the increase in mortality in non-college educated non-Hispanic whites have highlighted the role of economic inequality(Chetty et al., 2016), disparities in health behaviors by class(Schroeder, 2016), and a constrained welfare state(Beckfield and Bambra, 2016). Taking a different approach, we looked at the consequences of this health crisis using increasing mortality as an indicator of social and economic upheaval at the county level. Two other analyses have been recently published, in which an increase in 'deaths of despair' due to drug and alcohol poisonings and suicides(Monnat, 2016) and decreases in life expectancy at birth(Bor, 2017) have been linked to over performance of the Republican candidate in the 2016 election as compared to the 2012 and 2008 elections. In summary, worsening health conditions are associated with a shift in voting patterns towards the Republican party in 2016.

Building on these two phenomena, we start with the framework outlined in Figure 1. We test whether health outcomes and health inequality are associated with a shift in voting patterns. We **hypothesize** that counties with an increase in mortality rates in midlife adults and the widest health inequalities by income are loci of social and economic disruption, and

therefore more likely to vote for a candidate who promises a dramatic shift in policy.

Figure 1: Conceptual framework for this study.

METHODS

Health data

We obtained all-cause age-specific mortality from two periods for non-Hispanic white adults aged 45-49 and 50-54 from the CDC WONDER Detailed Mortality files(NCHS, 2016). To avoid suppressed death counts due to low numbers we pooled 7 year estimates: the first period includes data from 1999 to 2005 while the second period spans from 2009 to 2015 To address potential age-aggregation bias(Gelman and Auerbach, 2016) we averaged mortality rates in people aged 45-49 and 50-54 to create an age-adjusted mortality rate for people aged 45-54. To estimate increases in mortality by county, we subtracted the mortality rate in the first period (1999-2005) from the rate in the second period (2009-2015). A positive number indicates an increase in mortality between these periods.

We also obtained data for health inequalities by income from the Health Inequality project by Chetty et al(Chetty et al., 2016). This study collected data using social security and death records, and estimated inequalities by income quartile (Q1-4) for counties with a population > 25,000 for the period 2001 to 2014. We used two measures of health inequality: an absolute measure, computed as Life Expectancy (LE) of Q4 (richest) – LE of Q1 (poorest); and a relative measure, computed as LE of Q4 / LE of Q1.

Election data

We obtained US presidential election results by county for the years 2000, from the Federal Elections Project (Lublin and Voss, 2001); 2008 and 2012 from data.gov (U.S. General Services Administration, 2016); and for 2016 from the US Election Atlas (Leip, 2016). Each election dataset contains information on total number of votes cast and number of votes cast for the Democratic (Gore, Obama or Clinton) or the Republican (Bush, McCain, Romney or Trump) candidate. To measure increased support for Trump in 2016 (as compared to the performance of the Republican Party in previous elections) we classified counties by the number of times the Democratic Party won in the 2008 and 2012 elections, and then further classified these into counties carried by the Republican or Democratic Party in 2016. We also calculated “vote swing” by subtracting the difference in votes between parties (% Democratic - % Republican) in 2008-2012 from 2016. A negative number represents increased support for Trump.

Statistical analysis

To estimate the association between the increases in mortality from the first (1999-2005) to the second period (2009-2015) and shifts in voting patterns, we calculated the average weighted by the population in each county in 2012 of the mortality increases by the six categories described above (Democratic win in 0 elections, 1 election or 2 elections in 2008 and 2012, by Democratic or Republican win in 2016). We also estimated the

association between the vote swing between elections and the change in mortality between the two periods using a linear mixed model with a random intercept for the state. We had a total of 2764 counties with complete voting and mortality data.

To estimate the association between health inequalities by income and shifts in voting patterns, we performed an analysis similar to the one above. We computed the weighted average of the absolute health inequalities by income (Q4 vs Q1) in the six categories of election result. We also estimated the association between the vote swing between elections and absolute and health inequalities using a linear mixed model with a random intercept for state. This analysis was only conducted in 1552 counties where data for inequalities was available.

We performed several sensitivity analyses. First, we checked whether our inferences were robust to the restriction of the sample to the six states where the Democratic Party won in 2012 but shifted to the Republican Party in 2016 (Florida, Iowa, Michigan, Ohio, Pennsylvania and Wisconsin). Second, we looked at election results in 2000 and 2008 (instead of 2008 and 2012) to check whether our results were robust in elections with no incumbent. Third, we checked whether our results were robust to the use of mortality data for all races (instead of only non-Hispanic Whites). Fourth,

regarding the analysis of health inequalities and voting patterns, we also computed the results using the relative measure of inequality.

Patient Involvement

No patients were involved in the design, analysis or interpretation of this ecological study.

RESULTS

Table 1 shows the number of counties in each category of results in the 2008, 2012 and 2016 elections with complete mortality data for 1999-2005 and 2009-2015. Most counties remained either Democrat (n=417) or Republican (n=1945) through the three elections. A number of counties switched from Democrat to Republican in the 2012 election (n=176) or the 2016 election (n=190).

As shown in Table 2 the average increase in mortality from 1999-2005 to 2009-2015 was 31.0 per 100,000 in the counties where the Democratic Party did not win in any of the 2008, 2012, or 2016 elections, as compared to an increase of 6.0 per 100,000 in those counties in which Democrats won in 2016 (and lost in 2008 and 2012). In counties where the Democratic Party won once in 2008 or 2012 but lost in 2016, there was an increase in mortality of 21.1 per 100,000, compared to an increase of 8.1 per 100,000 in those in which the Democratic Party won in 2016. Lastly, for those counties where the Democratic Party won in both 2008 and 2012 elections, there was a significant ($p < 0.001$) difference in the change in mortality: counties support towards the Republican Party saw an increase in mortality of 10.7 per 100,000, whereas those that voted Democratic again saw a decrease in mortality of 15.7 per 100,000.

Figure 2 shows the result of the analysis using continuous election data. An increase in mortality from 1999-2005 to 2009-2015 is associated with a

significant ($p < 0.001$) increase in support for the Republican Party in 2016. Specifically, the results of the linear mixed model show that an increase of 15.2 deaths per 100,000 is associated with a shift in the vote towards the Republican Party of 1% compared to previous elections ($\beta = -0.066$, 95% CI - 0.072 to -0.059, $p < 0.001$). The figure clearly indicates that increasing mortality and a Republican shift in voting was most pronounced in the South (in blue) and the Mid-West (green), while counties in the West are prominent in the opposite quadrant (decrease in mortality and swing voting towards Democrats).

Table 3 shows the results of the voting patterns by absolute health inequality in life expectancy by income in the 2001-2014 period. Areas where the Republican party won in any election had wider health inequalities, and this was more marked in areas where the Democratic party did not win in the 2008 and 2012 election (absolute health inequality of 7.23 and 5.17 years for areas where the Republican party or the Democratic party won in 2016, respectively, $p < 0.001$) and in areas where the Democratic party won in both the 2008 and 2012 elections (absolute health inequality of 7.47 and 6.59 years for areas where the Republican party or the Democratic party won in 2016, respectively, $p = 0.07$).

The inferences remained unchanged when limiting the analysis to the six states that voted Republican in 2016 as opposed to Democratic in 2012 (see Appendix Table 1). Inferences remained unchanged, and patterns are

strengthened, when comparing the change in vote patterns in 2016 with the 2000 and 2008 elections (see Appendix Table 2). Inferences remained unchanged when using mortality for all races (see Appendix Table 3). Using relative health inequalities did not change the inferences either (see Appendix Table 4).

Figure 2: Mortality changes from 1999-2005 to 2009-2015 by change in support from Democratic to Republican from 2008-2012 to 2016. Each data point is a county, sized proportional to population in 2012 and colored according to census region. Dashed thick line is a weighted linear fit to the data.

DISCUSSION

We identified a county-level association between an upward trend in mortality among non-Hispanic whites during the period 1999-2015 and increased support for the Republican candidate in the 2016 presidential election. An increase of approximately 15 deaths per 100,000 was associated with a 1% vote swing toward the Republican Party. This mortality increase is less than half of what was reported by Case & Deaton for non-Hispanic whites nationally. We also observed that areas with wider health inequalities were more likely to vote for the Republican party in 2016, regardless of the vote in the previous elections. These results were robust to our sensitivity analyses, including a restriction to the 2016 swing states, including all elections in the last 20 years without incumbent candidates (2000, 2008 and 2016), using mortality for all races, and using relative measures of inequality.

The association between health status and voting patterns in previous US election cycle has been examined previously. A recent study found that excess mortality among blacks may have led to outcomes of state-level elections that would not have been observed if blacks had similar mortality to whites(Rodriguez et al., 2015). Analysis of the results of the Republican Party primaries conducted in early 2016 highlighted that support for Donald Trump was higher in areas with increased mortality in middle aged non-Hispanic whites(Guo, 2016). Other post-election analyses have examined

static health indicators (e.g., life expectancy or disease prevalence) (Inglehart and Norris, 2016), or an increase in 'deaths of despair'(Monnat, 2016) as predictors of Trump support, with analogous results to our study. However, we are interested in describing shifts in voting patterns, which requires longitudinal data on health care trends as cross-sectional (static) health indicators may represent long-term socioeconomic conditions instead of recent changes.

A recent report by Bor(Bor, 2017) used longitudinal life expectancy data to show that countries with decreases in life expectancy in the last 3 decades had an increased support for Trump. In our study, we examined a narrower age group (45 to 54), where increases in a specific group of causes of death (including drug and alcohol poisonings) have been reported(Case and Deaton, 2017). Contrary to expectation, economic downturns almost uniformly lead to improvement in population health indicators(Ruhm, 2008). However, these improvements have been mitigated in the last decade, mostly due to a worsening in drug and alcohol poisonings(Ruhm, 2015). We also add to the report by Bor an analysis of the association between health inequalities in life expectancy by income and increased support for trump. We believe this fits in our framework (Figure 1) as one of the consequences of worsening social and economic inequalities(Piketty and Zucman, 2014).

The co-occurrence of the two main phenomena described here is, to our knowledge, unprecedented. In the last century mortality reversal in the

US has been restricted almost exclusively to influenza, HIV, and other infectious conditions in special sub-populations. Change in political and social conditions must be further examined to understand how social upheaval drives increases in mortality. Virchow, writing in the 19th century, stated that “If disease is the expression of individual life under unfavorable conditions, then epidemics are the symptom of major disturbances in society”(Virchow, 1849). The mortality pattern described by Case and Deaton(Case and Deaton, 2015) could be therefore understood as the symptom for other major disturbances, the social upheaval we described above. Health data, which is routinely collected, can serve as a marker of this social upheaval and signal areas with increased distress where social and public health interventions may be targeted.

In particular, increasing mortality rates may be reflecting changes in political representation, employment conditions, family and community networks, and inequalities in education and employment opportunity. For example, widespread plant closures resulting in a sharp rupture of the social contract afforded middle-aged industrial workers may have created a uniquely vulnerable cohort for whom the loss of life-long employment brought enormous social and psychological trauma. Moreover, it would also appear that inadequate social support systems were in place to buffer this loss(Beckfield and Bambra, 2016). Diseases of despair and hopelessness - drug abuse, alcoholism, suicide and liver disease - have all risen markedly in

this group(Beckfield and Bambra, 2016; Case and Deaton, 2015). This is similar to the social upheaval and resulting increases in mortality that were observed in Russia and other eastern European after 1989(Cornia and Panicià, 2000). In that context, acute psychosocial stress, increased alcohol consumption, increased unemployment, and changes to family structure were observed and believed to drive increases in mortality(Cornia and Panicià, 2000). Under these circumstances an embrace of authoritarian political leadership has been observed (Jeffries, 2016).

Our work has some limitations. First, it is exploratory in nature and uses an ecological design, thereby precluding individual-level explanations. For our purposes, however, the ecological nature of our study is a strength, given that estimating an individual-level mortality risk, rather than contextual upheaval, may not capture forces acting in the social environment. Second, we did not adjust for potential confounders of the mortality – voting association, such as the sociodemographic (race, age, gender) or socioeconomic (education, income, occupation) composition of each county. We choose this approach because our interest was not in obtaining inferences related to the independent association of mortality with shifts in voting patterns, but rather the overall magnitude of the hypothesized effect. Third, we focused our main analysis on adults aged 45 to 54, instead of the entire population or other specific age groups. We did this for several reasons, namely: (1) this is a population with a high voter

turnout(File, 2014); (2) this population was able to vote in all elections in this study; (3) this has been population of special public health interest in recent years, as a source of a large number of preventable deaths with worsening health conditions(Case and Deaton, 2015). Fourth, mortality data was missing in countries with very low event rates (approximately 16% in each period, with complete data on 81% of counties), and health inequality data was only available in counties with a population > 25,000 (~50% of the counties). Lastly, we could not conduct a single-year of age standardization because of low counts of mortality in many smaller counties that result in suppressed/missing data.

To conclude, our study found that an increase in mortality in US counties in the last 15 years and wider health inequalities in life expectancy were associated with stronger support for the Republican Party candidate in the 2016 presidential election. Significant deterioration in population health, as characterized by increases in mortality, may stem from the same processes that lead to sudden unexpected shifts in political alignment.

REFERENCES

- Autor, D.H., Dorn, D., Hanson, G., Majlesi, K. (2016). Importing political polarization? the electoral consequences of rising trade exposure. National Bureau of Economic Research.
- Beckfield, J., Bamba, C. (2016). Shorter lives in stingier states: Social policy shortcomings help explain the US mortality disadvantage. Social Science & Medicine,
- Bor, J. (2017). Diverging life expectancies and voting patterns in the 2016 US Presidential election. American journal of public health (0), e1-e3.
- Case, A., Deaton, A. (2015). Rising morbidity and mortality in midlife among white non-Hispanic Americans in the 21st century. Proceedings of the National Academy of Sciences. 112 (49), 15078-15083.
- Case, A., Deaton, A. (2017). Mortality and morbidity in the 21st century. Brookings Papers on Economic Activity.
- Chetty, R., Stepner, M., Abraham, S., et al. (2016). The association between income and life expectancy in the united states, 2001-2014. JAMA : the journal of the American Medical Association. 315 (16), 1750-1766.
- Cornia, G.A., Panicià, R. (2000). The mortality crisis in transitional economies: OUP Oxford.
- File, T. (2014). Young-adult voting: An analysis of presidential elections, 1964–2012. Current Population Survey Reports,

- Gelman, A., Auerbach, J. (2016). Age-aggregation bias in mortality trends. *Proceedings of the National Academy of Sciences*. 113 (7), E816-E817.
- Guo, J. (2016). Death Predicts Whether People Vote for Donald Trump. *The Washington Post*,
- Inglehart, R., Norris, P. (2016). Trump, Brexit, and the rise of Populism: Economic have-nots and cultural backlash.
- Jeffries, S. (2016). *Grand Hotel Abyss: The Lives of the Frankfurt School*: Verso Books.
- Leip, D. (2016). Dave Leip's Atlas of U.S. Presidential Elections.
- Lublin, D., Voss, D.S. (2001). Federal elections project. American University, Washington, DC and the University of Kentucky, Lexington, KY,
- Monnat, S.M. (2016). Deaths of despair and support for Trump in the 2016 Presidential Election. Pennsylvania State University Department of Agricultural Economics Research Brief,
- NCHS. (2016). Compressed Mortality File, 1999-2014.
- Norris, P. (2016). It's Not Just Trump: Authoritarian Populism Is Rising Across the West; Here's Why. *Washington Post*.
- Piketty, T., Zucman, G. (2014). Capital is back: Wealth-income ratios in rich countries 1700–2010. *The Quarterly Journal of Economics*. 129 (3), 1255-1310.

- Rocha, K., Sabetta, C., Clark, R. (2017). Explaining Donald Trump's Support: Cultural Lag or Cultural Backlash? *Sociology Between the Gaps: Forgotten and Neglected Topics*. 3 (1), 3.
- Rodriguez, J.M., Geronimus, A.T., Bound, J., Dorling, D. (2015). Black lives matter: Differential mortality and the racial composition of the U.S. electorate, 1970–2004. *Social Science & Medicine*. 136–137, 193-199.
- Rothwell, J.T., Diego-Rosell, P. (2016). Explaining nationalist political views: The case of Donald Trump.
- Ruhm, C.J. (2008). Macroeconomic Conditions, Health, and Government Policy. In R.F. Schoeni (Ed.), *Making Americans Healthier: Social and Economic Policy as Health Policy*. New York: Russell Sage Foundation.
- Ruhm, C.J. (2015). Recessions, healthy no more? *Journal of health economics*. 42, 17-28.
- Schroeder, S.A. (2016). American health improvement depends upon addressing class disparities. *Preventive medicine*. 92, 6-15.
- Tankersley, J. (2016). How Trump won: The revenge of working-class whites. *Washington Post*.
- U.S. General Services Administration, O.o.C.S.a.I.T. (2016). *DATA.Gov*.
- Virchow, R.L.K. (1849). *Die Einheitsbestrebungen in der wissenschaftlichen Medicin*: Druck und Verlag von G. Reimer.
- Weinhold, D. (2017). *Trumpocalypse Now: Patterns of Class and Cultural Conflict in the 2016 Presidential Election*.

Table 1: Number of counties by winner in the 2008, 2012 and 2016 elections

Winner in 2008	Winner in 2012	Winner in 2016	Counties (n)
Democrat	Democrat	Democrat	417
Democrat	Democrat	Republican	190
Democrat	Republican	Democrat	14
Democrat	Republican	Republican	176
Republican	Democrat	Republican	16
Republican	Republican	Democrat	6
Republican	Republican	Republican	1945

Table 2: Weighted average change in mortality rate by county presidential election results.

Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005	Winner in the 2016 Election		
Democratic Party Wins in 2008 and 2012	Democratic Party	Republican Party	
0	5.98	31.00	
1	8.05	21.10	
2	-15.71	10.70	

Footnote:

The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The p-value tests the null hypothesis that the difference in mortality is equal between counties with the same number of Democratic Party wins in 2008/2012 but that differ by the 2016 winner.

Table 3: Absolute health inequality by income by county presidential election results.

Life Expectancy in Q4 of Income – Life Expectancy in Q1 of Income	Winner in the 2016 Election		
	Democratic Party Wins in 2008 and 2012	Democratic Party	Republican Party
0	5.17	7.23	
1	7.40	7.48	
2	6.59	7.47	

Footnote:

The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The p-value tests the null hypothesis that the absolute health inequality by income is equal between counties with the same number of Democratic Party wins in 2008/2012 but that differ by the 2016 winner.

Appendix Table 1: Weighted average change in mortality rate by county presidential election results, restricted to Florida, Iowa, Michigan, Ohio, Pennsylvania and Wisconsin

Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005	Winner in the 2016 Election		
Democratic Party Wins in 2008 and 2012	Democratic Party	Republican Party	
0	N/A	22.42	
1	-27.11	25.39	
2	-5.00	17.63	

Footnote:

Results are presented as Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005. The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The dependent variable is the change in mortality between the two periods and the independent variables are the number of wins for the Democratic Party in 2008 and 2012 and the winner of the 2016 election, along with an interaction term for the two independent variables. The p-value tests the null hypothesis that the difference in mortality is equal between counties with the same number of Democratic Party wins in 2008/2012 but that differ by the 2016 winner. N/A: no county was in this category (and hence the p-value was not estimable).

Appendix Table 2: Weighted average change in mortality rate by county presidential election results in 2000, 2008 and 2016.

Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005	Winner in the 2016 Election		
Democratic Party Wins in 2000 and 2012	Democratic Party	Republican Party	
0	5.98	28.86	
1	-5.77	30.23	
2	-18.49	16.48	

Footnote:

Results are presented as Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005. The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The dependent variable is the change in mortality between the two periods and the independent variables are the number of wins for the Democratic Party in 2000 and 2012 and the winner of the 2016 election, along with an interaction term for the two independent variables. The p-value tests the null hypothesis that the difference in mortality is equal between counties with the same number of Democratic Party wins in 2000/2012 but that differ by the 2016 winner.

Appendix Table 3: Weighted average change in mortality rate (for all races) by county presidential election results

Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005	Winner in the 2016 Election		
Democratic Party Wins in 2008 and 2012	Democratic Party	Republican Party	
0	-21.48	6.73	
1	-9.54	9.45	
2	-55.46	-1.79	

Footnote:

Results are presented as Δ Mortality Rate per 100,000 2009-2015 minus 1999-2005. The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The dependent variable is the change in mortality between the two periods and the independent variables are the number of wins for the Democratic Party in 2008 and 2012 and the winner of the 2016 election, along with an interaction term for the two independent variables. The p-value tests the null hypothesis that the difference in mortality is equal between counties with the same number of Democratic Party wins in 2008/2012 but that differ by the 2016 winner.

Appendix Table 4: Relative health inequality by income by county presidential election results.

Life Expectancy in Q4 of Income / Life Expectancy in Q1 of Income	Winner in the 2016 Election	
	Democratic Party Wins in 2008 and 2012	
	Democratic Party	Republican Party
0	6.40%	9.20%
1	9.30%	9.50%
2	8.30%	9.50%

Footnote:

Results are presented as $LE \text{ in Q4} / LE \text{ in Q1} * 100$. The p-value was obtained from a linear mixed model (weighted by population in 2012) with random intercepts for each state. The dependent variable is the absolute health inequality by income and the independent variables are the number of wins for the Democratic Party in 2008 and 2012 and the winner of the 2016 election, along with an interaction term for the two independent variables. The p-value tests the null hypothesis that the absolute health inequality by income is equal between counties with the same number of Democratic Party wins in 2008/2012 but that differ by the 2016 winner.