Fighting a Fire versus Waiting for the Wave: Useful and Not-So-Useful Analogies in Times of SARS-CoV-2

Louise C. Archer^{1*}, Claire J. Standley², Péter K. Molnár¹

¹Laboratory of Quantitative Global Change Ecology, Department of Biological Sciences, University of Toronto Scarborough, Toronto, Ontario, Canada.

²Center for Global Health Science and Security, Georgetown University, Washington DC, USA.

*Author for correspondence: louise.archer@utoronto.ca

Keywords: epidemics, disease dynamics, second wave, risk communication, biological models

Note: This is the submitted version (prior to peer review) of an article that has now been published in *BioScience* following peer review. The version of record Archer *et al* (2022) is available online at: [10.1093/biosci/biac017](https://doi.org/10.1093/biosci/biac017)

or

<https://academic.oup.com/bioscience/advance-article-abstract/doi/10.1093/biosci/biac017/6550283?redirectedFrom=fulltext>

Abstract

As SARS-CoV-2 has swept the planet, intermittent “lockdowns” have become a regular feature to control transmission. References to so-called recurring “waves” of infections remain pervasive among news headlines, political messaging, and public health sources. We explore the power of analogies to facilitate understanding of biological models and processes by reviewing successes and limitations of analogies throughout the COVID-19 pandemic. We consider how, when analogies fall short, their ability to persuade can mislead public opinion and behaviour, even if unintentionally. While waves can convey patterns of disease outbreak retrospectively, we suggest process-based analogies might be more effective communication tools, given that they are easily mapped to underlying epidemiological concepts and can be extended to include complex dynamics. Though no single analogy perfectly captures disease dynamics, fire is particularly suitable for visualizing epidemiological models, underscoring the importance and reasoning behind control strategies, and conveying a sense of urgency to galvanise collective action.

16 “Separate the fuel from the flames, and the fire stops”

17 William H. Foege, key strategist for global smallpox eradication (and former volunteer
18 firefighter); in *House on Fire: The Fight to Eradicate Smallpox* (Foege 2011)

19
20 Speech, and the perception of speech, are merely models for reality, as Plato elegantly
21 described in his Allegory of the Cave. Much in the same way that speech allows us to
22 structure our own experiences of the world and communicate our conceptual
23 understanding of it, scientific reasoning and discourse are rooted in the use of models
24 as conceptual representations of reality (Taylor and Dewsbury 2018). Such
25 representations can take many forms of varying complexity, from physical constructs
26 (e.g., 3D models or diagrams) and simple verbal descriptions, to complex statistical
27 and mathematical models aimed at evaluating the properties of dynamic systems by
28 synthesising information on the processes shaping these dynamics (e.g.,
29 epidemiological models estimating future infections from current transmission,
30 recovery, and mortality rates). Despite their varying modes and uses, all models share
31 a common feature in that they facilitate connections between abstract concepts and
32 more familiar domains.

33
34 The role of scientific models in understanding complex biological phenomena has
35 been brought into sharp public focus by the 2019 novel coronavirus disease (COVID-
36 19) pandemic. From the outset, existing epidemiological models and knowledge gained
37 from previous epidemics have formed the basis of efforts to understand and predict
38 the trajectory of the spread of COVID-19’s causative virus, severe acute respiratory
39 syndrome coronavirus 2 (SARS-CoV-2). Mathematical models have been continually

40 updated and extended to synthesise newly acquired information and more detailed
41 knowledge as the pandemic has progressed. While such models have been crucial to
42 developing scientific understanding and informing pandemic management, their inner
43 workings and predicted dynamics can be difficult to convey to non-experts. This is
44 particularly problematic in the context of public health responses, where highly
45 dynamic situations are coupled with an urgent need for rapid communication and
46 transparent decision-making. Analogies offer a compelling means of framing
47 unfamiliar epidemiological concepts to effectively communicate with and inform
48 policymakers as well as the wider public. Indeed, given that even the most complex
49 mathematical model is only an abstract representation of reality, the process of
50 modelling can be thought of as akin to building a sophisticated quantitative analogy of
51 the world.

52
53 Through establishing a similarity and allowing the audience to arrive at the intended
54 meaning by themselves, the strength of analogies lies in harnessing existing
55 knowledge of one system to understand another. Despite their likeness to scientific
56 models, the ability of analogies to convince means that, when misused, analogies can
57 perpetuate misunderstanding (Taylor and Dewsbury 2018) and even impede effective
58 disease control. Given the central role of models in developing our understanding of
59 SARS-CoV-2 dynamics, a closer examination of how analogies can be used to clearly
60 map from models to more familiar situations could be of benefit in devising more
61 effective and accurate public messaging, and for conveying epidemiological concepts
62 that are central to public health responses (in effect, creating more accessible ‘models
63 of the models’). Here, we consider how analogies can be employed as a heuristic tool

to support conceptualisation of models by non-expert audiences by exploring the direct relationship between analogies and mathematical models in the context of the COVID-19 pandemic. We highlight how intuitive analogies that are more closely related to scientific evidence can improve understanding, promote action, and limit misinformation. We focus here on analogies related to SARS-CoV-2 but emphasize that the same overarching principles (use of simple, intuitive, and clearly mapped representations) are relevant when analogising scientific concepts in general.

Models as the basis for analogy

To successfully map from models to analogies, it can be helpful to first consider the role of models (and their support by empirical evidence) in framing how we think about the world as scientists.

Biological processes can often be dynamic and hard to intuit. Difficulty arises because there is no omnipotent biological understanding (there are always parts of a system that are unknown or unobserved) and we often lack *a priori* knowledge of how to conceptualise an unfamiliar system or process. To this end, models offer a means to describe what we know, simplify what we don't know, and analyse the dynamic consequences of how different components in a system interact. By creating a simplified representation, models may aim to: (i) summarise, understand, and infer properties of a system; (ii) predict future states of the system/ outcomes of interventions; and (iii) identify parts of the system that are unknown or uncertain (Haefner 2005). An effective analogy could achieve these same objectives for the non-specialists as the underlying models do for biologists.

88

89 Despite their many uses, as idealisations of reality, a single ‘correct’ model does not
90 exist. Whether a model is useful or not, (*sensu* statistician George Box - “*All models are*
91 *wrong, but some are useful*”), largely depends on the user’s objective, be it simply
92 describing a phenomenon to disentangling complex mechanisms or forecasting the
93 future. Models concerned with the former can be classified as “pattern-based”, in
94 which the mathematical terms have no biological significance beyond representing the
95 pattern or form of the phenomenon (e.g., polynomial regressions). Models that
96 attempt to address the latter objective i.e., to understand underlying mechanisms, are
97 often referred to as “process-based”, where the terms in the model have some
98 meaningful biological interpretation. A strength of process-based models is the ability
99 to infer dynamics beyond observed conditions, providing guidance about the state of a
100 system under future conditions or in response to a hypothetical intervention.

101

102 Process-based epidemiological models have been fundamental to our understanding
103 and prediction of the COVID-19 pandemic trajectory (Hao et al. 2020). The most
104 common approaches to modelling SARS-CoV-2 dynamics (Adam 2020) have been
105 extensions or variants of a basic SIR (Susceptible, Infected, Removed) modelling
106 framework (Cooper et al. 2020, Dehning et al. 2020, Giordano et al. 2020) that
107 describes the progression of a novel disease in a closed population:

108

109
$$\frac{dS}{dt} = -\beta IS$$

110
$$\frac{dI}{dt} = \beta IS - \gamma I$$

111 $\frac{dR}{dt} = \gamma I$

112

113 The SIR model (Ross 1916, Ross and Hudson 1917, Kermack et al. 1927) captures the
 114 outbreak of an epidemic, from the introduction of single infected individual,
 115 subsequent exponential growth, followed by a slowing of transmission as the
 116 population progresses towards herd immunity (Keeling and Rohani 2007). The
 117 progression of the epidemic is shaped by the transmission rate, β , which scales both
 118 with the number of contacts between people over a given period and the probability
 119 that a contact results in infection, and the removal rate, γ . Together, these parameters
 120 determine the basic reproductive ratio R_0 and, thus, the rate of infections, the height
 121 and breath of the peak, and the number of people required to reach heard immunity.
 122 Within a population where all members are susceptible ($S/N = 1$), an epidemic occurs
 123 if an infected individual on average infects more than one person, i.e., if $R_0 = \beta/\gamma > 1$. As
 124 β depends in part on our behaviour, and in part on properties of the pathogen, it is
 125 intuitive that changes in either of these could influence the course of an epidemic. A
 126 changing β , for example, could be due to a reduced number and duration of close
 127 human contacts via physical distancing (also known as “flattening the curve”), or
 128 changing environmental conditions that directly affect the pathogen’s ability to
 129 transmit effectively (e.g., the influenza virus transmitting more effectively in colder
 130 and less humid weather (Lowen et al. 2007)). The same is true for γ , which may, for
 131 example, depend on properties of the pathogen determining duration of illness, as
 132 well as on the level of care provided.

133

A key simplifying assumption to highlight in the basic SIR model is homogeneity of mixing (Anderson and May 1992), whereby every individual is assumed to have equal contact rates with all others, implying that disease-causing interactions are random and homogenous across the population. However, real populations are often structured in space (e.g., separated by geographic distance) to form subpopulations, which themselves can be subject to other forms of stratification (e.g., age-based, or social stratification) that further shape interactions among individuals with implications for contact and transmission rates. Incorporating population structuring into epidemiological models has most often been achieved using metapopulation models (Hess 1996) (i.e., splitting the population into subpopulations and accounting for contact rates between these subunits) and network models, which represent individuals as nodes in a network and explicitly characterises individual variation in interactions (potential disease-transmitting contacts) as diverse connections between nodes (Bansal et al. 2007). At the population level, disease dynamics and patterns of infection can be profoundly affected by structuring, meaning it can be a critical concept to grasp for understanding infection spread.

While the SIR framework and its more complex extensions are widely used in epidemiology (Kleczkowski et al. 2019), the model in mathematical form is not a particularly intuitive tool for communicating with non-specialist audiences. Nonetheless, given that much of our existing understanding of COVID-19 dynamics is based on the SIR modelling paradigm (although not without limitations; see Gnanvi et al. (2021)), mapping the model's components, implications, and extensions into more broadly accessible analogous forms can bridge the gap between scientific knowledge

and public understanding, facilitating transparent communication of information and heightened perception of risk and risk mitigation.

Analogies and their relationship to models during COVID-19

Analogies to represent COVID-19 have spanned virtually every natural and crisis-related phenomenon, to some degree. Throughout the pandemic, militaristic analogies that invoke being at war with, or battling/fighting the virus as an embodied enemy have been particularly frequent (Semino 2021). Rather than conveying scientific information, war rhetoric can have a multitude of other functions in public discourse on disease (Flusberg et al. 2018), including magnifying the perception of threat, boosting public morale and/or justifying extraordinary state measures (e.g., emergency legislation/funding, nationalising businesses, and economic shutdowns). Such purposes are outside the scope of our primary focus: nuanced communication of scientific concepts to inform day-to-day choices by the public and to support rapid decision-making capabilities that are needed from policymakers in dynamic situations. As such, we do not consider war-based analogies any further here and instead focus on analogies of SARS-CoV-2 in terms of how they relate to key epidemiological concepts (but see Bates (2020), Wicke and Bolognesi (2020), Castro Seixas (2021), Semino (2021)) on the use of war rhetoric in the context of COVID-19).

The wave analogy

One of the most pervasive analogies used in epidemiological communications is that of a wave, as evidenced throughout the COVID-19 pandemic (Looi 2020, Xu and Li 2020). Its ubiquity in disease biology can be attributed to the similarities between the

shape of a wave and the graphical form of infection progression through a population during an epidemic (Figure 1). While the wave can aid in conceptualizing patterns and forms of infections, it is also crucial to recognise where the analogy can break down in terms of conveying biological processes, potentially leading to counterproductive public perceptions.

The appeal of the wave analogy is ostensibly self-evident: wave-like patterns of infection, starting with low numbers that rise to a peak before falling, are a typical characteristic of most epidemics, and indeed typically emerge from the SIR model outlined above. Wave-like patterns are even more striking when infectious diseases display multiple peaks of cases over time (Figure 1). Repeated peaks can emerge through a variety of factors, but all rely on some level of susceptibility remaining present in the population after previous peaks, for example, through previously unexposed individuals, waning immunity (Saad-Roy et al. 2020, 2021), or the introduction of immunologically-naïve hosts (e.g., via births) (Anderson and May 1992). Provided that susceptible hosts are available, new surges of cases can occur when behaviour changes (e.g., relaxed physical distancing, increased contact), when the probability of a contact resulting in infection changes (e.g., if the pathogen's transmissibility changes seasonally), or a combination thereof.

Superficially, a wave thus seems a compelling analogy to describe patterns of disease outbreak, given it is simple to grasp and is effective in capturing the visual form of the initial progression of an epidemic. However, its efficacy as a means of communication is dependent on both its purpose and the context in which it is used – i.e., whether the

user seeks to describe patterns in infections or convey an understanding of the underlying processes. The critical limitation of the wave analogy (and wave-related imagery e.g., “floods”, “ripples”, and “tsunamis”(Johnson 2020)) is a limitation associated with pattern-based models in general - while suitable for describing patterns in hindsight, no information is provided as to the mechanisms that contribute to these patterns. Little in the image of a wave can be traced back to the processes of the SIR model, meaning that the simplified conceptualisation presented to the public is disconnected from our scientific understanding of the factors governing disease trajectories. For example, changes in human behaviour (*e.g.*, mask wearing and physical distancing) can dramatically alter the transmission rate β , thus contributing to the increase/decline in infections, yet the dynamic influence of our behaviour is difficult to reconcile with images of real-life waves, which rise and fall regardless of our actions. The lack of mechanistic considerations not only makes it difficult to discern whether a population may have already entered a wave while the epidemic is still happening, but also complicates discussions of whether, and if so, when, subsequent waves might be expected.

Perhaps most importantly from a risk communication perspective, the reliance on a wave analogy fails to convey to politicians, health officials, and the public about the mechanisms driving disease spread and the tools at our disposal for preventing transmission. A literal image of a wave implies waiting for a physical force to arrive, and managing its impact as best as possible, without being able to do anything to prevent the force from washing over. As such, the analogy has also created impressions that while being in a “trough” may be the time “to make the most of...

summer” (Thiessen 2020), such as “take [a] holiday now to prepare [...] for a second wave” (Donald 2020), and has even fuelled suggestions to enjoy “some respite [and...] a meaningful” holiday period once the wave has passed and restrictions lifted (Department of An Taoiseach 2020, Carroll 2021). However, viruses do not behave like aquatic waves at all, and while calls for broad relaxation of restrictions during periods of lower incidence may be well-intentioned and provide some psychological and economic benefits, these very actions could also contribute to a new surge of cases. In this way, the analogy provides no guidance on what measures can be taken to reduce risk; there is no clear way to proactively prevent or reduce the size of an aquatic wave, only react to its inevitable impact.

The reliance on wave analogies to guide public understanding of epidemiology can as such lead to a defeatist mindset or even become a self-fulfilling prophecy. “Response fatigue” to warnings of recurring waves might also emerge in the general population, hindering control efforts (WHO 2020). In the case of SARS-CoV-2, beyond capturing the initial disease outbreak, the wave analogy serves to illustrate the workings of a panic-neglect cycle at the societal level: high mortalities leading to physical distancing and other control measures to bring case numbers down, followed by a relaxing of measures when case numbers are low and the threat does not seem as imminent, resulting in a new infection peak. Thus, even while useful for characterising patterns in hindsight or for demonstrating possible outcomes of non-intervention scenarios, overreliance on the wave analogy may become counterproductive in other contexts.

Beyond waves, epidemics are often analogised in a similar manner in terms of natural forces or disaster imagery (Semino 2021). Storm and floods are regularly evoked when describing initial increases in case numbers, revealing little of the underlying mechanisms driving the disease, and thus no information on how to change an epidemic's/storm's course. Despite their lack of mechanistic-model underpinnings, storm analogies are similar to waves in providing a simple visualisation capturing the pattern of an outbreak reasonably well. The first few raindrops felt in advance of an oncoming downpour resemble the initial exponential growth rising to a peak in infections, followed by a subsequent decline as the storm passes over, conveying the message that infection numbers can increase rapidly from small beginnings. However, storms also suffer from the same limitation as waves: by implying a physical force coming at us regardless of what we do, we are left powerless to take any action except to endure the onslaught and weather the storm.

Fire as an analogy for COVID-19

While waves and storms provide examples of the strengths and weaknesses of a pattern-based analogy, fire offers an alternative process-based analogy to effectively convey the establishment, spread, and (crucially) the control of SARS-CoV-2.

As a simple example, a campfire analogy (Box 1) can be an intuitive and reasonably accurate representation for the processes described in the SIR model that drive disease outbreak in a closed population. Of note in this analogy is the clear mapping to the modelling framework, meaning mechanisms that are key to controlling disease trajectory can be more easily identified and targeted for action. Susceptible individuals

277 (S –pieces of wood/fuel) live together in a population (N – pile of wood) and are at risk
278 from pathogens spilling over from the environment (an initial spark), eventually
279 making some unlucky “patient zero” sick (lighting the first twig on fire). Some
280 outbreaks may quickly die out and possibly go undetected (due to stochastic
281 processes, or akin a low β with only a few twigs catching fire but then fizzling out).
282 Others may result in an epidemic that spreads through a population (a roaring
283 campfire). How quickly the virus (fire) spreads, depends on how many individuals
284 (twigs) each infected individual (burning twig) infects (lights) on average during the
285 time it is infectious (sufficiently aflame to set another twig alight), i.e., the R_0 . In our
286 example in Box 1, just after lighting the fire, each twig was burning an average of one
287 minute ($\gamma = 1 \text{ min}^{-1}$) and lighting three other twigs ($\beta = 3 \text{ min}^{-1}$) during that time,
288 resulting in a growth rate of three new burning twigs during the lifetime of a twig –
289 equivalent to a disease with a basic reproductive ratio of $R_0 = 3$. As the epidemic (fire)
290 progresses, each infected person (burning twig) retains the potential to infect (light)
291 three other people (twigs) on average; however, because some of these contacts may
292 already have had the disease and become immune or died (burnt), the effective
293 reproductive ratio, known as the R_e -value, decreases. The epidemic (fire) eventually
294 peaks, and then starts dying out once R_e falls below one. By the time the epidemic
295 ends (the fire has burnt down), typically less than $1 - \exp(-R_0)$ percent of the population
296 will have had the disease (been on fire), with the remainder of the population
297 protected by herd immunity (Keeling and Rohani 2007, Britton et al. 2020) (unburnt
298 fuel is separated by sufficient numbers of burnt wood such that any flames cannot
299 move between and reignitions fizzle out quickly).

300

301 The analogy can be spun further, and this is where its use as a communication tool for
302 mitigation strategies becomes apparent. For the public, thinking in terms of campfires
303 can help to both visualise the progression of an epidemic, while also placing emphasis
304 on the impacts that individual actions (e.g., movement and physical distancing) can
305 have on transmission. For example, limiting the risk of burning pieces of wood
306 (infected individuals) spreading fire to dry fuel (susceptible individuals) can be
307 achieved by increasing the distance between pieces of wood (physical distancing),
308 dismantling piles of wood/removing vegetation (preventing large gatherings), or
309 throwing a fire blanket on a burning pile (lockdowns in response to outbreaks).
310 Moreover, the analogy can be extended to consider vaccinations. For example, using
311 water to douse flammable vegetation and tree litter immediately around campfire sites
312 is a similar preventative tactic to targeted vaccine campaigns in infection hotspots
313 (e.g., high-density urban centres).

314

315 For policymakers focused on population-level control of the disease, forest fires may
316 be a helpful analogy because these more accurately capture the role of spatial
317 structure in the spread of a transmissible disease through a heterogeneous network of
318 human contacts (Hanage 2020, Osterholm and Olshaker 2020) (Figure 2). For
319 example, forest fire spread can be mitigated by removing connections between patches
320 of burning forest and at-risk areas through tree-felling (i.e., removing links between
321 nodes in a network model). In fact, it was the recognition of similarities to fire that
322 inspired the application of nuanced “firefighting” strategies in the fight against
323 smallpox, the only human disease to be eradicated to date (Foege 2011). Techniques
324 such as “hot spotting” (identifying, and focusing on, larger outbreaks and

325 superspreading events early) and constructing firebreaks, whether at the individual
326 (physical distancing/masks/isolation) or local/regional level (e.g., temporary
327 restrictions on affected districts; health monitoring at borders or testing/quarantine
328 protocols for travel) can be valuable tools for curbing spread (analogous to reducing β
329 in the SIR model or reducing contact rates/network connections in metapopulation
330 and network models, respectively). Nuanced application and communication of these
331 tools is key, however, and again the fire analogy can be of help. While repeated peaks
332 are frequently characterised using the wave analogy, the reoccurrence of infections is
333 primarily a consequence of the large numbers of susceptible individuals (i.e., fuel for
334 the fire) remaining in populations where exposure (and subsequent immunity) was
335 curbed by control measures, or in areas where fire (infection outbreaks) have yet to
336 occur. The established public perception of fire and wildfires as serious hazards
337 (Dombeck et al. 2004, Semino 2021) can also be harnessed to generate a similar sense
338 of urgency towards the threat of rapid disease (re)emergence and the importance of
339 proactive countermeasures.
340

Box 1. Campfire as an analogy for the SIR model of disease outbreak

Picture a campsite in the woods. Dry pieces of wood lie stacked ready to be lit for a campfire (each piece representing one susceptible individual in a population). A first match is lit, but the pile doesn't catch (threat from pathogens spilling over from the environment - flames from a match). A second match sparks, again, no success. The third attempt seems more effective: a twig catches fire, then a second and a third – but then the flames fizzle out before the rest of the pile starts to burn. Ultimately, it takes

several matches before the campfire takes off: one twig catches fire (the so-called “patient zero”) and lights another three (transmission rate, $\beta = 3 \text{ min}^{-1}$); after a minute, the first twig fizzles out (recovery or removal rate, $\gamma = 1 \text{ min}^{-1}$), but by now, the other three have already lit another five, one, and three more twigs respectively, before going out themselves (recovered individuals). At this point, the prospect of cold and fireless night has receded, and indeed, after another minute, another 27 twigs (infected individuals) are on fire. Remembering the basics of exponential growth, we now realize that, with each burning twig on average lighting three more twigs each minute ($R_0 = 3$), within ten minutes 59,049 twigs would be on fire - and roughly 3.5 billion twigs within twenty minutes. Of course, that’s many more twigs than have been piled up. Instead, based on our past experience with fire, we are sure that what will happen is a fire that initially grows bigger and hotter rapidly, then reaches a peak in the number of twigs that are burning, and finally begins to die down before ultimately going out (herd-immunity is reached), probably well before every single piece of wood has burned.

341

342 *Incorporating more complex dynamics*

343 The forest fire analogy conveys the basic SIR processes, while also highlighting a key
 344 modification to the general epidemiological framework: the role of spatial
 345 heterogeneity in driving complex disease dynamics. Communicating these concepts is
 346 essential to understanding the importance of sustained and coordinated management
 347 strategies at various geographic scales, from local and regional SARS-CoV-2
 348 suppression to disease control and eradication at the national and global level.

349

After the initial rise and fall in case numbers that characterised the outset of the COVID-19 pandemic, analogies involving electricity have been employed to justify control measures combatting subsequent infection outbreaks (Bergen 2021). In response to clusters or rising infection numbers, short-term measures – including fixed-period closures, lockdowns, or shelter-in-place orders – have been described as “circuit-breakers” (Gallagher 2020, Bergen 2021, Office of the Premier 2021) to counteract a “surge” in cases. In the context of metapopulation dynamics and network models, the simple image of breakers in an electrical circuit emphasises intervention measures targeting a drop in the movement/contact rate between infected and uninfected subpopulations, or a breaking of network connectedness, ultimately reducing overall infections and curbing disease spread in a similar manner to the concept of fire breakers (Gov. Wales, 2020).

The superficially similar attributes of shutting down an electrical circuit and shutting down economies to constrain transmission draws attention to a further implication of the circuit-breaker analogy: once the circuit is reconnected (restrictions lifted), transmission of electricity, and of the virus, can resume as before, ultimately leading to recurring outbreaks and intermittent restrictions. Concepts of metapopulations, contact networks, and the role of spatiotemporal dynamics in enabling infections to reappear and/or persist locally and globally, can be further explained using analogies to games such as “whack-a-mole”, ping-pong, and tennis. Within larger metapopulations (e.g., entire countries) infection-free subpopulations (cities/towns) can exist where the disease has either not been established or has been successfully suppressed. However, subpopulations of susceptible individuals remain at risk of

374 recurring outbreaks via movement and contact with adjacent subpopulations (areas
375 within the larger metapopulation with active infections). These metapopulation
376 dynamics are reflected in the popular whack-a-mole game (Figure 3), in which moles
377 repeatedly pop up across the play area while a player counteracts by whacking each
378 mole once it appears locally. Similar ideas are invoked by other game-based analogies
379 – if the ball (virus) is left in play, it can continually move around the playing field, or
380 be returned across the net, until the ball is taken out of play and the game ends, i.e.,
381 the disease can continually reappear locally until eliminated from the overall
382 population. Following the game analogy to its logical conclusion, we can deduce that
383 the short-term approach of sequentially whacking moles/balls (i.e., infection
384 outbreaks) only once they pop up (suppressing local outbreaks but ignoring widescale,
385 long-term suppression measures) does not remove the risk of a mole/ball reappearing.
386 A core concept of metapopulations (and of networks) is thus highlighted: local
387 populations cannot be considered in isolation of one another - if infection is allowed
388 to persist among sub-populations (or, in global terms, among countries), we will be
389 subject to recurring outbreaks and an endless game of disease whack-a-mole. The
390 same concept can also be applied to vaccination efforts, where coordinated global
391 rollout of vaccines is the most promising means for both eliminating SARS-CoV-2
392 morbidity (Wouters et al. 2021) in local populations *and* reducing the threat of
393 COVID-19 at broader scales (and limiting the opportunities for emergence of new
394 variants and vaccine escape) (Krause et al. 2021).

395

396 Game analogies serve to illustrate the dynamics that could arise if the roles of spatial
397 structuring and contact networks are not explicitly considered. Geographic disparities

in COVID-19 dynamics globally have provided some examples of the whack-a-mole game in action. While some countries (most obviously, New Zealand) have successfully suppressed disease outbreaks, others, including Canada (Pelley 2021), Ireland (Carroll 2021), India (Asrani et al. 2021), South Africa (Burke 2021), USA (Walters 2021), and the United Kingdom (Bryant 2021), have seen recurring infection peaks stemming from the relaxation of large-scale population-level restrictions and/or the rise of more transmissible viral variants. At times, the use of a whack-a-mole analogy has been muddled, for example, if control measures (e.g., tracking and tracing) (Mueller 2020) in place to support localised restrictions are insufficient (a weak attempt at mole-whacking). The concept of metapopulations and associated persistent risk of disease re-emergence can also be underplayed through declaring certain subpopulations (regions or countries with low case numbers) as “safe”, or conversely, as hotspots (Hardingham-Gill 2021) (with associated implications for travel and free movement (Nasser 2021)). Such messaging could even potentially undermine disease control efforts at broad geographic scales by inciting the very behaviours – abandonment of preventative measures (e.g., masks), more disease-transmitting contacts – that can lead to the re-emergence of infection in infection-free areas (or indeed, emergence of new variants) (The Lancet Editorial 2021), and ultimately contribute to the persistence of the disease in the wider (meta)population.

Invoking additional analogies

It is important to note that as simple abstractions, no one analogy can claim perfect representation, and there are limits to how far a single analogy can be taken (Taylor and Dewsbury 2018). For example, asymptomatic transmission may be less easy to

422 reconcile with fire. Depending on the context and the purpose, switching between a
423 range of alternative analogies could become useful to capture different attributes or
424 reach new audiences. Moreover, as both our scientific understanding and the public's
425 perception of COVID-19 develops, more focused analogical reasoning can be invoked
426 for precisely conveying a specific aspect of pandemic management or disease control.

427

428 A striking example of an analogy that has homed in explicitly on mechanisms to
429 control transmission rates is the “Swiss cheese respiratory virus pandemic defence”
430 infographic (Figure 4). The eye-catching visual of Swiss cheese, with its layers of
431 overlapping porous cheese, has been used to underscore the need for complementary
432 intervention measures that scale from individuals to populations (Reason 1990,
433 Roberts 2020). Targeting a single component of the SIR model (transmission rate, β)
434 the image of swiss cheese is a simple and effective means of communicating the
435 importance of combined actions in reducing transmission, ranging from the individual
436 (facemasks, handwashing, distancing) to the population-level (testing protocols,
437 quarantines, vaccination). No one measure is sufficient to halt transmission entirely
438 (the holes in the cheese), yet the combination of controls (slices of overlapping
439 cheese) can effectively reduce overall transmission rate. As the vaccine rollout
440 progresses, the Swiss cheese analogy could become of particular use in conveying the
441 need for continued preventative measures that are crucial to reducing transmission
442 and controlling infection spread until widespread vaccine coverage is achieved
443 (Giordano et al. 2021). Of note in this analogy is also the presence of the
444 “misinformation mouse”, who nibbles through the layers of cheesy protection

(weakening control measures), thus underscoring how misinformation or misleading communication can undermine intervention efforts.

Analogies as nuanced communication tools

Broadly, the use of analogy in relation to the COVID-19 pandemic has often focused on describing phenomenological patterns of infections as waves. The examples we outline above illustrate that, depending on topic and context, various other analogies can be used as effective tools to support public understanding of epidemiological information (Table 1, Figure 5). We have summarised here only a small number of the multitude of analogies and metaphors that could be used represent aspects of SARS-CoV-2. Nonetheless, we suggest that to reflect complex or nuanced aspects of the ongoing pandemic, analogies that are more directly linked to models and mechanisms underpinning these patterns could be a powerful way to reframe public dialogue. To this effect, we highlight that process-based analogies, particularly those related to fire, can be highly useful communication tools, given that they are easily mapped to underlying epidemiological concepts, can be extended to include more complex spatial processes, and above all can convey a sense of urgency to motivate individual and collective action.

The most crucial consideration is the intended message to be transmitted via analogy in a given context. Is the objective to capture a particular pattern or process, convey complex dynamics, or to highlight risks and potential outcomes of interventions? Attention should be paid to the ways in which analogy can enhance (or conversely, mislead) these aims. For example, a wave can be a simple and effective tool to

469 describe, or even learn from, patterns retrospectively (it is hard to know whether you
470 are in a wave or not until the wave has passed). Perhaps even more importantly, a
471 wave can be compelling example of what might happen if no control measures are
472 implemented (expect a rise, or “flood” of infections) (Figure 1). However, continuing to
473 describe the pandemic as a series of successive “waves” may contribute to this
474 becoming a self-fulfilling prophecy by furthering a sense of inevitability, and,
475 ironically, the type of behavior that can drive the ‘wave’ of increased case numbers
476 (Figure 1). Alternatively, to boost understanding of the processes that lead to infection
477 outbreaks, visualising the pandemic in terms of fire can be an effective means to convey
478 risk, while empowering the public with an awareness of our ability to mitigate
479 recurring peaks and take proactive measures. Alongside forest fires, “circuit-breakers”
480 convey the basis for targeting spatially structured spread through rapid reduction of
481 contact rates, while the image of Swiss cheese highlights the importance of multiple
482 layers of protection scaling from individuals to populations, and the importance of
483 synchronous control measures to support mass vaccination.

484

485 Incorporating analogies that describe more nuanced spatiotemporal dynamics (e.g.,
486 forest fires and games) could offer a tool to communicate metapopulation dynamics,
487 advocate for coordinated action on equitable vaccine distribution, and even justify
488 ambitious yet potentially achievable policy initiatives, such as a “zero-COVID” strategy
489 (Oliu-Barton et al. 2021). The “trough” stage post-infection peak can be a crucial
490 moment to shift from the ubiquitous wave comparison and instead highlight the
491 importance of the broader metapopulation in long-term pandemic management. At
492 local scales, a combination of extensive vaccination and sustained preventative

493 measures(Giordano et al. 2021, Krause et al. 2021) (facilitated by sufficient societal
494 support systems) can effectively extinguish remnant low-level infection incidence,
495 while consideration of the wider metapopulation - and the challenge of devising
496 policies to reduce transmission and subsequent “waves” at larger (global) scales – is
497 ultimately required to break out of intermittent lockdown-reopen cycles and reduce
498 COVID-19 morbidity worldwide (Oliu-Barton et al. 2021). To revisit the fire analogy,
499 successful firefighters don’t leave a housefire with the kitchen still burning. Leaving
500 even one small fire left unchecked (an area with active infections or low vaccine
501 coverage) can allow “embers to jump” and outbreaks to re-emerge. Persistence of
502 infection is of particular concern in a global context, when such sparking embers
503 might be in the form of novel variants of concern (Gilmore 2021) (as seen in the
504 emergence of more transmissible variants of SARS-CoV-2), thus strengthening the
505 case for both continued control measures and global equity in vaccine coverage
506 (Fontanet et al. 2021, Kim et al. 2021).

507

508 *Concluding remarks*

509 “[Models are] like having a flashlight. If you see a cliff, you don’t just necessarily walk
510 over it because the flashlight showed you it was there. You do something. You don’t walk
511 over the cliff.” Prof. Caroline Colijn, *The Globe and Mail* (2020)(Grant 2020).

512

513 An important aspect of scientific modelling is the concept of uncertainty. Models are
514 tools to help illuminate the path ahead and identify likely outcomes or uncertainties -
515 we can then use this knowledge and make strategic choices to either follow a given
516 path (regardless of potential risks/uncertainties) or take action and change course

(Grant 2020). Analogies are an indispensable means of communicating these same concepts of informed risk assessment and proactive mitigation to a broad audience. While the risk from SARS-CoV-2 remains high in most countries and vaccination efforts race against new variants (Fontanet et al. 2021), there continues to be an urgent need to communicate the underlying epidemiology effectively to policymakers and the public to encourage sustained collective action. Emphasizing the tools available to us, and their relation to controlling transmission, has the potential to empower the public to understand that management of this pandemic—and dare we say it, prevention of the next one—can be achieved and is within our existing control, even as emerging variants pose additional challenges for public health management. While many people’s hopes rest on effective treatment and sufficient vaccine coverage, process-based analogies demonstrate that in the meantime, by aligning individual and collective actions with sufficient societal support, we have mechanisms at our disposal to limit transmission, and perhaps even reduce cases to zero. The successes of hot spotting and other firefighting strategies, both in the past and in the present, have shown that case resurgences are not inevitable and can be managed with the right tools and mindset.

We hope that thinking of ourselves as firefighters, in the midst of a global blaze, allows us to remain vigilant and can help galvanize collective action, in a way that waiting for so-called, and seemingly inevitable, recurring waves cannot.

Acknowledgements

540 The authors would like to thank Hans Heesterbeek, Janet Koprivnikar, Korryn Bodner,
541 Elaine Charwat, Emily Chenery, Philip DeWitt, Alexander Nascou, Stephanie Penk, Tom
542 Porteus, Juan Vargas Soto, and Avril Wang for helpful comments on draft versions of this
543 paper. The authors would like to acknowledge various regional and national governments
544 whose messaging inspired this article.

545 **Author contributions**

546 CJS and PKM conceived the article and contributed to design and writing. LCA
547 contributed to design, writing, and figures. All authors contributed to manuscript
548 revisions and approved the final version to be published.

549

References

- Adam D. 2020. Special report: The simulations driving the world's response to COVID-19. *Nature* 580: 316–318.
- Anderson RM, May RM. 1992. *Infectious Diseases of Humans: Dynamics and Control*. Oxford University Press.
- Asrani P, Eapen MS, Hassan MI, Sohal SS. 2021. Implications of the second wave of COVID-19 in India. *The Lancet Respiratory Medicine* o.
- Bansal S, Grenfell BT, Meyers LA. 2007. When individual behaviour matters: homogeneous and network models in epidemiology. *Journal of The Royal Society Interface* 4: 879–891.
- Bates BR. 2020. The (In)Appropriateness of the WAR Metaphor in Response to SARS-CoV-2: A Rapid Analysis of Donald J. Trump's Rhetoric. *Frontiers in Communication* o.
- Bergen R. 2021. Doctors call for cross-country circuit-breaker lockdown to stamp out COVID-19 spread | CBC News. CBC.
- Britton T, Ball F, Trapman P. 2020. A mathematical model reveals the influence of population heterogeneity on herd immunity to SARS-CoV-2. *Science (New York, N.y.)* 369: 846–849.
- Bryant M. 2021. Third wave of Covid 'definitely under way' in UK, says expert. *the Guardian*. (15 July 2021; <http://www.theguardian.com/world/2021/jun/19/third-wave-of-covid-definitely-under-way-in-uk-says-expert>).

- Burke J. 2021. Health service buckling as third coronavirus wave fuelled by Delta variant sweeps across South Africa. *the Guardian*.
- Carroll R. 2021. 'Reckless' Christmas easing of rules blamed for Ireland Covid surge | Ireland | *The Guardian*. *The Guardian*.
- Castro Seixas E. 2021. War Metaphors in Political Communication on Covid-19. *Frontiers in Sociology* 0.
- Cooper I, Mondal A, Antonopoulos CG. 2020. A SIR model assumption for the spread of COVID-19 in different communities. *Chaos, Solitons, and Fractals* 139: 110057.
- Dehning J, Zierenberg J, Spitzner FP, Wibral M, Neto JP, Wilczek M, Priesemann V. 2020. Inferring change points in the spread of COVID-19 reveals the effectiveness of interventions. *Science* 369.
- Department of An Taoiseach. 2020. Address by the Taoiseach, Micheál Martin TD, on Ireland placed on Level 3 of the Plan for Living with Covid-19 with special measures for a safe Christmas. Gov.ie. (14 July 2021; <https://www.gov.ie/en/speech/4f3co-address-by-an-taoiseach-micheal-martin-td-on-ireland-placed-on-level-3-of-the-plan-for-living-with-covid-19-with-special-measures-for-a-safe-christmas/>).
- Dombeck MP, Williams JE, Wood CA. 2004. Wildfire Policy and Public Lands: Integrating Scientific Understanding with Social Concerns across Landscapes. *Conservation Biology* 18: 883–889.
- Donald F. 2020. Covid-19: Take holiday now to prepare yourself for a second wave. *The BMJ*. (23 April 2021; <https://blogs.bmj.com/bmj/2020/06/17/covid-19-take-holiday-now-to-prepare-yourself-for-a-second-wave/>).
- Flusberg SJ, Matlock T, Thibodeau PH. 2018. War metaphors in public discourse. *Metaphor and Symbol* 33: 1–18.
- Foege WF. 2011. *House on Fire*. 1st ed. University of California Press.
- Fontanet A, Autran B, Lina B, Kieny MP, Karim SSA, Sridhar D. 2021. SARS-CoV-2 variants and ending the COVID-19 pandemic. *The Lancet* 397: 952–954.
- Gallagher J. 2020. Covid: What is a circuit-breaker could one fight the virus? *BBC News*.
- Gilmore R. 2021. When is the pandemic over? Globally, it's hard to say. In Canada — soon - *National* | *Globalnews.ca*. *Global News*.
- Giordano G, Blanchini F, Bruno R, Colaneri P, Di Filippo A, Di Matteo A, Colaneri M. 2020. Modelling the COVID-19 epidemic and implementation of population-wide interventions in Italy. *Nature Medicine* 26: 855–860.

- Giordano G, Colaneri M, Di Filippo A, Blanchini F, Bolzern P, De Nicolao G, Sacchi P, Colaneri P, Bruno R. 2021. Modeling vaccination rollouts, SARS-CoV-2 variants and the requirement for non-pharmaceutical interventions in Italy. *Nature Medicine* 27: 993–998.
- Gnanvi JE, Salako KV, Kotanmi GB, Glèlè Kakaï R. 2021. On the reliability of predictions on Covid-19 dynamics: A systematic and critical review of modelling techniques. *Infectious Disease Modelling* 6: 258–272.
- Grant K. 2020. Cases could spike sharply if Canadian epidemic stays on current course, Tam warns. *The Globe and Mail*.
- Haefner JW. 2005. *Modeling Biological Systems:: Principles and Applications*. 2nd ed. Springer US.
- Hanage WP. 2020. It's a Wildfire, Not a Wave. *Medscape*.
- Hao X, Cheng S, Wu D, Wu T, Lin X, Wang C. 2020. Reconstruction of the full transmission dynamics of COVID-19 in Wuhan. *Nature* 584: 420–424.
- Hardingham-Gill T. 2021. UK travelers finally get some good news. *CNN*.
- Hess G. 1996. Disease in Metapopulation Models: Implications for Conservation. *Ecology* 77: 1617–1632.
- Johnson J. 2020. Tsunami or ripple? Forecasting the 2nd wave of coronavirus. *ABC News*.
- Keeling M, Rohani P. 2007. *Modeling Infectious Diseases in Humans and Animals*. 1st ed. Princeton University Press.
- Kermack WO, McKendrick AG, Walker GT. 1927. A contribution to the mathematical theory of epidemics. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* 115: 700–721.
- Kim JH, Marks F, Clemens JD. 2021. Looking beyond COVID-19 vaccine phase 3 trials. *Nature Medicine* 27: 205–211.
- Kleczkowski A, Hoyle A, McMenemy P. 2019. One model to rule them all? Modelling approaches across OneHealth for human, animal and plant epidemics. *Philosophical Transactions of the Royal Society B: Biological Sciences* 374: 20180255.
- Krause PR, Fleming TR, Longini IM, Peto R, Briand S, Heymann DL, Beral V, Snape MD, Rees H, Roper A-M, Balicer RD, Cramer JP, Muñoz-Fontela C, Gruber M, Gaspar R, Singh JA, Subbarao K, Van Kerkhove MD, Swaminathan S, Ryan MJ, Henao-Restrepo A-M. 2021. SARS-CoV-2 Variants and Vaccines. *New England Journal of Medicine* 385: 179–186.
- Looi M-K. 2020. Covid-19: Is a second wave hitting Europe? *BMJ* 371: m4113.

- Lowen AC, Mubareka S, Steel J, Palese P. 2007. Influenza Virus Transmission Is Dependent on Relative Humidity and Temperature. *PLOS Pathogens* 3: e151.
- Mueller B. 2020. ‘Whac-a-Mole’ Against Virus Sounds Reasonable, Unless You’re the Mole. *The New York Times*.
- Nasser S. 2021. ‘The situation’s just getting so dire’: Families anxious as Canada bans flights from India, Pakistan | CBC News. CBC. (15 July 2021; <https://www.cbc.ca/news/canada/toronto/canada-india-pakistan-travel-1.5998183>).
- Office of the Premier BC. 2021. Three-week circuit breaker begins now to bend the curve, protect people | BC Gov News. (15 July 2021; <https://news.gov.bc.ca/releases/2021PREM0023-000578>).
- Oliu-Barton M, Pradelski BSR, Aghion P, Artus P, Kickbusch I, Lazarus JV, Sridhar D, Vanderslott S. 2021. SARS-CoV-2 elimination, not mitigation, creates best outcomes for health, the economy, and civil liberties. *The Lancet* 397: 2234–2236.
- Osterholm MT, Olshaker M. 2020. We’re thinking about Covid-19 the wrong way. It’s not a ‘wave’ – it’s a wildfire | Michael T Osterholm and Mark Olshaker. *the Guardian*.
- Pelley LP. 2021. 4th wave of COVID-19 likely if Canada reopens too fast — and seasonal return may be inevitable | CBC News. CBC.
- Reason J. 1990. *Human Error*. Cambridge University Press.
- Roberts S. 2020. The Swiss Cheese Model of Pandemic Defense. *The New York Times*.
- Ross R. 1916. An application of the theory of probabilities to the study of a priori pathometry.—Part I. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* 92: 204–230.
- Ross R, Hudson HP. 1917. An application of the theory of probabilities to the study of a priori pathometry.—Part II. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* 93: 212–225.
- Saad-Roy CM, Morris SE, Metcalf CJE, Mina MJ, Baker RE, Farrar J, Holmes EC, Pybus OG, Graham AL, Levin SA, Grenfell BT, Wagner CE. 2021. Epidemiological and evolutionary considerations of SARS-CoV-2 vaccine dosing regimes. *Science* 372: 363–370.
- Saad-Roy CM, Wagner CE, Baker RE, Morris SE, Farrar J, Graham AL, Levin SA, Mina MJ, Metcalf CJE, Grenfell BT. 2020. Immune life history, vaccination, and the dynamics of SARS-CoV-2 over the next 5 years. *Science* 370: 811–818.

- Semino E. 2021. “Not Soldiers but Fire-fighters” – Metaphors and Covid-19. *Health Communication* 36: 50–58.
- Taylor C, Dewsbury BM. 2018. On the Problem and Promise of Metaphor Use in Science and Science Communication. *Journal of Microbiology & Biology Education* 19.
- The Lancet Editorial. 2021. Europe must open with extreme caution this summer. *The Lancet Regional Health – Europe* 6.
- Thiessen T. 2020. Covid-19 Bigger Second Wave May Stop World Travel Again In 2020. *Forbes*.
- Walters J. 2021. US in ‘another pivotal moment’ as Delta variant drives surge in Covid cases. *the Guardian*.
- Gov. Wales. 2020. National coronavirus firebreak to be introduced in Wales on Friday. GOV.WALES. (15 July 2021; <https://gov.wales/national-coronavirus-fire-break-to-be-introduced-in-wales-on-friday>).
- WHO. 2020. Pandemic fatigue – reinvigorating the public to prevent COVID-19. Policy framework for supporting pandemic prevention and management. WHO Regional Office for Europe.
- Wicke P, Bolognesi MM. 2020. Framing COVID-19: How we conceptualize and discuss the pandemic on Twitter. *PLOS ONE* 15: e0240010.
- Wouters OJ, Shadlen KC, Salcher-Konrad M, Pollard AJ, Larson HJ, Teerawattananon Y, Jit M. 2021. Challenges in ensuring global access to COVID-19 vaccines: production, affordability, allocation, and deployment. *The Lancet* 397: 1023–1034.
- Xu S, Li Y. 2020. Beware of the second wave of COVID-19. *The Lancet* 395: 1321–1322.

Table 1: Some analogies used to represent aspects of the SARS-CoV-2 pandemic and their relationship (subjectively classified) to aims of epidemiological modelling.

Analogy	Example of use	Frequency	Type	Complexity	Purpose	Link to model aims
Wave	First/second/third waves, ripples, floods, surge, tsunami	Most common	Pattern-based	Simple (only focuses on # infections/sick/mortalities)	Describe patterns retrospectively, illustrate non-intervention scenario	-Summarise
Fire	Raging, wildfire, blazing, “quench the virus”, “hotspots”.	Less common	Process-based	Can be complex (captures heterogeneity/ spatial structuring)	Communicate mechanisms predict future dynamics, motivate actions, predict intervention	-Summarise -Understand properties -Predict future states and/or interventions

					outcomes, create intuition for consequences of actions	
Games	Whack-a-mole, ping-pong, tennis, chess	Less common	Mostly Process-based	Complex (captures spatiotemporal dynamics)	Communicate mechanisms, Predict future dynamics, Predict intervention outcomes (e.g., zero COVID strategy)	-Summarise -Understand properties -Predict future states and interventions
Electricity	Circuit-breaker, dimmer-switch, surge	Common	Mostly Pattern-based	Simple (targets transmission/ movement rate)	Communicate mechanism	-Understand single property
Disasters	Weathering the	Common	Pattern-	Simple (only focuses on #	Describe patterns	Summarise

	storm, meltdown, avalanche of cases		based	infected)		retrospectively, illustrate non- intervention scenario	
Swiss cheese	Swiss cheese model of pandemic defense Misinformation mouse	Less common	Slightly process- based	Simple (targets individual to population-level scaling of controls)	Communicate mechanisms (focusing on β)	-Understand single property	
War	Battling the virus, on the frontlines, heroes, onslaught	Common	Evocative/ motivational	-	Motivate collective action, convey threat	-

Figure 1: Example dynamics of disease outbreak in a closed population, where I is proportion of population infected (in SIR framework) under different hypothetical control strategies analogous to waves or fire. A novel pathogen with $R_0 = 3$ causes infections to grow exponentially (first peak) until control measures curb transmission, cases peak and subsequently decline (R_0 reduced to < 1). Subsequent divergence in dynamics is driven by different intervention strategies - in the “waves” scenario, a fluctuating transmission rate (where R_0 increases to > 1 after controls are relaxed) leads to recurring peaks/waves. In the “flood” scenario, a slower response to increased transmission (i.e., a delay in R_0 dropping back to < 1) means cases reach much higher than the first peak. In the “fire” scenario, continued proactive measures after the initial

infection outbreak means infections fall to zero (i.e., sustained drop in transmission leads to the disease being eradicated).

Figure 2: Spread of disease as determined by spatial structuring in a heterogeneous network of contacts. Disease spread is analogous to the progression of a forest fire (shown in inset) in that wildfire burns through patches of connected trees/forest, which are heterogeneously distributed in space. Image of forest fire (right panel) by Bruno Kelly, Amazônia Real, Manaus AM, Brasil (Desmatamento e Queimadas 2020), used under CC-BY 2.0 (shown here cropped and with network overlaid).

Figure 3: Spatial heterogeneity in disease dynamics represented as a networked metapopulation, where red nodes indicate subpopulations with active infections and yellow nodes indicate infection-free subpopulations. Disease is transmitted between subpopulation via movement between nodes (shown in inset), which leads to

reoccurring outbreaks across the metapopulation in a manner that is analogous to the popular whack-a-mole game (bottom panel). Once whacked, a mole can pop up elsewhere in the network (bottom inset).

THE SWISS CHEESE RESPIRATORY VIRUS PANDEMIC DEFENCE

RECOGNISING THAT NO SINGLE INTERVENTION IS PERFECT AT PREVENTING SPREAD

EACH INTERVENTION (LAYER) HAS IMPERFECTIONS (HOLES).
MULTIPLE LAYERS IMPROVE SUCCESS.

IAN M. MCKAY
VIROLOGYDOWNUNDER.COM
WITH THANKS TO JODY LAMARD, KATHERINE ARDEN & THE UINI OF QLD
BASED ON THE SWISS CHEESE MODEL OF ACCIDENT CAUSATION, BY JAMES T. REASON, 1990
VERSION 3.0
UPDATE: 24OCT2020

Figure 4: The Swiss cheese respiratory virus pandemic defence infographic, which illustrates the importance of multiple intervention measures in controlling disease spread. The misinformation mouse represents misleading communication or misinformation that can undermine disease control measures. Image by Ian M. McKay (virologydownunder.com) and James T. Reason, used under CC-BY 4.0.