1 Title:

2 Transgender Data Collection in the Electronic Health Record (EHR): Current Concepts and
3 Issues

4
5 Clair A. Kronk¹, Avery R. Everhart^{2,3}, Florence Ashley^{3,4}, Hale M. Thompson⁵, Theodore E.
6 Schall⁶, Teddy G. Goetz⁷, Laurel Hiatt⁸, Zackary Derrick⁹, Roz Queen¹⁰, A Ram¹¹, E. Mae
7 Guthman^{3,12}, Olivia M. Danforth¹³, Elle Lett^{3,14}, Emery Potter¹⁵, Simón(e) D. Sun^{3,16,17}, Zack
8 Marshall¹⁸, Ryan Karnoski^{3,19}

9
10 1. Corresponding Author; kronkcj@mail.uc.edu; Department of Biomedical Informatics,
11 University of Cincinnati College of Medicine, Cincinnati, OH; Phone: 614-581-7881; Fax: 513-
12 556-3512; Mailing Address: 3333 Burnet Avenue, Cincinnati, Ohio, United States 45229-3026

13 2. Population, Health, & Place Program, Spatial Sciences Institute, University of Southern
14 California, Los Angeles, CA, United States

15 3. Center for Applied Transgender Studies (CATS), Chicago, IL, United States

16 4. Faculty of Law and Joint Centre for Bioethics, University of Toronto, Toronto, ON, Canada

17 5. Department of Psychiatry and Behavioral Science, Rush University Medical Center, Chicago,
18 IL, United States

19 6. Berman Institute of Bioethics and Department of Health Policy and Management, Bloomberg
20 School of Public Health, Johns Hopkins University, Baltimore, MD, United States

21 7. Department of Psychiatry, University of Pennsylvania, Philadelphia, PA, United States

22 8. University of Utah School of Medicine, Salt Lake City, UT, United States

23 9. School of Public Health & Social Policy, University of Victoria, BC, Canada

24 10. Health Information Science, School of Human and Social Development, University of
25 Victoria, Victoria, BC, Canada

26 11. Program in Computational Biology and Bioinformatics, Yale University, New Haven, CT,
27 United States

- 28 12. Princeton Neuroscience Institute, Princeton University, Princeton, NJ, United States
- 29 13. Department of Family Medicine, Samaritan Health Services Geary St. Clinic, Albany, OR,
30 United States
- 31 14. Department of Biostatistics, Epidemiology, and Informatics, Perelman School of Medicine,
32 University of Pennsylvania, Philadelphia, PA, United States
- 33 15. Lawrence S. Bloomberg Faculty of Nursing, University of Toronto, Toronto, ON, Canada
- 34 16. Center for Neural Science, New York University, New York, NY, United States
- 35 17. Department of Neuroscience and Physiology, Neuroscience Institute, NYU Grossman
36 Medical Center, New York, NY, United States
- 37 18. School of Social Work, McGill University, Montreal, QC, Canada
- 38 19. School of Social Welfare, University of California, Berkeley, Berkeley, CA, United States
- 39

40 Running Head:

41 Transgender Data in the EHR

42

43 Keywords:

44 Gender and Sexual Minorities; Transgender Persons; Electronic Health Records; Bioethics

45

46 Main Text Word Count: 4317

47 Abstract Word Count: 140

48 Number of Tables: 1

49 Number of Figures: 3

50 Appendices: 1

Abstract:

There are over one million transgender people living in the United States and 33% report negative experiences with a healthcare provider, many of which are connected to data representation in electronic health records (EHRs). We present recommendations and common pitfalls involving sex- and gender-related data collection in EHRs. Our recommendations leverage the needs of patients, medical providers, and researchers to optimize both individual patient experiences and the efficacy and reproducibility of EHR population-based studies. We also briefly discuss adequate additions to the EHR considering name and pronoun usage. We add the disclaimer that these questions are more complex than commonly assumed. We conclude that collaborations between local transgender and gender-diverse persons and medical providers as well as open inclusion of transgender and gender-diverse individuals on terminology and standards boards is crucial to shifting the paradigm in transgender and gender-diverse health.

INTRODUCTION.

Thirty-three percent of transgender persons have had negative experiences with health care providers and twenty-three percent describe avoiding needed medical care due to fear of mistreatment.[1] Reasons for avoiding care include experiences of misgendering, pathologization, and medicalization.[1–4] These forms of discrimination have been codified in electronic health records (EHRs), as well as in diagnostic and billing codes and criteria including the DSM, SNOMED-CT, and ICD, becoming the *de facto* language of treatment¹. [3,12–16]

For the past three centuries², [22] medical professionals have diagnosed being transgender as schizophrenia, [23–26] paraphilia, [27,28] multiple-personality disorder, [29,30] borderline personality disorder, [31,32] narcissistic personality disorder, [33] obsessive-compulsive disorder, [34] and/or autism³. [40,41] Even in contemporary literature pathological terms such as “gender dysphoria syndrome,” [42] “transsexual syndrome,” [43] “gender identity disorder,” [44] “transsexualism,” [16,45] and “transgenderism” [16,46,47] still exist. “Transgender” continues to appear on patients’ problem lists⁴. [48–50]

Prejudice and discrimination against transgender people in biomedical research and medical practice are well established [1,51–66]. The misunderstanding and erasure of gender diversity has led to poor study design, additional barriers accessing care, unethical disclosure of

¹ It is especially concerning that terms like “sodomy,” “surgically transgendered transsexual,” and “transvestic fetishism” persist in some terminologies. These terms, formed from alleyways of systemic discrimination, [5] continue to perpetuate anti-LGBTQ violence, despite protest against their usage from affected groups. [6–10] As feminist scholar Sara Ahmed noted in a 2018 talk: “When those who try to stop a culture from being reproduced are stopped, a culture is being reproduced,” [11] thereby continuing an already ever-present cycle of transphobic rhetoric in medical standards and terminologies.

² If analyzed in terms of contemporary understandings of the term *transgender* (see “Definitions and Concepts” below). However, it is of note that a number of cultures have gender systems which are not binary and have varying degrees of gender diversity (as judged by contemporary Eurocentric/binary standards), in general and including rituality some have compared to hormone replacement therapy and gender affirming surgery; further some of these cultures have histories of gender diversity stretching back far further than a few centuries, up to thousands of years. [17–21]

³ While it is crucial to avoid pathologization of trans experiences (i.e. suggesting that transness itself is a mental disorder or condition), it is important to acknowledge that a number of neurodiverse people identify as trans and gender-diverse. [35,36] Oftentimes, such neurodiversity is inappropriately used as a mechanism to deny access to potentially life-saving gender-affirming care. [37,38] For an in-depth exploration of the intersections between neurodiversity and gender diversity, see Adams and Liang (2020). [39]

⁴ While this is partially due to vocabulary systems like SNOMED CT and ICD, this is also part of a larger systemic problem concerning how a “problem list” is defined. Oftentimes there is nowhere else to indicate that a patient is transgender, forcing even affirming providers to use it. Replacement terminology or another area provided for such indications to not be labeled as “problems” is vital to preventing pathologization and medicalization of transness.

transgender status in medical contexts, and, in some cases, patient death⁵. To move past barriers to proper health care for transgender people, both fields must undergo paradigm shifts.

Sexual orientation and gender identity (SOGI) EHR data collection policies are currently implemented without adequate knowledge of the needs of transgender populations, without provider education, and often only in limited care contexts (such as psychiatric, endocrinological, and gender identity clinics).[72,73] Additionally, many policies have been rolled back as the result of political pressures⁶,[70,71,76] despite a call to action for supporting transgender scientists during the epidemic.[77] As a result, transgender populations are not adequately described in biomedical contexts.

Ethical data collection for transgender and gender-diverse communities in health care is needed now more than ever. Medical providers and health informaticians have a duty to address the ongoing systemic mistreatment of transgender and gender-diverse people within health care institutions.[78,79] Accurate research is crucial to redressing inequities. To policymakers, what is not documented might as well have never happened.

DEFINITIONS AND CONCEPTS.

Accurate and equitable clinical practice and research requires discussion of operational standards.[80–82] Transgender populations have often been defined in terms of relationships to diagnostics,[83–85] procedures,[44,86] and/or assigned sex/gender at birth (ASAB/AGAB) versus gender identity data (Table 1).[87,88] The differences in terminology are important to discuss, not only because they have impact on clinical care,[89] but because lack of appropriate

⁵ Three prominent cases of avoidable patient death due to negligence include that of Lou Sullivan, who died in 1991 after being denied care at an HIV/AIDS clinic;[67] Tyra Hunter, who died in 1995 when EMTs discovered she was transgender while treating her after a car accident and refused to save her life;[68] and Alejandra Monocuco, who died from COVID-19 after EMTs learned of her HIV status in 2020.[69] Little has changed in terms of either medical discrimination against transgender patients, or data collection and usage with transgender patients in the period spanning their deaths.[22,70,71]

⁶ In one case involving the COVID-19 NIH Researchers Survey SOGI questions, two of this piece's authors were told via personal communication that a two-step question, like the one proposed later in this perspective, concerning assigned sex at birth was omitted due to concern "about the number of demographic questions," despite its validated efficacy.[74,75]

terminological frameworks in research studies impacts the usability, applicability, and reproducibility of results.

Table 1. Selected definitions of the term “transgender” and its variants, 1965-2021, showcasing how the term continues to evolve and change over time, oftentimes making results of studies (including surveys) utilizing the term (or similar terms) non-reproducible.[90]

Year	Definition	Citation
1965	Where the compulsive urge reaches beyond female vestments, and becomes an urge for gender ('sex') change, transvestism becomes 'transsexualism.' The term is misleading; actually, 'transgender[ism]' is what is meant, because sexuality is not a major factor in primary transvestism.	[91]
1978	[Transgenderists] are people who have adopted the exterior manifestations of the opposite sex on a full-time basis but without any surgical intervention.	[92]
1988	It used to be that a 'transgender[ist]' was a person who could express him or herself comfortably in both masculine and feminine terms... Recently, however, the term 'transgender[ist]' has come more and more to mean a person of one sex living entirely in the gender role generally considered appropriate for the opposite sex (cross-living). Most people who consider themselves to be transgender[ist]s do not want or need sexual reassignment surgery, and do not identify with 'transvestite'.	[93]
1998	Originally, transgender referred to the group of people, also know[n] as <i>full-time cross-dressers</i> or <i>nonsurgical transsexuals</i> , who live and work as the opposite gender continuously and for always. Now it more often refers to the group of all people who are inclined to cross the gender line, including both cross-dressers and <i>gender-benders</i> , the 'umbrella definition' that covers everyone.	[94]
2008	An umbrella term for people whose gender identity and/or gender expression differs from the sex they were assigned at birth. The term may include but is not limited to: transsexuals, cross-dressers, and other gender-variant people. Transgender people may identify as female-to-male (FTM) or male-to-female (MTF). Use the descriptive term (<i>transgender</i> , <i>transsexual</i> , <i>cross-dresser</i> , FTM or MTF) preferred by the individual. Transgender people may or may not decide to alter their bodies hormonally and/or surgically.	[95]
2011	Relating to or being a person whose gender identity does not conform to that typically associated with the sex to which they were assigned at birth.	[96]
2018	Often shortened as 'trans'. An umbrella term for people whose gender and/or expression does not match their birth assignment. Transgender includes many of the terms in this list and may or may not include transsexuals, cross dressers, drag kings/queens, and others who defy what society tells them their gender should be. How people identify with this term depends on the individual and their relationship with their gender.	[97]
2021	A term describing a person's gender identity that does not necessarily match their assigned sex at birth. Transgender people may or may not decide to alter their bodies hormonally and/or	[98]

	surgically to match their gender identity. This word is also used as an umbrella term to describe groups of people who transcend conventional expectations of gender identity or expression—such groups include, but are not limited to, people who identify as transsexual, genderqueer, gender variant, gender diverse, and androgynous.	
--	--	--

118

119 In this work, we use Ashley’s gender modality framework to discuss the term “transgender” as
120 specifically representing an incongruence between one’s assigned gender at birth (AGAB) and
121 one’s gender identity.[99] Occasionally, “transgender” is shortened as “trans.”[97] We also
122 sparingly use the term “transgender and gender-diverse” which is meant to be inclusive of gender
123 diversity that does not specifically fall under the gender modality framework.

124 Within this framework, we would first like to clarify the meanings of two terms: *sex* and *gender*.
125 In international legal systems, these terms are often defined as being interchangeable, given that
126 a number of languages do not have a gender/sex distinction linguistically.[100–103] This
127 necessitates usage of qualifying terms such as *assigned sex* or *gender identity*⁷. [107] Yet, while
128 gender identity is widely understood as the gender one identifies as, assigned sex (at birth) often
129 is not. Due to confusion individuals may have over the phrasing, there is often an additional
130 clause added when asking for ASAB, namely clarifying that what is meant is the gender marker
131 on an individual’s birth certificate or other birth record.[108–110] It is at this point that ASAB in
132 theory becomes AGAB in practice⁸. This is because birth certificates (and by extension, birth
133 records) are legal documents[111–113] containing a marker which is a culturally-dependent⁹ and
134 socially-constructed signifier (and therefore correctly called a *gender* marker).[114,115]

135 PERSPECTIVES ON DATA COLLECTION.

136 From the Clinical Perspective

⁷ For instance, “gender identity” may be rendered as “sex identity” in some languages.[104–106]

⁸ Due to translation difficulties, it is entirely possible that “assigned gender at birth” may be rendered as “assigned sex at birth” in some jurisdictions and languages. In terms of clinical practice (and therefore in medical standards), this will likely not affect care. However, it is important to realize that these are fundamentally different concepts and relate different information, which may become an issue in terms of cultural competency in some regions, i.e. “sex” implies a fundamentally biological component in English (even if this is not always the case with “assigned sex at birth”), which can insinuate that a provider believes that a trans woman patient’s “real” sex is “male.”

⁹ A list of known culturally-dependent assigned gender at birth values is linked in the Additional Supplementary Tables in Appendix A.

137 When a transgender person enters a clinic, health care is rarely their sole concern. Will the staff
 138 use their name and pronouns? Will their privacy be respected? Will the clinic provide adequate
 139 services or services at all? These questions burden transgender people as they navigate the
 140 medical system, and they are often answered quickly through implicit and explicit cues.

141 Because providers rarely understand their trans patients' lived realities, their unique needs and
 142 questions are seldom prioritized. Expecting boards comprised of mostly or entirely cisgender
 143 medical professionals or EHR vendors to understand what transgender patients need without
 144 close collaboration is impractical, especially given the dearth of LGBTQ¹⁰ health education in
 145 most medical training (Figure 1).[118–124] Up to half of transgender people must educate their
 146 providers to receive appropriate care.[1,125] This structural incompetency translates into
 147 significant pitfalls in SOGI data collection.[126–129]

148 SOGI data collection often begins with intake forms. Institutions and providers do not always
 149 understand how to ask for one's gender identity. Gender identities can include female (woman),
 150 male (man), and nonbinary, among numerous others. In EHR systems, gender identity answers
 151 often include "FTM" (short for *female-to-male*), "MTF" (short for *male-to-female*), "transgender
 152 male," "transgender female", and simply "transgender".[130–133] These options are antiquated
 153 and problematic, in part due to the massive shift in the conceptualization of what these terms
 154 have meant over the past eight decades (Table 1). The first two (FTM and MTF) have largely
 155 fallen out of use among transgender people and in transgender-related literature because they
 156 fundamentally assume a "change" in gender—that a transgender person was "female" and now is
 157 "male" (FTM¹¹), typically after some sort of medicalization process (hormone replacement
 158 therapy and/or gender affirming surgery)¹². [131,135,143–145] This contradicts how many trans

¹⁰ Abbreviated form of lesbian, gay, bisexual, transgender, and queer/questioning. Note that LGBTQIA+[116] or 2SLGBTQIA+[117] may be more appropriate if the curriculum also actively includes Two-Spirit, intersex, and asexual/aromantic persons, as well as other marginalized and/or minoritized sexual- and/or gender-based groups.

¹¹ Note that transgender men have centered much of their North American community around the usage of FTM (in organizations like the FTM Foundation and FTM International, for instance), whereas the usage of "MTF" is more heavily tied to the pornography industry and is actively utilized to discriminate against transgender women.[134–138]

¹² Two other terms which have become more popular in the last decade to describe "directionality" of transness, being "transfeminine" and "transmasculine". While these terms are marginally more effective than terms like "FTM" and "MTF" and often are used to describe an individual's gender identity,[139] we would like to emphasize that their usage tends to conflate access to medical care with unspoken gender expression requirements, i.e. insisting that trans women must be feminine or that trans men must be masculine to be considered as having "succeeded" in

people understand their identity and can confuse patients. All four terms center cisgender people, reserving unqualified “male” and “female” for them while trans people are segregated into the separate, qualified categories of “MTF”, “FTM”, “transgender male”, “transgender female”, and “transgender”. Fundamentally, this implies trans women and trans men are deviant and not actually female or male, respectively, especially when the selection is ordered as “male”, “female”, “MTF”, “FTM”¹³. [150–152] Further, by separating these groups in the first place, “male” and “female” are presented as the norm while “transgender male” and “transgender female” are othered¹⁴. [132,150–153] The separation can insinuate that transgender people are not their stated gender and that separation is cited heavily in transphobic and exclusionary actions. [154–156] Additionally, it has been noted that terms like “FTM” and “MTF” are likely to be misinterpreted and confused within medical systems, with anecdotal evidence supporting the notion that terms like “FTM top surgery,” “MTF bottom surgery,” etc. being misunderstood since the actual procedure is unclear from those phrases alone.

In practice, many transgender persons will answer “female” over “MTF” or “transgender female.” For non-binary people, being relegated to an “other” category is often experienced as a literal “othering” whereas the inclusion of a “nonbinary” category communicates inclusion. [130,132,152,157] Unfortunately, intake forms guided by the Veteran Affairs’ (VA) “Self-Identified Gender Identity” initiative employ such exclusionary linguistic practices. The initiative enforces a distinction between transgender and cisgender individuals by providing patients the options of “male”, “female”, “transman”, “transwoman”, “other”, and “the individual chooses not to answer”¹⁵. [162] EHRs should accurately record transgender people’s gender

transitioning. [140,141] Further, these terms often binarize nonbinary persons unnecessarily. [141,142] In medical contexts, using assigned gender at birth alongside gender identity already achieves most of what terms like “transfeminine” and “transmasculine” attempt to elucidate. Therefore, we use terms like “assigned male at birth” or “assigned female at birth” where necessary in this article.

¹³ For instance, some sources use “transgender male” or “transsexual male” to refer to a trans man, [146,147] while others used it to refer to a trans woman. [148,149]

¹⁴ In addition to the cited sources, one of the authors (Kronk) ran an informal 24-hour Twitter poll and received 401 responses, with 84% noting that the separation implied that “trans woman”/“trans man” was deviant and “woman”/“man” was normal. Additionally, just under 14% of trans men and trans women elected to deemphasize their trans status via write-in on the 2015 United States Transgender Survey (USTS), even when the question asked was not considering gender identity, but instead general identity terms. For the data methodology used to analyze the USTS data, see Supplement B.

¹⁵ Additionally, the inclusion of “transwoman” and “transman” is not best practice or grammatically correct. The othering effect this has is another subtle linguistic turnoff to transgender patients. “Trans” is an adjective and the correct wording would be “trans woman” or “trans man” with a space. [158–161]

based on their gender identity as male, female, nonbinary, etc. such as that presented in Figure 3 (see also the Additional Supplementary Tables).

In addition to avoiding derogatory and othering terms when referring to transgender people's gender, EHRs should encode their correct name and pronouns. Accurately recording person's name and pronouns¹⁶ without labelling either as *preferred* or *chosen* is necessary to improve transgender health.[164] Usage of the correct name and pronouns is linked to lower risk of depression, suicidal ideation, and suicidal behavior among trans people.[59,89,165]

Adding pronoun-related information in EHRs can easily be modeled as part of the software, with example usage sentences provided using an automated system, some of which are open source.[166–168] A potential set-up for asking a person their pronouns is shown in Figure 2 but giving one's pronouns and asking for the patients' during all clinical interactions should be made routine in all patient care. Pronoun information can also be included with a list of utilized titles or honorifics. An algorithm connected to a person's selected pronouns and/or titles can be used to automatically set the appropriate terms in the provider's notes.

While it is essential for the medical provider to have current and accurate information, it is also necessary for frontline staff to have sufficient training to conduct intake without misgendering or distressing transgender patients. Misgendering patients fosters distrust when the health care system is already perceived as unsafe by many transgender people and can lead to poor health outcomes.[59,89] The health care system must undergo transformational change, and we ask for more than just brief intervention-based training, but rather for a system in which transgender care knowledge is integrated into the pedagogy of health care disciplines.[124]

All gender-related demographic information should be modifiable by patients without a provider's consent. Requiring a medical provider to change the data may (1) unnecessarily out the patient to the provider, (2) lead to potentially transphobic or wrong information being entered given the state of LGBTQ medical education, or (3) pathologize and medicalize one's status as transgender. Regardless of how EHR data is recorded, transgender patients must be assured of

¹⁶ English-language pronoun sets have begun to be codified in some EHRs.[163] LOINC provides an answer list for reported personal pronouns (<https://loinc.org/90778-2/>) and the HL7 Gender Harmony Project has announced inclusion of pronouns per their current balloting process. For more information on pronouns and for example use cases, see: <https://www.mypronouns.org/what-and-why> and <https://pronoun.is/>.

206 their autonomy, privacy, and confidentiality throughout the process.[169] As one trans person
207 put it: “If you can’t even go to the bathroom without fearing for your safety, then why would you
208 feel safe disclosing your [identity] in a... medical setting?”.[170]

209 **From the Researcher’s Perspective**

210 Used appropriately, EHRs can improve the quality of care and research on transgender patient
211 populations by facilitating consistency and comprehensiveness in population definition.

212 Transgender prevalence estimates can differ significantly based on case definition; therefore
213 patient self-identification is the gold standard.[90,171] Usage of methodologies such as ICD
214 codes or free-text linked primarily to procedures or diagnostics considered trans-related
215 prioritizes white, middle-class transgender persons, because these individuals showcase higher
216 utilization of gender-affirming hormone therapies and surgeries,[1,172,173] higher rates of
217 insurance coverage,[174] lower poverty rates,[1,175] and lower mortality rates.[176,177]

218 There are two methods for patient self-identification (Figure 3).[74,130,132,150,151] Note that
219 these answers are placeholders and reference the set of tables derived in the Additional
220 Supplementary Tables, which provide further notes and international implications.

221 Both methods have significant advantages for researchers collecting data on transgender persons.
222 In the first version, all individuals who responded “yes” in their most recent intake forms have
223 self-identified as transgender.

224 The second casts a wider net. If a person selects “Male” for both questions, they are considered a
225 cisgender man whereas a person who selects “Female” as a gender identity then “Male” as their
226 assigned gender at birth (AGAB) would be considered a transgender woman.[74,178] This
227 method also captures nonbinary persons who may not consider themselves transgender. It
228 additionally includes persons who have undergone transition-related processes and no longer
229 consider themselves transgender. It is crucial to emphasize that the gender identity question
230 should be asked first, as asking for a person’s AGAB first implies that AGAB is an individual’s
231 “real” gender, denying the individual’s lived experience.[179]

232 The two-step methodology has the distinct advantage that we can split our transgender
233 population into “assigned male at birth” or “assigned female at birth” (or other gender

assignment designations), as well as into “trans women” (answering “Female”, then “Male”), “trans men” (answering “Male”, then “Female”), and “nonbinary persons” (if using umbrella terminology, all additional answers which differ and do not fit into binary categorizations). This disaggregation is useful in data collection because it accurately denotes the patient’s gender as indicated by self-report. It also enables providers to offer medically relevant testing and services based on AGAB (e.g. pap smears and prostate exams,) and organ inventory (see “Additional Considerations”). Best practice recommendations for screening of transgender patients should be individualized based on organ history and cumulative exposure to hormones.[180] Implementation of these goals is facilitated by accurate SOGI documentation in the EHR, but administrators should be cautious of being over-reliant on automated screening rules in any setting.[181]

The two-step process leads to an increased ascertainment of transgender status.[75,169] Cisgender and transgender persons understand the two-step thoroughly and in a manner that makes for more complete and more accurate data analytics.[74,178,182–184] The UCSF Center of Excellence for Transgender Health, Fenway Health in Boston, the Mayo Clinic, and the U.S. Centers for Disease Control and Prevention (CDC) all recommend using some form of the two-step process.[185] Anecdotally, it has been mentioned that some individuals dislike the two-step process. However, in the authors’ experience, this is usually because the reasoning behind asking the questions has not been adequately explained to the patient.[178] In one author’s experience (Kronk) discussion of accuracy of data collection and what that data collection could be used for, followed by discussion of privacy standards, ameliorated any distrust of the two-step process.

To highlight the limitations of current EHR data capture, we examined the MIMIC-III database, a de-identified database of the EHRs of over 46,000 emergency department patients.[186] “Gender” in the system is defined as the “genotypical sex of the patient” which can be analyzed as meaning AGAB.[187] This is inaccurate as (1) the patients were not mass genotyped and (2) investigation of clinical notes regarding persons labeled as transgender revealed that this was the correct AGAB about 54% of the time. Identification by ICD-9-CM codes in the diagnostics table reveals that only 46% of patients identified as transgender in notes were identified as such by ICD codes.[188–191] This may be due to a history (and current reality) of health insurance

263 denials for trans persons, meaning that providers adapted to using non-trans-related codes to
264 avoid treatments being flagged as trans care.[192]

265 To find out which patients were transgender men, transgender women, or nonbinary persons was
266 difficult as it required manual full review of all patients' charts. No nonbinary persons were
267 detected, but this could reflect patient discomfort disclosing their identity or the decision to
268 report a binary trans identity to ease access to desired care.[169] Alternatively, it might indicate
269 that whoever entered the notes failed to correctly codify disclosed identities.[169] If we assume
270 that all transgender persons in the MIMIC-III sample were trans men or trans women, correct
271 pronouns were used less than 40% of the time in notes.[188,189] It is extremely likely that many
272 transgender persons were not identified at all, as many do not disclose their status as
273 transgender.[1]

274 **ADDITIONAL CONSIDERATIONS.**

275 A number of proposals related to transgender data collection protocols include sections calling
276 for organ inventories and karyotyping.[193–195] However, there is little discussion considering
277 wide implementation of such systems.[194] Karyotyping can be performed relatively easily, but
278 is omitted from most extant SOGI vocabularies, with atypical karyotype results tracked under
279 disease or disorder hierarchies or on a “problem list.”

280 Organ inventories using a presence/absence system are effective in showcasing differences in
281 anatomy quickly and can display more medically salient information than a person's gender
282 identity and/or assigned gender at birth alone.[196] Some implementations permit addition of
283 free-text comments to document pertinent anatomical details.[197] All patients can benefit from
284 usage of organ inventories, regardless of transgender status.

285 The difficulty with clinical decision-making based on purely presence/absence-based organ
286 inventories lies in the plethora of possible permutations and health risk profiles associated with
287 anatomical features, of which medical providers might not be aware. For instance, organs and
288 tissues are oftentimes not clearly demarcated (for example, in ovotesticular tissue), some

anatomical features may develop unexpectedly¹⁷, some organs or tissues might be partially present in certain situations¹⁸, and some organ combinations might be unanticipated¹⁹.

Therefore, usage of a modifiable presence/absence system with integrated anatomical terminology (such as that seen in SNOMED CT) offers a reasonable entrypoint. The patient would be provided a list of common organs to consider, with presence/absence/something else options for each. At the bottom of the list, there would be a place to clarify the “something else” selections and to indicate any additional presence/absence data not included in the list. Following this, a provider or administrator would enter the information into the EHR, which could then be transformed into an image of the body with present and absent organs highlighted appropriately and with text notes included in full. Such information could be assessed quickly visually and be integrated easily into existing clinical workflows. A brief discussion of how this workflow could be tested and rolled out is included in Appendix A, Supplement A.

Gender identity/assigned gender at birth questions are important to preserve alongside organ inventory, as organ status cannot always easily be ascertained. There are cases wherein a patient’s privacy should be respected, and cases where invasive procedures may be required to ‘check’ for particular organ statuses. Patients may not remember particular surgical/organ histories, be aware of them²⁰, or necessarily understand the associated vocabulary²¹. Having both systems side-by-side reduces the chance for medical error.

In addition to organ inventories, karyotyping (and related genetic laboratory techniques) may be important to showcase when considering the impacts of certain chromosomal conditions.[210–212] However, while karyotyping can be useful in select cases, it is ultimately less informative than other inventories that have been proposed. Karyotyping should only be performed or

¹⁷ For instance, assigned female at birth (AFAB) persons have shown some evidence of prostatic tissue growth following extended testosterone therapy.[198]

¹⁸ Such is the case following many forms of chest reconstruction or contouring, in which there is still a chance of chest cancer because some tissue is left behind post-mastectomy.[199,200] This can be a serious issue if an individual has a BRCA mutation or other familial cancer syndrome.[201]

¹⁹ Procedures like penis-preserving vaginoplasty or vagina-preserving phalloplasty[202] may contradict binarist systems which do not consider it possible for an individual to have a penis and vagina simultaneously.

²⁰ This is pertinent to consider when care for intersex persons, who may have had medically unnecessary surgeries performed on them without their knowledge.[203–206]

²¹ This is especially relevant when considering language barriers in health care.[207–209]

recorded at the discretion of the patient, involve full privacy protections, and should only be considered alongside other data for prognostics and diagnostics.

DISCUSSION AND CONCLUSION.

In part due to the absence of trans voices leading trans research teams, cisgender researchers doing trans research often fail to consider the ethical and material implications of their study designs, methods, and underlying assumptions.[51,60,66,79,213–224] These researchers, and the informaticists who codify their assumptions, have contributed and continue to contribute to the epidemics of transphobic violence we see today.[1,3,10,12,14,52,55,225–229]

The two-step validation process proposed above meets the needs of patients, clinicians, and researchers, and is preferred by all three groups.[74,132,151] We therefore ask the American Medical Informatics Association and its members to endorse the two-step method presented in Figure 3 as a starting point for collecting gender-related information in EHRs. It is important to carefully select the options provided in coordination with local gender-diverse communities to avoid anything inaccurate, confusing, pathologizing, transphobic, or intersexphobic. This involvement is vital to ensure locally relevant data collection, but also to afford community members the opportunity to be active participants in their own health. An outline of some identities to consider as a starting point is available as part of the Additional Supplementary Tables. We additionally call for more research into ethical implementation of organ inventories, hormone inventories, and karyotyping in general medical settings and in EHR systems.

Further, cultural considerations should inform procedural aspects of data collection, including physical location and employee training. Financial support for transgender participation in coordinated, multidisciplinary community advisory boards and employee-based medical coding standards boards within health care affiliated organizations to center the needs of trans persons in the EHR and improve clinical decision-making is a critical next step to achieve data-driven, gender-affirming care.

DATA AVAILABILITY STATEMENT

No new data were generated or analyzed in support of this piece. Requests for 2015 United States Transgender Survey (USTS) data can be made here: <https://www.ustranssurvey.org/data-requests>. Information about requesting access to MIMIC-III records can be found here: <https://mimic.physionet.org/gettingstarted/access/>.

FUNDING

Theo Schall's contribution to this project was supported by grant number T32HS000029 from the Agency for Healthcare Research and Quality. Hale Thompson's contribution to this project is supported by the Agency for Healthcare Research & Quality Grant Number K12-HS-026385 (HT) and (2) the National Institute on Drug Abuse grant number 5R25DA035692-08 (HT). The content is solely the responsibility of the authors and does not necessarily represent the official views of the Agency for Healthcare Research and Quality nor those of the National Institute on Drug Abuse. The other authors received no specific funding for this work.

AUTHOR CONTRIBUTIONS

CK conceived the research idea and was the primary author of the manuscript. AE, FA, HT, TS, TG, LH, ZD, RQ, AR, EG, OD, EL, EP, SS and RK contributed several critical revisions and provided significant feedback on discussed systems. AE performed the single analysis regarding the USTS data in footnote 10, covered under the auspices of her IRB at the University of Southern California (USC). EG designed Figure 1. SS designed Figures 2 and 3. All authors agree to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved. CK performed analyses using the MIMIC-III database, which were published in prior work and did not specially require IRB approval (all records therein are de-identified). A CITI training course (entitled "Data or Specimens Only Research") was required and taken in order to gain access to the database.

ACKNOWLEDGMENTS

This manuscript has been accepted by the *Journal of the American Medical Informatics Association* (JAMIA) as of 17 June 2021. Final citation information (including the volume and issue number, the DOI, and a link to the published article on the journal's website) will appear herein per the Oxford University Press' retained rights section of their Standard License, as they become available. As of 7 September 2021, no volume and issue number have been assigned, but the DOI for the JAMIA article, which includes the same content but with some alterations to the text, images, and other particulars per JAMIA editorial guidance, is available here: <https://doi.org/10.1093/jamia/ocab136>.

This document adheres to the principles outlined in the Declaration of Helsinki. Special thanks to the following individuals for their critical assistance in this work: Judith W. Dexheimer, Laur Bereznai, and Os Keyes.

CONFLICT OF INTEREST STATEMENT

None declared.

388

389

390

391 **REFERENCES.**

- 392 1 James SE, Herman JL, Rankin S, *et al.* The Report of the 2015 U.S. Transgender Survey.
393 2016.<https://transequality.org/sites/default/files/docs/usts/USTS-Full-Report-Dec17.pdf> (accessed 5
394 Oct 2020).
- 395 2 Roberts TK, Fantz CR. Barriers to quality health care for the transgender population. *Clin Biochem*
396 2014;**47**:983–7. doi:10.1016/j.clinbiochem.2014.02.009
- 397 3 Suess Schwend A. Trans health care from a depathologization and human rights perspective. *Public*
398 *Health Rev* 2020;**41**:3. doi:10.1186/s40985-020-0118-y
- 399 4 Kcomt L, Gorey KM, Barrett BJ, *et al.* Healthcare avoidance due to anticipated discrimination among
400 transgender people: A call to create trans-affirmative environments. *SSM - Popul Health*
401 2020;**11**:100608. doi:10.1016/j.ssmph.2020.100608
- 402 5 Wills M. A History of Transphobia in the Medical Establishment. 2020.[https://daily.jstor.org/a-](https://daily.jstor.org/a-history-of-transphobia-in-the-medical-establishment/)
403 [history-of-transphobia-in-the-medical-establishment/](https://daily.jstor.org/a-history-of-transphobia-in-the-medical-establishment/) (accessed 6 May 2021).
- 404 6 Serano J. Trans People Still Disordered in DSM. Soc. Text.
405 2013.https://socialtextjournal.org/periscope_article/trans-people-still-disordered-in-dsm/ (accessed 5
406 May 2021).
- 407 7 Whalen K. (IN)VALIDATING TRANSGENDER IDENTITIES: PROGRESS AND TROUBLE IN
408 THE DSM-5. [https://www.thetaskforce.org/invalidating-transgender-identities-progress-and-trouble-](https://www.thetaskforce.org/invalidating-transgender-identities-progress-and-trouble-in-the-dsm-5/)
409 [in-the-dsm-5/](https://www.thetaskforce.org/invalidating-transgender-identities-progress-and-trouble-in-the-dsm-5/) (accessed 5 May 2021).
- 410 8 *GLAAD Media Reference Guide*. 10th ed. GLAAD 2016.
- 411 9 Davy Z. The DSM-5 and the Politics of Diagnosing Transpeople. *Arch Sex Behav* 2015;**44**:1165–76.
412 doi:10.1007/s10508-015-0573-6
- 413 10 Inch E. Changing Minds: The Psycho-Pathologization of Trans People. *Int J Ment Health*
414 2016;**45**:193–204. doi:10.1080/00207411.2016.1204822
- 415 11 Ahmed S. Complaint as Diversity Work. https://www.youtube.com/watch?v=JQ_1kFwkfVE
416 (accessed 3 May 2021).
- 417 12 Ashley F. The Misuse of Gender Dysphoria: Toward Greater Conceptual Clarity in Transgender
418 Health. *Perspect Psychol Sci* 2019;:174569161987298. doi:10.1177/1745691619872987

- 419 13 Winters K. Ten Reasons Why the Transvestic Disorder Diagnosis in the DSM-5 Has Got to Go.
420 2010.<https://gidreform.wordpress.com/2010/10/16/ten-reasons-why-the-transvestic-fetishism->
421 [diagnosis-in-the-dsm-5-has-got-to-go/](https://gidreform.wordpress.com/2010/10/16/ten-reasons-why-the-transvestic-fetishism-)
- 422 14 Lev AI. Disordering Gender Identity: Gender Identity Disorder in the *DSM-IV-TR*. *J Psychol Hum*
423 *Sex* 2006;**17**:35–69. doi:10.1300/J056v17n03_03
- 424 15 Khoury B, Langer EJ, Pagnini F. The DSM: mindful science or mindless power? A critical review.
425 *Front Psychol* 2014;**5**. doi:10.3389/fpsyg.2014.00602
- 426 16 Castro-Peraza ME, García-Acosta JM, Delgado N, *et al*. Gender Identity: The Human Right of
427 Depathologization. *Int J Environ Res Public Health* 2019;**16**:978. doi:10.3390/ijerph16060978
- 428 17 McNabb C. *Nonbinary gender identities: history, culture, resources*. Lanham Boulder New York
429 London: : Rowman & Littlefield 2018.
- 430 18 Rowson EK. The Effeminate of Early Medina. *J Am Orient Soc* 1991;**111**:671. doi:10.2307/603399
- 431 19 Francis AG. On a Romano-British Castration Clamp used in the Rights of Cybele. *Proc R Soc Med*
432 1926;**19**:95–110.
- 433 20 *KAMA SUTRA: The original english translation by Sir Richard Francis Burton*. 2017.
434 <https://www.overdrive.com/search?q=07E8BF84-3814-432B-9187-E78E4B36153F> (accessed 21 Jan
435 2021).
- 436 21 Cassius D. *Roman History, Volume I: Books 1-11*. Harvard University Press 1914.
437 http://doi.org/10.4159/DLCL.dio_cassius-roman_history.1914
- 438 22 Kronk C, Dexheimer J. An Ontology-Based Review of Transgender Literature: Revealing a History
439 of Medicalization and Pathologization. *Press* 2021.
- 440 23 Caldwell C, Keshavan MS. Schizophrenia with Secondary Transsexualism*. *Can J Psychiatry*
441 1991;**36**:300–1. doi:10.1177/070674379103600412
- 442 24 Calnen T. GENDER IDENTITY CRISES In Young Schizophrenic Women. *Perspect Psychiatr Care*
443 1975;**13**:83–8. doi:10.1111/j.1744-6163.1975.tb00843.x
- 444 25 Kampik E, Müller N, Soyka M. [Manifestation of schizophrenic psychosis in a transsexual patient
445 following surgical sex change]. *Nervenarzt* 1989;**60**:361–3.
- 446 26 Lothstein LM, Roback H. Black female transsexuals and schizophrenia: A serendipitous finding?
447 *Arch Sex Behav* 1984;**13**:371–86. doi:10.1007/BF01541909
- 448 27 Brown JRWC. Paraphilias: Sadomasochism, Fetishism, Transvestism and Transsexuality. *Br J*
449 *Psychiatry* 1983;**143**:227–31. doi:10.1192/bjp.143.3.227
- 450 28 Blancard R. Clinical observations and systematic studies of autogynephilia. *J Sex Marital Ther*
451 1991;**17**:235–51. doi:10.1080/00926239108404348
- 452 29 Modestin J, Ebner G. Multiple Personality Disorder Manifesting Itself under the Mask of
453 Transsexualism. *Psychopathology* 1995;**28**:317–21. doi:10.1159/000284944

- 454 30 Brenner I. On Trauma, Perversion, and “Multiple Personality.” *J Am Psychoanal Assoc* 1996;**44**:785–
455 814. doi:10.1177/000306519604400306
- 456 31 Murray JF. Borderline Manifestations in the Rorschachs of Male Transsexuals. *J Pers Assess*
457 1985;**49**:454–66. doi:10.1207/s15327752jpa4905_1
- 458 32 Marantz S, Coates S. Mothers of Boys with Gender Identity Disorder: A Comparison of Matched
459 Controls. *J Am Acad Child Adolesc Psychiatry* 1991;**30**:310–5. doi:10.1097/00004583-199103000-
460 00022
- 461 33 Hartmann U, Becker H, Rueffer-Hesse C. Self and Gender: Narcissistic Pathology and Personality
462 Factors in Gender Dysphoric Patients. Preliminary Results of a Prospective Study. *Int J*
463 *Transgenderism*
464 1997;**1**.<http://web.archive.org/web/20070610124418/http://www.symposion.com/ijt/ijtc0103.htm>
- 465 34 Marks IM, Mataix-Cols D. Four-year remission of transsexualism after comorbid obsessive–
466 compulsive disorder improved with self-exposure therapy: Case report. *Br J Psychiatry*
467 1997;**171**:389–90. doi:10.1192/bjp.171.4.389
- 468 35 Walsh RJ, Krabbendam L, Dewinter J, *et al.* Brief Report: Gender Identity Differences in Autistic
469 Adults: Associations with Perceptual and Socio-cognitive Profiles. *J Autism Dev Disord*
470 2018;**48**:4070–8. doi:10.1007/s10803-018-3702-y
- 471 36 Brown LXZ. Gendervague: At the Intersection of Autistic and Trans Experiences.
472 <https://www.aane.org/gendervague-intersection-autistic-trans-experiences/> (accessed 6 May 2021).
- 473 37 ASAN Joint Statement on the Death of Kayden Clarke.
474 2016.<https://autisticadvocacy.org/2016/02/asan-joint-statement-death-of-kayden-clarke/> (accessed 6
475 May 2021).
- 476 38 Burns K. How Our Society Harms Trans People Who Are Also Autistic. Medium.
477 2017.[https://medium.com/the-establishment/how-our-society-harms-trans-people-with-autism-](https://medium.com/the-establishment/how-our-society-harms-trans-people-with-autism-9766edc6553d)
478 [9766edc6553d](https://medium.com/the-establishment/how-our-society-harms-trans-people-with-autism-9766edc6553d) (accessed 6 May 2021).
- 479 39 Adams N, Liang B. *Trans and autistic: stories from life at the intersection*. London ; Philadelphia,
480 PA : Jessica Kingsley Publishers 2020.
- 481 40 Landén M, Rasmussen P. Gender identity disorder in a girl with autism: a case report. *Eur Child*
482 *Adolesc Psychiatry* 1997;**6**:170–3. doi:10.1007/BF00538990
- 483 41 Carlile A. The experiences of transgender and non-binary children and young people and their
484 parents in healthcare settings in England, UK: Interviews with members of a family support group.
485 *Int J Transgender Health* 2020;**21**:16–32. doi:10.1080/15532739.2019.1693472
- 486 42 Kula K, Słowikowska-Hilczer J. [Consequences of disturbed sex-hormone action in the central
487 nervous system: behavioral, anatomical and functional changes]. *Neurol Neurochir Pol* 2003;**37**
488 **Suppl 3**:19–38.
- 489 43 Steiner BW. *Gender Dysphoria: Development, Research, Management*. 1985.
490 <https://doi.org/10.1007/978-1-4684-4784-2> (accessed 5 Jan 2021).

491 44 Jasuja GK, de Groot A, Quinn EK, *et al.* Beyond Gender Identity Disorder Diagnoses Codes: An
 492 Examination of Additional Methods to Identify Transgender Individuals in Administrative Databases.
 493 *Med Care* 2020;**58**:903–11. doi:10.1097/MLR.0000000000001362

494 45 Bartnik P, Kacperczyk-Bartnik J, Próchnicki M, *et al.* Does the status quo have to remain? The
 495 current legal issues of transsexualism in Poland. *Adv Clin Exp Med* 2020;**29**:409–17.
 496 doi:10.17219/acem/115294

497 46 Joseph A, Cliffe C, Hillyard M, *et al.* Gender identity and the management of the transgender patient:
 498 a guide for non-specialists. *J R Soc Med* 2017;**110**:144–52. doi:10.1177/0141076817696054

499 47 Majid DSA, Burke SM, Manzouri A, *et al.* Neural Systems for Own-body Processing Align with
 500 Gender Identity Rather Than Birth-assigned Sex. *Cereb Cortex* 2020;**30**:2897–909.
 501 doi:10.1093/cercor/bhz282

502 48 O’Neill T, Wakefield J. Fifteen-minute consultation in the normal child: Challenges relating to
 503 sexuality and gender identity in children and young people. *Arch Dis Child - Educ Pract Ed*
 504 2017;**102**:298–303. doi:10.1136/archdischild-2016-311449

505 49 Why is my Provider Using Gender Dysphoria Codes?: Information for transgender, nonbinary,
 506 gender nonconforming/expansive and questioning patients.
 507 [https://www.uwhealth.org/files/uwhealth/docs/gender_services/DI-165839-](https://www.uwhealth.org/files/uwhealth/docs/gender_services/DI-165839-18_Gender_Services_Patient_Coding_Booklet.pdf)
 508 [18_Gender_Services_Patient_Coding_Booklet.pdf](https://www.uwhealth.org/files/uwhealth/docs/gender_services/DI-165839-18_Gender_Services_Patient_Coding_Booklet.pdf) (accessed 5 Jan 2021).

509 50 Foer D, Rubins DM, Almazan A, *et al.* Challenges with Accuracy of Gender Fields in Identifying
 510 Transgender Patients in Electronic Health Records. *J Gen Intern Med* 2020;**35**:3724–5.
 511 doi:10.1007/s11606-019-05567-6

512 51 Serano JM. The Case Against Autogynephilia. *Int J Transgenderism* 2010;**12**:176–87.
 513 doi:10.1080/15532739.2010.514223

514 52 Rodriguez A, Agardh A, Asamoah BO. Self-Reported Discrimination in Health-Care Settings Based
 515 on Recognizability as Transgender: A Cross-Sectional Study Among Transgender U.S. Citizens.
 516 *Arch Sex Behav* 2018;**47**:973–85. doi:10.1007/s10508-017-1028-z

517 53 Glick JL, Theall KP, Andrinopoulos KM, *et al.* The Role of Discrimination in Care Postponement
 518 Among Trans-Feminine Individuals in the U.S. National Transgender Discrimination Survey. *LGBT*
 519 *Health* 2018;**5**:171–9. doi:10.1089/lgbt.2017.0093

520 54 Jaffe S. LGBTQ discrimination in US health care under scrutiny. *The Lancet* 2020;**395**:1961.
 521 doi:10.1016/S0140-6736(20)31446-X

522 55 McHugh PR. Surgical Sex: Why We Stopped Doing Sex Change Operations.
 523 2004.<https://www.firstthings.com/article/2004/11/surgical-sex> (accessed 5 Jan 2021).

524 56 Ashley F. Science Has Always Been Ideological, You Just Don’t See It. *Arch Sex Behav*
 525 2019;**48**:1655–7. doi:10.1007/s10508-019-01519-7

526 57 Powell K, Terry R, Chen S. How LGBT+ scientists would like to be included and welcomed in
 527 STEM workplaces. *Nature* 2020;**586**:813–6. doi:10.1038/d41586-020-02949-3

528 58 Tanenbaum TJ. Publishers: let transgender scholars correct their names. *Nature* 2020;**583**:493–493.
529 doi:10.1038/d41586-020-02145-3

530 59 Russell ST, Pollitt AM, Li G, *et al.* Chosen Name Use Is Linked to Reduced Depressive Symptoms,
531 Suicidal Ideation, and Suicidal Behavior Among Transgender Youth. *J Adolesc Health* 2018;**63**:503–
532 5. doi:10.1016/j.jadohealth.2018.02.003

533 60 Turban J. The Disturbing History of Research into Transgender Identity. *Sci Am*
534 2020.[https://www.scientificamerican.com/article/the-disturbing-history-of-research-into-transgender-](https://www.scientificamerican.com/article/the-disturbing-history-of-research-into-transgender-identity/)
535 [identity/](https://www.scientificamerican.com/article/the-disturbing-history-of-research-into-transgender-identity/) (accessed 9 Jan 2021).

536 61 Radix AE. Addressing Needs of Transgender Patients: The Role of Family Physicians. *J Am Board*
537 *Fam Med* 2020;**33**:314–21. doi:10.3122/jabfm.2020.02.180228

538 62 Hamer D. New “Scientific” Study on Sexuality, Gender Is Neither New nor Scientific.
539 2016.[https://www.advocate.com/commentary/2016/8/29/new-scientific-study-sexuality-gender-](https://www.advocate.com/commentary/2016/8/29/new-scientific-study-sexuality-gender-neither-new-nor-scientific)
540 [neither-new-nor-scientific](https://www.advocate.com/commentary/2016/8/29/new-scientific-study-sexuality-gender-neither-new-nor-scientific) (accessed 19 Jan 2021).

541 63 Serano J. A Matter of Perspective: A Transsexual Woman-Centric Critique of Dreger’s “Scholarly
542 History” of the Bailey Controversy. *Arch Sex Behav* 2008;**37**:491–4. doi:10.1007/s10508-008-9332-2

543 64 Pickstone-Taylor SD. Children with gender nonconformity. *J Am Acad Child Adolesc Psychiatry*
544 2003;**42**:266; author reply 266-268. doi:10.1097/00004583-200303000-00005

545 65 Bollinger A. Medical school suspends study that would have tortured transgender people for science.
546 2021.[https://www.lgbtqnation.com/2021/02/medical-school-suspends-study-tortured-transgender-](https://www.lgbtqnation.com/2021/02/medical-school-suspends-study-tortured-transgender-people-science/)
547 [people-science/](https://www.lgbtqnation.com/2021/02/medical-school-suspends-study-tortured-transgender-people-science/) (accessed 5 Feb 2021).

548 66 Baska M. Controversial trans study that “purposefully induced dysphoria” suspended over “grave”
549 ethical concerns. 2021.[https://www.pinknews.co.uk/2021/02/05/ucla-trans-medical-study-gender-](https://www.pinknews.co.uk/2021/02/05/ucla-trans-medical-study-gender-dysphoria/)
550 [dysphoria/](https://www.pinknews.co.uk/2021/02/05/ucla-trans-medical-study-gender-dysphoria/) (accessed 15 Feb 2021).

551 67 Highleyman L. Who was Lou Sullivan? Seattle Gay News.

552 68 Bowles S. A Death Robbed of Dignity Mobilizes A Community. Wash. Post.
553 1995.[https://www.washingtonpost.com/archive/local/1995/12/10/a-death-robbed-of-dignity-](https://www.washingtonpost.com/archive/local/1995/12/10/a-death-robbed-of-dignity-mobilizes-a-community/2ca40566-9d67-47a2-80f2-e5756b2753a6/)
554 [mobilizes-a-community/2ca40566-9d67-47a2-80f2-e5756b2753a6/](https://www.washingtonpost.com/archive/local/1995/12/10/a-death-robbed-of-dignity-mobilizes-a-community/2ca40566-9d67-47a2-80f2-e5756b2753a6/)

555 69 Parsons V. Trans woman left to die with coronavirus symptoms by paramedics who “refused to treat
556 her” because she had HIV. PinkNews. 2020.[https://www.pinknews.co.uk/2020/06/01/alejandra-](https://www.pinknews.co.uk/2020/06/01/alejandra-monocuco-trans-woman-dead-coronavirus-hiv-positive-bogota/)
557 [monocuco-trans-woman-dead-coronavirus-hiv-positive-bogota/](https://www.pinknews.co.uk/2020/06/01/alejandra-monocuco-trans-woman-dead-coronavirus-hiv-positive-bogota/)

558 70 Persad X. LGBTQ-Inclusive Data Collection: A Lifesaving Imperative.
559 2019.<https://assets2.hrc.org/files/assets/resources/HRC-LGBTQ-DataCollection-Report.pdf> (accessed
560 3 Feb 2021).

561 71 Cahill SR, Makadon HJ. If They Don’t Count Us, We Don’t Count: Trump Administration Rolls
562 Back Sexual Orientation and Gender Identity Data Collection. *LGBT Health* 2017;**4**:171–3.
563 doi:10.1089/lgbt.2017.0073

564 72 Grasso C, Goldhammer H, Funk D, *et al.* Required Sexual Orientation and Gender Identity Reporting
565 by US Health Centers: First-Year Data. *Am J Public Health* 2019;**109**:1111–8.
566 doi:10.2105/AJPH.2019.305130

567 73 Suen LW, Lunn MR, Katuzny K, *et al.* What Sexual and Gender Minority People Want Researchers
568 to Know About Sexual Orientation and Gender Identity Questions: A Qualitative Study. *Arch Sex*
569 *Behav* 2020;**49**:2301–18. doi:10.1007/s10508-020-01810-y

570 74 Tate CC, Ledbetter JN, Youssef CP. A Two-Question Method for Assessing Gender Categories in the
571 Social and Medical Sciences. *J Sex Res* 2013;**50**:767–76. doi:10.1080/00224499.2012.690110

572 75 Tordoff DM, Morgan J, Dombrowski JC, *et al.* Increased Ascertainment of Transgender and Non-
573 binary Patients Using a 2-Step Versus 1-Step Gender Identity Intake Question in an STD Clinic
574 Setting: *Sex Transm Dis* 2019;**46**:254–9. doi:10.1097/OLQ.0000000000000952

575 76 Singh S, Durso LE, Tax A. The Trump Administration Is Rolling Back Data Collection on LGBT
576 Older Adults. 2017.[https://www.americanprogress.org/issues/lgbtq-](https://www.americanprogress.org/issues/lgbtq-rights/news/2017/03/20/428623/trump-administration-rolling-back-data-collection-lgbt-older-adults/)
577 [rights/news/2017/03/20/428623/trump-administration-rolling-back-data-collection-lgbt-older-adults/](https://www.americanprogress.org/issues/lgbtq-rights/news/2017/03/20/428623/trump-administration-rolling-back-data-collection-lgbt-older-adults/)
578 (accessed 3 Feb 2021).

579 77 Turney S, Carvalho MM, Sousa ME, *et al.* Support transgender scientists post–COVID-19. *Science*
580 2020;**369**:1171.3–1172. doi:10.1126/science.abd8933

581 78 Kluge E-HW. *Ethics in health care: a Canadian focus*. 1st ed. Don Mills, Ontario: : Pearson Canada
582 2013.

583 79 Bauer G, Devor A, heinz matthew, *et al.* CPATH Ethical Guidelines for Research Involving
584 Transgender People & Communities. 2019.[https://cpath.ca/wp-content/uploads/2019/08/CPATH-](https://cpath.ca/wp-content/uploads/2019/08/CPATH-Ethical-Guidelines-EN.pdf)
585 [Ethical-Guidelines-EN.pdf](https://cpath.ca/wp-content/uploads/2019/08/CPATH-Ethical-Guidelines-EN.pdf) (accessed 6 May 2021).

586 80 Rao TSS, Radhakrishnan R, Andrade C. Standard operating procedures for clinical practice. *Indian J*
587 *Psychiatry* 2011;**53**:1–3. doi:10.4103/0019-5545.75542

588 81 Sajdak R, Trembath L, Thomas KS. The importance of standard operating procedures in clinical
589 trials. *J Nucl Med Technol* 2013;**41**:231–3. doi:10.2967/jnmt.113.121467

590 82 Hollmann S, Frohme M, Endrullat C, *et al.* Ten simple rules on how to write a standard operating
591 procedure. *PLOS Comput Biol* 2020;**16**:e1008095. doi:10.1371/journal.pcbi.1008095

592 83 Ewald ER, Guerino P, Dragon C, *et al.* Identifying Medicare Beneficiaries Accessing Transgender-
593 Related Care in the Era of ICD-10. *LGBT Health* 2019;**6**:166–73. doi:10.1089/lgbt.2018.0175

594 84 Proctor K, Haffer SC, Ewald E, *et al.* Identifying the Transgender Population in the Medicare
595 Program. *Transgender Health* 2016;**1**:250–65. doi:10.1089/trgh.2016.0031

596 85 Blossnich JR, Brown GR, Wojcio S, *et al.* Mortality Among Veterans with Transgender-Related
597 Diagnoses in the Veterans Health Administration, FY2000-2009. *LGBT Health* 2014;**1**:269–76.
598 doi:10.1089/lgbt.2014.0050

- 599 86 Canner JK, Harfouch O, Kodadek LM, *et al.* Temporal Trends in Gender-Affirming Surgery Among
600 Transgender Patients in the United States. *JAMA Surg* 2018;**153**:609–16.
601 doi:10.1001/jamasurg.2017.6231
- 602 87 Olson J, Forbes C, Belzer M. Management of the transgender adolescent. *Arch Pediatr Adolesc Med*
603 2011;**165**:171–6. doi:10.1001/archpediatrics.2010.275
- 604 88 Giami A, Beaubatie E. Gender identification and sex reassignment surgery in the trans population: a
605 survey study in France. *Arch Sex Behav* 2014;**43**:1491–501. doi:10.1007/s10508-014-0382-3
- 606 89 Dolan IJ, Strauss P, Winter S, *et al.* Misgendering and experiences of stigma in health care settings
607 for transgender people. *Med J Aust* 2020;**212**:150. doi:10.5694/mja2.50497
- 608 90 Collin L, Reisner SL, Tangpricha V, *et al.* Prevalence of Transgender Depends on the “Case”
609 Definition: A Systematic Review. *J Sex Med* 2016;**13**:613–26. doi:10.1016/j.jsxm.2016.02.001
- 610 91 Oliven JF. *Sexual Hygiene and Pathology: A Manual for the Physician and the Professions*. 2nd ed.
611 Lippincott 1965.
- 612 92 Prince V. The “Transcendents” or “Trans” People. *Int J Transgenderism* 2005;**8**:39–46.
613 doi:10.1300/J485v08n04_07
- 614 93 Lynn MS. Definitions of Terms Commonly Used in the Transvestite-Transsexual Community. *TV-TS*
615 *Tapestry* 1988;:19–31.
- 616 94 Molina NG. A transgender dictionary. *Focus San Franc Calif* 1998;**13**:5–6.
- 617 95 GLAAD Media Reference Guide, 7th Ed. 2008.
- 618 96 transgender. Am. Herit. Dict. Engl. Lang. 2011.
- 619 97 Primer. 2018.<https://www.translanguageprimer.org/primer/> (accessed 3 May 2021).
- 620 98 PFLAG National Glossary of Terms. 2021.<https://pflag.org/glossary> (accessed 3 May 2021).
- 621 99 Ashley F. “Trans” Is My Gender Modality: A Modest Terminological Proposal.
622 [https://www.florenceashley.com/uploads/1/2/4/4/124439164/florence_ashley_trans_is_my_gender_m](https://www.florenceashley.com/uploads/1/2/4/4/124439164/florence_ashley_trans_is_my_gender_modality.pdf)
623 [odality.pdf](https://www.florenceashley.com/uploads/1/2/4/4/124439164/florence_ashley_trans_is_my_gender_modality.pdf) (accessed 21 Apr 2021).
- 624 100 Braidotti R. The Uses and Abuses of the Sex/Gender Distinction in European Feminist Practices.
625 In: *Translating Gender*. European Association for Gender Research, Education and Documentation
626 5–26.<https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-2012.pdf>
627 (accessed 3 May 2021).
- 628 101 Jegerstedt K. A Short Introduction to the Use of “Sex” and “Gender” in the Scandinavian
629 Languages. In: *Translating Gender*. European Association for Gender Research, Education and
630 Documentation 27–8.[https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-](https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-2012.pdf)
631 [2012.pdf](https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-2012.pdf) (accessed 3 May 2021).
- 632 102 Bahovic E. A Short Note on the Use of “Sex” and “Gender” in some Slavic Languages. In:
633 *Translating Gender*. European Association for Gender Research, Education and Documentation 30–

- 634 1.<https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-2012.pdf> (accessed 3
635 May 2021).
- 636 103 Pető A. From a “non-science” to gender analyses? Usage of sex/gender in Hungarian. In:
637 *Translating Gender*. European Association for Gender Research, Education and Documentation 61–
638 2.<https://atgender.eu/wp-content/uploads/sites/207/2015/12/Translating-Gender-2012.pdf> (accessed 3
639 May 2021).
- 640 104 Kiuchi A. [Independent and interdependent construal of the self: the cultural influence and the
641 relations to personality traits]. *Shinrigaku Kenkyu* 1996;**67**:308–13. doi:10.4992/jjpsy.67.308
- 642 105 Goecker D, Korte A. [Sex identity disorders in children and adolescents].
643 *Kinderkrankenschwester Organ Sekt Kinderkrankenpflege* 2007;**26**:330–2.
- 644 106 Tang G, Guo L, Huang X. [An epidemiological study on mental problems in adolescents in
645 Chengdu, China]. *Zhonghua Liu Xing Bing Xue Za Zhi Zhonghua Liuxingbingxue Zazhi*
646 2005;**26**:878–81.
- 647 107 Council of Europe. Sex and gender. <https://www.coe.int/en/web/gender-matters/sex-and-gender>
648 (accessed 5 May 2021).
- 649 108 Burgess C, Kauth MR, Klemm C, *et al.* Evolving Sex and Gender in Electronic Health Records.
650 *Fed Pract Health Care Prof VA DoD PHS* 2019;**36**:271–7.
- 651 109 Gender Identity and Sexual Orientation Questions.
652 [https://grad.ucdavis.edu/admissions/admission-requirements/gender-identity-and-sexual-orientation-](https://grad.ucdavis.edu/admissions/admission-requirements/gender-identity-and-sexual-orientation-questions)
653 [questions](https://grad.ucdavis.edu/admissions/admission-requirements/gender-identity-and-sexual-orientation-questions) (accessed 5 May 2021).
- 654 110 New Student Survey 2018. 2018.[https://www.evergreen.edu/sites/default/files/NSS18-Q25-OLY-](https://www.evergreen.edu/sites/default/files/NSS18-Q25-OLY-Gender.pdf)
655 [Gender.pdf](https://www.evergreen.edu/sites/default/files/NSS18-Q25-OLY-Gender.pdf) (accessed 5 May 2021).
- 656 111 Birth Certificates.
657 2018.[https://www.americanbar.org/groups/public_education/publications/teaching-legal-docs/birth-](https://www.americanbar.org/groups/public_education/publications/teaching-legal-docs/birth-certificates/#:~:text=A%20birth%20certificate%20is%20a,documents%20an%20individual%20might%20acquire.)
658 [certificates/#:~:text=A%20birth%20certificate%20is%20a,documents%20an%20individual%20might](https://www.americanbar.org/groups/public_education/publications/teaching-legal-docs/birth-certificates/#:~:text=A%20birth%20certificate%20is%20a,documents%20an%20individual%20might%20acquire.)
659 [%20acquire.](https://www.americanbar.org/groups/public_education/publications/teaching-legal-docs/birth-certificates/#:~:text=A%20birth%20certificate%20is%20a,documents%20an%20individual%20might%20acquire.) (accessed 3 May 2021).
- 660 112 EDITORIAL: Birth certificate is a legal, not a biological document. Cincinnati Enq.
661 2014.[https://www.cincinnati.com/story/opinion/editorials/2014/02/13/birth-certificate-is-a-legal-not-](https://www.cincinnati.com/story/opinion/editorials/2014/02/13/birth-certificate-is-a-legal-not-a-biological-document/5458545/)
662 [a-biological-document/5458545/](https://www.cincinnati.com/story/opinion/editorials/2014/02/13/birth-certificate-is-a-legal-not-a-biological-document/5458545/) (accessed 3 May 2021).
- 663 113 Shteyler VM, Clarke JA, Adashi EY. Failed Assignments — Rethinking Sex Designations on
664 Birth Certificates. *N Engl J Med* 2020;**383**:2399–401. doi:10.1056/NEJMp2025974
- 665 114 What do we mean by “sex” and “gender”?
666 2014.<https://web.archive.org/web/20140923045700/http://www.who.int/gender/whatisgender/en>
667 (accessed 3 May 2021).
- 668 115 State-by-State Overview: Rules for Changing Gender Markers on Birth Certificates.
669 2017.[http://transgenderlawcenter.org/wp-content/uploads/2016/12/Birth-Cert-overview-state-by-](http://transgenderlawcenter.org/wp-content/uploads/2016/12/Birth-Cert-overview-state-by-state.pdf)
670 [state.pdf](http://transgenderlawcenter.org/wp-content/uploads/2016/12/Birth-Cert-overview-state-by-state.pdf) (accessed 4 May 2021).

671 116 Ten Strategies for Creating Inclusive Health Care Environments for LGBTQIA+ People.
672 2021.[https://www.lgbtqihealtheducation.org/wp-content/uploads/2021/05/Ten-Strategies-for-](https://www.lgbtqihealtheducation.org/wp-content/uploads/2021/05/Ten-Strategies-for-Creating-Inclusive-Health-Care-Environments-for-LGBTQIA-People-Brief.pdf)
673 [Creating-Inclusive-Health-Care-Environments-for-LGBTQIA-People-Brief.pdf](https://www.lgbtqihealtheducation.org/wp-content/uploads/2021/05/Ten-Strategies-for-Creating-Inclusive-Health-Care-Environments-for-LGBTQIA-People-Brief.pdf) (accessed 4 May
674 2021).

675 117 Schreiber M, Ahmad T, Scott M, *et al.* The case for a Canadian standard for 2SLGBTQIA+
676 medical education. *CMAJ Can Med Assoc J J Assoc Medicale Can* 2021;**193**:E562–5.
677 doi:10.1503/cmaj.202642

678 118 Obedin-Maliver J, Goldsmith ES, Stewart L, *et al.* Lesbian, gay, bisexual, and transgender-related
679 content in undergraduate medical education. *JAMA* 2011;**306**:971–7. doi:10.1001/jama.2011.1255

680 119 Johnson N. LGBTQ Health Education: Where Are We Now? *Acad Med J Assoc Am Med Coll*
681 2017;**92**:432. doi:10.1097/ACM.0000000000001601

682 120 DeVita T, Bishop C, Plankey M. Queering medical education: systematically assessing LGBTQI
683 health competency and implementing reform. *Med Educ Online* 2018;**23**:1510703.
684 doi:10.1080/10872981.2018.1510703

685 121 Snelgrove JW, Jasudavicius AM, Rowe BW, *et al.* “Completely out-at-sea” with “two-gender
686 medicine”: a qualitative analysis of physician-side barriers to providing healthcare for transgender
687 patients. *BMC Health Serv Res* 2012;**12**:110. doi:10.1186/1472-6963-12-110

688 122 Korpaisarn S, Safer JD. Gaps in transgender medical education among healthcare providers: A
689 major barrier to care for transgender persons. *Rev Endocr Metab Disord* 2018;**19**:271–5.
690 doi:10.1007/s11154-018-9452-5

691 123 MacKinnon KR, Ross LE, Rojas Gualdron D, *et al.* Teaching health professionals how to tailor
692 gender-affirming medicine protocols: A design thinking project. *Perspect Med Educ* 2020;**9**:324–8.
693 doi:10.1007/s40037-020-00581-5

694 124 MacKinnon KR, Kia H, Rai N, *et al.* Integrating trans health knowledge through instructional
695 design: preparing learners for a continent – not an island – of primary care with trans people. *Educ*
696 *Prim Care* 2021;:1–4. doi:10.1080/14739879.2021.1882885

697 125 Grant JM, Mottet LA, Tanis J, *et al.* Injustice at Every Turn: A Report of the National
698 Transgender Discrimination Survey.
699 2011.https://www.transequality.org/sites/default/files/docs/resources/NTDS_Report.pdf (accessed 23
700 Jan 2021).

701 126 Donald CA, DasGupta S, Metzl JM, *et al.* Queer Frontiers in Medicine: A Structural Competency
702 Approach. *Acad Med J Assoc Am Med Coll* 2017;**92**:345–50. doi:10.1097/ACM.0000000000001533

703 127 Willging C, Gunderson L, Shattuck D, *et al.* Structural competency in emergency medicine
704 services for transgender and gender non-conforming patients. *Soc Sci Med* 2019;**222**:67–75.
705 doi:10.1016/j.socscimed.2018.12.031

706 128 Zaidi D. Transgender Health in an Age of Bathroom Bills: *Acad Med* 2018;**93**:9.
707 doi:10.1097/ACM.0000000000001998

708 129 Cruz TM. Perils of data-driven equity: Safety-net care and big data's elusive grasp on health
709 inequality. *Big Data Soc* 2020;**7**:205395172092809. doi:10.1177/2053951720928097

710 130 Price D. Bad Gender Measures & How to Avoid Them.
711 2018.<https://medium.com/@devonprice/bad-gender-measures-how-to-avoid-them-23b8f3a503a6>
712 (accessed 1 Oct 2020).

713 131 Tate CC, Youssef CP, Bettergarcia JN. Integrating the Study of Transgender Spectrum and
714 Cisgender Experiences of Self-Categorization from a Personality Perspective. *Rev Gen Psychol*
715 2014;**18**:302–12. doi:10.1037/gpr0000019

716 132 Puckett JA, Brown NC, Dunn T, *et al.* Perspectives from Transgender and Gender Diverse People
717 on How to Ask About Gender. *LGBT Health* 2020;**7**:305–11. doi:10.1089/lgbt.2019.0295

718 133 Tudisco J. Survey Says “Woman, Man, or Transgender” - How Non-Inclusive Survey Design
719 Erases Our Existence. 2020.[https://www.ihc.ucsb.edu/survey-says-woman-man-or-transgender-how-](https://www.ihc.ucsb.edu/survey-says-woman-man-or-transgender-how-non-inclusive-survey-design-erases-our-existence/)
720 [non-inclusive-survey-design-erases-our-existence/](https://www.ihc.ucsb.edu/survey-says-woman-man-or-transgender-how-non-inclusive-survey-design-erases-our-existence/) (accessed 8 Jan 2021).

721 134 Transgender FAQ. <https://www.hrc.org/resources/transgender-faq> (accessed 22 Jan 2021).

722 135 PFLAG National Glossary of Terms. 2020.<https://pflag.org/glossary> (accessed 22 Jan 2021).

723 136 G, Lynsey. *Watching porn: and other confessions of an adult entertainment journalist*. 2017.
724 <https://www.overdrive.com/search?q=A42FAEDC-E554-47F3-B943-231A21AC9391> (accessed 22
725 Jan 2021).

726 137 Escoffier J. Imagining the She/Male: Pornography and the Transsexualization of the Heterosexual
727 Male. *Stud Gen Sex* 2011;**12**:268–81. doi:10.1080/15240657.2011.610230

728 138 Carrera-Fernández MV, DePalma R. Feminism will be trans-inclusive or it will not be: Why do
729 two cis-hetero woman educators support transfeminism? *Sociol Rev* 2020;**68**:745–62.
730 doi:10.1177/0038026120934686

731 139 Ritzer G, editor. *The Blackwell Encyclopedia of Sociology*. Oxford, UK, Malden, USA and
732 Carlton, Australia: : Blackwell Publishing Ltd 2007. doi:10.1111/b.9781405124331.2007.x

733 140 u/redesckey. Can we please stop using “transmasculine” and “transfeminine”? r/lgbt.
734 2019.[https://www.reddit.com/r/lgbt/comments/aql7sy/can_we_please_stop_using_transmasculine_an](https://www.reddit.com/r/lgbt/comments/aql7sy/can_we_please_stop_using_transmasculine_and/)
735 [d/](https://www.reddit.com/r/lgbt/comments/aql7sy/can_we_please_stop_using_transmasculine_and/) (accessed 4 May 2021).

736 141 Joan Dark. I am Not Transmasculine or Transfeminine. Joan Dark.
737 2018.<https://medium.com/@whoaitsjoan/i-am-not-transmasculine-or-transfeminine-9fe0791afa95>
738 (accessed 4 May 2021).

739 142 @hologramvin. Alternatives to “AFAB” and “AMAB.” Trans Style Guide.
740 2019.<https://medium.com/@transstyleguide/alternatives-to-afab-and-amab-d7cf8fe20a72> (accessed 4
741 May 2021).

742 143 Mitchell G. Some Terms Are Better Than Others. 2017.[https://transsubstantiation.com/some-](https://transsubstantiation.com/some-terms-are-better-than-others-603827adb9b7)
743 [terms-are-better-than-others-603827adb9b7](https://transsubstantiation.com/some-terms-are-better-than-others-603827adb9b7) (accessed 22 Jan 2021).

144 Mere A. 64 Terms That Describe Gender Identity and Expression.
 2019.<https://www.healthline.com/health/different-genders> (accessed 22 Jan 2021).

145 Bailar S. Terminology. 2015.<https://pinkmantaray.com/terminology> (accessed 22 Jan 2021).

146 Kang A, Aizen JM, Cohen AJ, *et al.* Techniques and considerations of prosthetic surgery after phalloplasty in the transgender male. *Transl Androl Urol* 2019;**8**:273–82. doi:10.21037/tau.2019.06.02

147 Smith KP, Madison CM, Milne NM. Gonadal Suppressive and Cross-Sex Hormone Therapy for Gender Dysphoria in Adolescents and Adults. *Pharmacother J Hum Pharmacol Drug Ther* 2014;**34**:1282–97. doi:10.1002/phar.1487

148 Valera RJ, Sawyer RG, Schiraldi GR. Perceived Health Needs of Inner-City Street Prostitutes: A Preliminary Study. *Am J Health Behav* 2001;**25**:50–9. doi:10.5993/AJHB.25.1.6

149 Lee C. Syncope in a Transsexual Male. *J Androl* 2006;**27**:164–164. doi:10.2164/jandrol.05088

150 Fonseca S. Designing forms for gender diversity and inclusion. 2017.<https://uxdesign.cc/designing-forms-for-gender-diversity-and-inclusion-d8194cf1f51> (accessed 1 Oct 2020).

151 Bauer GR, Braimoh J, Scheim AI, *et al.* Transgender-inclusive measures of sex/gender for population surveys: Mixed-methods evaluation and recommendations. *PLOS ONE* 2017;**12**:e0178043. doi:10.1371/journal.pone.0178043

152 Holzberg J, Ellis R, Virgile M, *et al.* Assessing the Feasibility of Asking About Gender Identity in the Current Population Survey: Results from Focus Groups with Members of the Transgender Population. 2017.<https://www.bls.gov/osmr/research-papers/2017/pdf/st170200.pdf> (accessed 8 Jan 2021).

153 Ke M. How to make an LGBTQ+ inclusive survey. 2020.<https://uxdesign.cc/how-to-make-an-lgbtq-inclusive-survey-bfd1d801cc21> (accessed 11 Jan 2021).

154 Stock K. Changing the concept of “woman” will cause unintended harms. 2018.<https://www.economist.com/open-future/2018/07/06/changing-the-concept-of-woman-will-cause-unintended-harms> (accessed 8 Jan 2021).

155 Jenkins K. Amelioration and Inclusion: Gender Identity and the Concept of Woman*. *Ethics* 2016;**126**. doi:10.1086/683535

156 Holston-Zannell LB. Black Trans Women Are Being Murdered in the Streets. Now the Trump Administration Wants to Turn Us Away From Shelters and Health Care. 2019.<https://www.aclu.org/blog/lgbt-rights/transgender-rights/black-trans-women-are-being-murdered-streets-now-trump> (accessed 8 Jan 2021).

157 Spiel K, Haimson O, Lottridge D. How To Do Better With Gender On Surveys: A Guide For HCI Researchers. *ACM Interact* 2019;**26**.https://interactions.acm.org/archive/view/july-august-2019/how-to-do-better-with-gender-on-surveys?fbclid=IwAR38mqjxkk3svBMPKDE8c8WHWlpk0ttHMv42G_23fLFoNe35Ao3vLLjNp-M (accessed 1 Oct 2010).

782 158 Transgender: Using Words Wisely. 2018.[https://emmanuelle.coach/transgender-using-words-](https://emmanuelle.coach/transgender-using-words-wisely/)
783 wisely/ (accessed 22 Jan 2021).

784 159 Lopez G. Why you should always use “transgender” instead of “transgendered.”
785 2015.<https://www.vox.com/2015/2/18/8055691/transgender-transgendered-tnr> (accessed 22 Jan
786 2021).

787 160 Serano J. *Whipping girl: a transsexual woman on sexism and the scapegoating of femininity*.
788 Second edition. Berkeley, CA: : Seal Press 2016.

789 161 Gender Identity Definitions. <https://mmt.org/gender-identity-definitions> (accessed 22 Jan 2021).

790 162 Providing Health Care for Transgender and Intersex Veterans.
791 2018.[https://www.albuquerque.va.gov/docs/ProvidingHealthCareforTransgenderandIntersexVeterans](https://www.albuquerque.va.gov/docs/ProvidingHealthCareforTransgenderandIntersexVeterans.pdf)
792 .pdf (accessed 13 Jan 2021).

793 163 More Inclusive Care for Transgender Patients Using Epic.
794 2017.<https://www.epic.com/epic/post/inclusive-care-transgender-patients-using-epic> (accessed 5 May
795 2021).

796 164 Koehle H. Trans Inclusive Health Records. 2020.[https://hankoehle.com/2020/08/06/trans-care-](https://hankoehle.com/2020/08/06/trans-care-begins-at-the-software/)
797 begins-at-the-software/ (accessed 2 Oct 2020).

798 165 Julia Kapusta S. Misgendering and Its Moral Contestability. *Hypatia* 2016;**31**:502–19.
799 doi:10.1111/hypa.12259

800 166 @morganastra. *pronoun.is*. 2019. <https://github.com/witch-house/pronoun.is>

801 167 Kronk CA. Creation and Evaluation of the Gender, Sex, and Sexual Orientation (GSSO)
802 Ontology. 2020.

803 168 Personal pronouns - Reported. 2018.<https://loinc.org/90778-2/> (accessed 21 Jan 2021).

804 169 Thompson HM. Patient Perspectives on Gender Identity Data Collection in Electronic Health
805 Records: An Analysis of Disclosure, Privacy, and Access to Care. *Transgender Health* 2016;**1**:205–
806 15. doi:10.1089/trgh.2016.0007

807 170 Dunne MJ, Raynor LA, Cottrell EK, *et al*. Interviews with Patients and Providers on Transgender
808 and Gender Nonconforming Health Data Collection in the Electronic Health Record. *Transgender*
809 *Health* 2017;**2**:1–7. doi:10.1089/trgh.2016.0041

810 171 Blosnich JR, Cashy J, Gordon AJ, *et al*. Using clinician text notes in electronic medical record
811 data to validate transgender-related diagnosis codes. *J Am Med Inform Assoc JAMIA* 2018;**25**:905–8.
812 doi:10.1093/jamia/ocy022

813 172 Goldenberg T, L. Reisner S, W. Harper G, *et al*. State-Level Transgender-Specific Policies,
814 Race/Ethnicity, and Use of Medical Gender Affirmation Services among Transgender and Other
815 Gender-Diverse People in the United States. *Milbank Q* 2020;**98**:802–46. doi:10.1111/1468-
816 0009.12467

817 173 Lopez CM, Solomon D, Boulware SD, *et al.* Trends in the use of puberty blockers among
818 transgender children in the United States. *J Pediatr Endocrinol Metab* 2018;**31**:665–70.
819 doi:10.1515/jpem-2018-0048

820 174 Kattari SK, Bakko M, Hecht HK, *et al.* Intersecting Experiences of Healthcare Denials Among
821 Transgender and Nonbinary Patients. *Am J Prev Med* 2020;**58**:506–13.
822 doi:10.1016/j.amepre.2019.11.014

823 175 Badgett MVL, Choi SK, Wilson BDM. LGBT Poverty in the United States: A study of
824 differences between sexual orientation and gender identity groups. Williams Institute 2019.
825 <https://williamsinstitute.law.ucla.edu/wp-content/uploads/National-LGBT-Poverty-Oct-2019.pdf>
826 (accessed 26 Apr 2021).

827 176 Dinno A. Homicide Rates of Transgender Individuals in the United States: 2010–2014. *Am J*
828 *Public Health* 2017;**107**:1441–7. doi:10.2105/AJPH.2017.303878

829 177 Masters RK, Hummer RA, Powers DA, *et al.* Long-Term Trends in Adult Mortality for U.S.
830 Blacks and Whites: An Examination of Period- and Cohort-Based Changes. *Demography*
831 2014;**51**:2047–73. doi:10.1007/s13524-014-0343-4

832 178 Ashley F. Recommendations for Institutional and Governmental Management of Gender
833 Information. *N Y Univ Rev Law Soc Change* 2019;**44**:489–528. doi:10.2139/ssrn.3398394

834 179 Institute of Medicine (US) Board on the Health of Select Populations. Developing and
835 Implementing Questions for Collecting Data on Sexual Orientation and Gender Identity. In:
836 *Collecting Sexual Orientation and Gender Identity Data in Electronic Health Records: Workshop*
837 *Summary*. 2013. <https://www.ncbi.nlm.nih.gov/books/NBK154073/> (accessed 4 May 2021).

838 180 Deutsch MB, editor. Guidelines for the Primary and Gender-Affirming Care of Transgender and
839 Gender Nonbinary People. 2016.<https://transcare.ucsf.edu/guidelines> (accessed 8 Feb 2021).

840 181 Sittig DF, Singh H. Defining health information technology-related errors: new developments
841 since to err is human. *Arch Intern Med* 2011;**171**:1281–4. doi:10.1001/archinternmed.2011.327

842 182 Reisner SL, Conron KJ, Tardiff LA, *et al.* Monitoring the health of transgender and other gender
843 minority populations: validity of natal sex and gender identity survey items in a U.S. national cohort
844 of young adults. *BMC Public Health* 2014;**14**:1224. doi:10.1186/1471-2458-14-1224

845 183 Lombardi E, Banik S. The Utility of the Two-Step Gender Measure Within Trans and Cis
846 Populations. *Sex Res Soc Policy* 2016;**13**:288–96. doi:10.1007/s13178-016-0220-6

847 184 Cahill S, Singal R, Grasso C, *et al.* Do Ask, Do Tell: High Levels of Acceptability by Patients of
848 Routine Collection of Sexual Orientation and Gender Identity Data in Four Diverse American
849 Community Health Centers. *PLoS ONE* 2014;**9**:e107104. doi:10.1371/journal.pone.0107104

850 185 Deutsch MB. Creating a safe and welcoming clinic environment.
851 2016.<https://transcare.ucsf.edu/guidelines/clinic-environment> (accessed 3 May 2021).

852 186 Johnson AEW, Pollard TJ, Shen L, *et al.* MIMIC-III, a freely accessible critical care database. *Sci*
853 *Data* 2016;**3**:160035. doi:10.1038/sdata.2016.35

854 187 The patients table.
855 <http://web.archive.org/web/20190616145004/https://mimic.physionet.org/mimictables/patients/>
856 (accessed 5 Jan 2021).

857 188 Kronk C. *Gender, Sex, and Sexual Orientation in Medicine: A Linguistic Analysis*. 2021.

858 189 Kronk CA, Dexheimer JW. Creation and Evaluation of the Gender, Sex, and Sexual Orientation
859 (GSSO) Ontology. *Pediatrics* 2021;**147**:602–3. doi:10.1542/peds.147.3_MeetingAbstract.602

860 190 Kronk C, Tran GQ, Wu DTY. Creating a Queer Ontology: The Gender, Sex, and Sexual
861 Orientation (GSSO) Ontology. *Stud Health Technol Inform* 2019;**264**:208–12.
862 doi:10.3233/SHTI190213

863 191 Kronk CA, Wu DTY. Mapping and Visualizing Demographic Information in Structured and
864 Unstructured Clinical Data.
865 2018.https://www.visualanalyticshealthcare.org/VAHC2018/slides/VAHC_2018_design_3.pdf
866 (accessed 23 Jul 2020).

867 192 Agron RT, Gale S, Neavins TM, *et al*. Evaluation of healthcare for transgender veterans. *Endocr*
868 *Metab Sci* 2021;**2**:100072. doi:10.1016/j.endmts.2020.100072

869 193 Lapinski J, Covas T, Perkins JM, *et al*. Best Practices in Transgender Health. *Prim Care Clin Off*
870 *Pract* 2018;**45**:687–703. doi:10.1016/j.pop.2018.07.007

871 194 Lau F, Antonio M, Davison K, *et al*. A rapid review of gender, sex, and sexual orientation
872 documentation in electronic health records. *J Am Med Inform Assoc* 2020;:ocaa158.
873 doi:10.1093/jamia/ocaa158

874 195 Moscoe GB. *Beyond the Binary: A Proposal for Uniform Standards for Gender Identity and*
875 *More Descriptive Sex Classifications in Electronic Health Records*. 2014.

876 196 Freeman L, López SA. Sex Categorization in Medical Contexts: A Cautionary Tale. *Kennedy Inst*
877 *Ethics J* 2018;**28**:243–80. doi:10.1353/ken.2018.0017

878 197 Patient Self-Identification. [https://www.thehrcfoundation.org/professional-resources/patient-self-](https://www.thehrcfoundation.org/professional-resources/patient-self-identification)
879 [identification](https://www.thehrcfoundation.org/professional-resources/patient-self-identification) (accessed 5 May 2021).

880 198 Anderson WJ, Kolin DL, Neville G, *et al*. Prostatic Metaplasia of the Vagina and Uterine Cervix:
881 An Androgen-associated Glandular Lesion of Surface Squamous Epithelium. *Am J Surg Pathol*
882 2020;**44**:1040–9. doi:10.1097/PAS.0000000000001486

883 199 de Blok CJM, Wiepjes CM, Nota NM, *et al*. Breast cancer risk in transgender people receiving
884 hormone treatment: nationwide cohort study in the Netherlands. *BMJ* 2019;:11652.
885 doi:10.1136/bmj.11652

886 200 Kopetti C, Schaffer C, Zaman K, *et al*. Invasive Breast Cancer in a Trans Man After Bilateral
887 Mastectomy: Case Report and Literature Review. *Clin Breast Cancer* 2020;:S1526820920302640.
888 doi:10.1016/j.clbc.2020.10.005

- 889 201 Eismann J, Heng YJ, Fleischmann-Rose K, *et al.* Interdisciplinary Management of Transgender
890 Individuals at Risk for Breast Cancer: Case Reports and Review of the Literature. *Clin Breast Cancer*
891 2019;**19**:e12–9. doi:10.1016/j.clbc.2018.11.007
- 892 202 Chen W, Cylinder I, Najafian A, *et al.* An Option for Shaft-Only Gender-Affirming Phalloplasty:
893 Vaginal Preservation and Vulvoscrotoplasty. A Technical Description. *Plast Reconstr Surg*
894 2021;**147**:480–3. doi:10.1097/PRS.00000000000007579
- 895 203 Lindahl H. 9 Young People on How They Found Out They Are Intersex. *Teen Vogue*
896 2019.<https://www.teenvogue.com/gallery/young-people-on-how-they-found-out-they-are-intersex>
897 (accessed 5 May 2021).
- 898 204 “I Want to Be Like Nature Made Me”: Medically Unnecessary Surgeries on Intersex Children in
899 the US. 2017.[https://www.hrw.org/report/2017/07/25/i-want-be-nature-made-me/medically-](https://www.hrw.org/report/2017/07/25/i-want-be-nature-made-me/medically-unnecessary-surgeries-intersex-children-us)
900 [unnecessary-surgeries-intersex-children-us](https://www.hrw.org/report/2017/07/25/i-want-be-nature-made-me/medically-unnecessary-surgeries-intersex-children-us) (accessed 10 Feb 2021).
- 901 205 Kirkland F. Intersex patients “routinely lied to by doctors.”
902 2017.<https://www.bbc.com/news/health-39979186> (accessed 10 Feb 2021).
- 903 206 Carpenter M. The “Normalization” of Intersex Bodies and “Othering” of Intersex Identities in
904 Australia. *J Bioethical Inq* 2018;**15**:487–95. doi:10.1007/s11673-018-9855-8
- 905 207 Al Shamsi H, Almutairi AG, Al Mashrafi S, *et al.* Implications of Language Barriers for
906 Healthcare: A Systematic Review. *Oman Med J* 2020;**35**:e122–e122. doi:10.5001/omj.2020.40
- 907 208 Language Barriers and the Patient Encounter. *AMA J Ethics* 2007;**9**:566–71.
908 doi:10.1001/virtualmentor.2007.9.8.msoc1-0708
- 909 209 Meuter RFI, Gallois C, Segalowitz NS, *et al.* Overcoming language barriers in healthcare: A
910 protocol for investigating safe and effective communication when patients or clinicians use a second
911 language. *BMC Health Serv Res* 2015;**15**:371. doi:10.1186/s12913-015-1024-8
- 912 210 Sampson B, McGuire A. Genetics and the Molecular Autopsy. In: *Pathobiology of Human*
913 *Disease*. Elsevier 2014. 3459–67. doi:10.1016/B978-0-12-386456-7.06707-1
- 914 211 Wapner RJ, Martin CL, Levy B, *et al.* Chromosomal microarray versus karyotyping for prenatal
915 diagnosis. *N Engl J Med* 2012;**367**:2175–84. doi:10.1056/NEJMoa1203382
- 916 212 Fu F, Li R, Li Y, *et al.* Whole exome sequencing as a diagnostic adjunct to clinical testing in
917 fetuses with structural abnormalities. *Ultrasound Obstet Gynecol Off J Int Soc Ultrasound Obstet*
918 *Gynecol* 2018;**51**:493–502. doi:10.1002/uog.18915
- 919 213 Patterson G. Entertaining a Healthy Cispicion of the Ally Industrial Complex in Transgender
920 Studies. *Women Lang* 2018;**41**:146–51.
- 921 214 Barszczewski J. Shutting Up: Cis Accountability in Trans Writing Studies Research. *Peitho*
922 2020;**22**.
- 923 215 Keyes O, Austin J, Zimmer M. AUTOBIOGRAPHY OF AN AUDIT: TRACING THE ROOTS
924 AND REPERCUSSIONS OF THE HRT-TRANSGENDER DATABASE. *AoIR Sel Pap Internet Res*
925 Published Online First: 5 October 2020. doi:10.5210/spir.v2020i0.11249

926 216 Guthman eartha M. “Maybe Leaves Shake the Wind?”: Gliske 2019, Transgender Health
927 Research, and Inclusion in the Academy. [https://year2020.iscientist.de/wp-](https://year2020.iscientist.de/wp-content/uploads/speaker_slides/Mae_Guthman_iS_gliske2019.pdf)
928 [content/uploads/speaker_slides/Mae_Guthman_iS_gliske2019.pdf](https://year2020.iscientist.de/wp-content/uploads/speaker_slides/Mae_Guthman_iS_gliske2019.pdf) (accessed 6 May 2021).

929 217 Retraction: Gliske, A New Theory of Gender Dysphoria Incorporating the Distress, Social
930 Behavioral, and Body-Ownership Networks. *eneuro* 2020;**7**:ENEURO.0149-20.2020.
931 doi:10.1523/ENEURO.0149-20.2020

932 218 Dear Neuroscience: Stop Trying to “Fix” Diversity. Semipermeable Membr.
933 2020.<https://hpsns.hypotheses.org/1050> (accessed 6 May 2021).

934 219 Wiggers K. “Fundamentally flawed” study describes facial recognition system designed to
935 identify non-binary people. 2020.[https://venturebeat.com/2020/07/14/study-describes-facial-](https://venturebeat.com/2020/07/14/study-describes-facial-recognition-system-designed-to-identify-non-binary-people/)
936 [recognition-system-designed-to-identify-non-binary-people/](https://venturebeat.com/2020/07/14/study-describes-facial-recognition-system-designed-to-identify-non-binary-people/) (accessed 6 May 2021).

937 220 Lopez G. The catastrophically bad New York Times op-ed on transgender research, debunked.
938 2015.<https://www.vox.com/2015/8/24/9197789/new-york-times-transgender-research> (accessed 6
939 May 2021).

940 221 Swartz A. “Are you really trans?”: The Problem with Trans Brain Science. IJFAB Blog.
941 2018.<http://www.ijfab.org/blog/2018/07/3694/> (accessed 6 May 2021).

942 222 Ashley F. A critical commentary on ‘rapid-onset gender dysphoria.’ *Sociol Rev* 2020;**68**:779–99.
943 doi:10.1177/0038026120934693

944 223 Retract hate, end gender conversion therapy. <https://www.retracthate.com/> (accessed 6 May
945 2021).

946 224 Leland W. Make No Mistake: A Call for the Official Retraction of Rekers & Lovaas (1974).
947 [https://www.change.org/p/dr-linda-leblanc-and-the-society-for-the-experimental-analysis-of-](https://www.change.org/p/dr-linda-leblanc-and-the-society-for-the-experimental-analysis-of-behavior-make-no-mistake-a-call-for-the-official-retraction-of-rekers-lovaas-1974?signed=true)
948 [behavior-make-no-mistake-a-call-for-the-official-retraction-of-rekers-lovaas-1974?signed=true](https://www.change.org/p/dr-linda-leblanc-and-the-society-for-the-experimental-analysis-of-behavior-make-no-mistake-a-call-for-the-official-retraction-of-rekers-lovaas-1974?signed=true)
949 (accessed 6 May 2021).

950 225 Eckhert E. A Case for the Demedicalization of Queer Bodies. *Yale J Biol Med* 2016;**89**:239–46.

951 226 Dismantling A Culture of Violence: Understanding Anti-Transgender Violence and Ending the
952 Crisis. <https://assets2.hrc.org/files/assets/resources/2018AntiTransViolenceReportSHORTENED.pdf>
953 (accessed 5 Jan 2021).

954 227 Lev AI. Gender Dysphoria: Two Steps Forward, One Step Back. *Clin Soc Work J* 2013;**41**:288–
955 96. doi:10.1007/s10615-013-0447-0

956 228 Daley A, Mulé NJ. LGBTQs and the DSM-5: A Critical Queer Response. *J Homosex*
957 2014;**61**:1288–312. doi:10.1080/00918369.2014.926766

958 229 Namaste V. Undoing Theory: The “Transgender Question” and the Epistemic Violence of Anglo-
959 American Feminist Theory. *Hypatia* 2008;**24**:11–32. doi:10.1111/j.1527-2001.2009.01043.x

960 230 Liang JJ, Gardner IH, Walker JA, *et al.* OBSERVED DEFICIENCIES IN MEDICAL STUDENT
961 KNOWLEDGE OF TRANSGENDER AND INTERSEX HEALTH. *Endocr Pract Off J Am Coll*
962 *Endocrinol Am Assoc Clin Endocrinol* 2017;**23**:897–906. doi:10.4158/EP171758.OR

231 Li X. Advocates express need for increased research in transgender health care.
2017.[https://dailybruin.com/2017/06/11/advocates-express-need-for-increased-research-in-](https://dailybruin.com/2017/06/11/advocates-express-need-for-increased-research-in-transgender-health-care)
transgender-health-care (accessed 29 Jan 2021).

232 Cuerda C, Schneider SM, Van Gossum A. Clinical nutrition education in medical schools:
Results of an ESPEN survey. *Clin Nutr Edinb Scotl* 2017;**36**:915–6. doi:10.1016/j.clnu.2017.05.001

233 Melber DJ, Teherani A, Schwartz BS. A Comprehensive Survey of Preclinical Microbiology
Curricula Among US Medical Schools. *Clin Infect Dis Off Publ Infect Dis Soc Am* 2016;**63**:164–8.
doi:10.1093/cid/ciw262

234 Stroumsa D. The State of Transgender Health Care: Policy, Law, and Medical Frameworks. *Am J*
Public Health 2014;**104**:e31–8. doi:10.2105/AJPH.2013.301789

235 Lam K. Some Americans are denied “lifesaving” health care because they are transgender. USA
Today. 2018.[https://www.usatoday.com/story/news/2018/12/11/transgender-health-care-patients-](https://www.usatoday.com/story/news/2018/12/11/transgender-health-care-patients-advocates-call-improvements/1829307002/)
advocates-call-improvements/1829307002/ (accessed 29 Jan 2021).

236 Christensen J. Puberty blockers can be “life-saving” drugs for trans teens, study shows.
2020.<https://www.cnn.com/2020/01/23/health/transgender-puberty-blockers-suicide-study/index.html>
(accessed 29 Jan 2021).

237 Winter S, Conway L. How many trans* people are there? A 2011 update incorporating new data.
2011.

238 Cassian. Gender Census 2020: Worldwide Report. 2020.[https://gendercensus.com/results/2020-](https://gendercensus.com/results/2020-worldwide/)
worldwide/ (accessed 22 Jan 2021).

239 Cassian. Gender Census 2021: Worldwide Report. 2021.[https://gendercensus.com/results/2021-](https://gendercensus.com/results/2021-worldwide/)
worldwide/ (accessed 5 May 2021).

240 Nonbinary? Intersex? 11 U.S. states issuing third gender IDs. Reuters.
2019.[https://www.reuters.com/article/us-us-lgbt-lawmaking/nonbinary-intersex-11-u-s-states-issuing-](https://www.reuters.com/article/us-us-lgbt-lawmaking/nonbinary-intersex-11-u-s-states-issuing-third-gender-ids-idUSKCN1PP2N7)
third-gender-ids-idUSKCN1PP2N7 (accessed 8 Jan 2021).

241 Haug O. The State Department Will Finally Allow “X” Gender Marker on Passports.
2021.<https://www.them.us/story/biden-state-department-allows-x-gender-marker-passports> (accessed
6 Jul 2021).

242 Intersex is not a gender identity, and the implications for legislation.
2012.<https://ihra.org.au/17680/intersex-characteristics-not-gender-identity/> (accessed 19 Jan 2021).

243 Intersex Data Collection: Your Guide to Question Design. [https://interactadvocates.org/intersex-](https://interactadvocates.org/intersex-data-collection/)
data-collection/ (accessed 5 May 2021).

Figure 1. The current state of trans health care education, wherein patients are the primary educators of providers. (A) The percentage of medical students among 365 Canadian medical schools who felt knowledgeable enough to care for transgender patients.[122] (B) Percentage of transgender patients who reported having a negative experience with a health care provider in the 2015 United States Transgender Survey (USTS).[1] (C) The number of LGBTQ education hours [118] and estimated percentage of transgender education hours,[122,230] based on percentage hours in other disciplines,[231] compared to hours in nutrition and microbiology.[232,233] The total number of hours was conservatively estimated based on 1,100 hours of instruction in the first two years of medical school. We estimate that approximately 18.3 minutes of medical education is spent on transgender-related care, care which is potentially life-saving for millions of people.[234–237]

Figure 2. A potential question to ask an individual their pronouns. Individuals may use or be comfortable with multiple sets of pronouns, hence “choose all that apply”. Neopronouns were added based on the two most recent Gender Censuses (2020, 2021), in which over 24,000 and 44,000 nonbinary people, respectively, were queried about their terminological usages.[238,239] Pronoun sets could be shifted in or out based on usage statistics on a local level over a period of time. Having a pronoun not listed could alert the medical provider about pronoun usage prior to the encounter. Selecting (j) could trigger a series of potential privacy options, wherein the patient could determine pronouns for various kinds of health care encounters depending on safety, presentation, etc.

Figure 3. Examples of two ways to ask for identification of transgender identity: direct method (one-step) and indirect method (two-step). “;” indicate options that may be used to similar effect in certain circumstances. In general, it should be clear that this information is not a proxy for karyotype or organ inventory, which should be ascertained independently (see Supplement A). However, it is important to include for providers, researchers, and patients, as patients might not have karyotype- or organ inventory-based knowledge and tests may be unaffordable, unavailable, or unnecessarily invasive. Note 1: For fetuses, neonates, and infants for which gender identity has not yet developed, a medical provider could enter ‘unknown’, ‘uncertain’, ‘undifferentiated’, or ‘none’. Note 2: This may only be appropriate in some jurisdictions as the

1044 original birth certificate may no longer officially exist (such as in Germany). It does resolve
1045 ambiguity in a situation wherein a patient has been issued a new birth certificate with an updated
1046 gender marker. Additionally, there may be values/options for this question that differ
1047 significantly by jurisdiction. Note 3: ‘X’ is currently (as of July 2021) provided in some
1048 jurisdictions, such as in New York, Washington, D.C., New Jersey, California, etc. and has been
1049 recently approved for federal documentation in the U.S.[240,241] Its inclusion should now be
1050 considered mandatory for this question. Note that intersex is not included as either a gender
1051 identity or as an assigned gender at birth. While occasionally, intersex is considered a gender
1052 identity or as an assigned gender at birth, it is commonly thought of as inappropriate, because
1053 intersex people can have many different gender identities or assigned genders at birth²². [242]
1054 For more information on intersex-inclusive question design, see “Intersex Data Collection: Your
1055 Guide to Question Design”. [243]

²² Some intersex people do identify their gender identity as “intersex” or “hermaphrodite” (typically as a form of reclamation), but these identifications can adequately be covered by “A gender not listed (please specify)” in most cases.