Moving Healthcare Professionals Programme Phase 1

Clinical Champions' Physical Activity Training Programme

**Final Evaluation Report
March 2019**

Authors

Dr Liz Carlin - Research & Evaluation Associate, National Centre for Sport and Exercise Medicine, School of Sport, Exercise and Health Sciences, Loughborough University, UK.

Hayley Musson - Research & Evaluation Associate, National Centre for Sport and Exercise Medicine, School of Sport, Exercise and Health Sciences, Loughborough University, UK.

Dr Emma Adams – Senior Research Associate, National Centre for Sport and Exercise Medicine, School of Sport, Exercise and Health Sciences, Loughborough University, UK.

Acknowledgements

The evaluation team would like to thank the project funders: Public Health England and Sport England, Clinical Champions and training participants for their support with the evaluation of this project. We would also like to acknowledge Kim Buxton and Dr Maxine Whelan for their contributions to the project.

Suggested citation

Carlin, E., Musson, H. and Adams, E.J. (2019) Evaluation of the Clinical Champions' Physical Activity Training Programme (Moving Healthcare Professionals Phase 1). National Centre for Sport and Exercise Medicine, School of Sport, Exercise and Health Sciences, Loughborough University, Loughborough, UK.

Executive Summary

Background

In 2014 Public Health England (PHE) launched the National Physical Activity Framework 'Everybody Active, Everyday'. The framework included a key domain for action called 'Moving Professionals'. The Moving Professionals Programme aims to build expertise and leadership across key professional sectors and to raise awareness and understanding of the health benefits of physical activity among professionals and the wider public. As part of the Moving Professionals Programme, PHE developed a network of Clinical Champions who were tasked with providing peer-to-peer training on physical activity for healthcare professionals. The long-term aim of the Clinical Champions' Physical Activity (CCPA) training programme is to increase population levels of physical activity by increasing the proportion of healthcare professionals integrating conversations about physical activity into routine clinical practice in England. The aims of the current CCPA training programme are to:

- Raise knowledge and awareness of the value of physical activity for the prevention and treatment of chronic disease
- Increase the knowledge and confidence of healthcare professionals to deliver brief advice on physical activity to patients
- Increase the frequency of physical activity brief interventions delivered by healthcare professionals to patients as a method of clinical care.

This report outlines the findings from the evaluation of the CCPA training programme which is part of Phase 1 of the Moving Healthcare Professionals programme.

Evaluation

An evaluation of the CCPA training programme was conducted by researchers based at the National Centre for Sport and Exercise Medicine at Loughborough University. The objectives of the evaluation were to:

1. Evaluate the uptake and utilisation of the CCPA training programme and the different training models
2. Assess the perceived impact of the CCPA training programme on healthcare professionals' confidence, knowledge and application of brief physical activity advice in routine clinical practice
3. Assess whether there is any differential impact of the CCPA training programme when sessions are delivered by different types of Clinical Champion (i.e. doctor, nurse or allied healthcare professional) to different healthcare professional audiences
4. Assess the perceived strategic impact of the Clinical Champion training programme.

A mixed methods approach was used to evaluate the programme. Data were collected using: 1) a session sign-in sheet completed by Clinical Champions/training attendees; 2) a session delivery audit form completed by Clinical Champions; 3) a self-report survey completed by healthcare professionals attending the training at baseline (pre-training) with follow up surveys at 4 weeks and 12 weeks post-training; 4) telephone

interviews with Nurse Clinical Champions to assess challenges and facilitators of implementation and perceptions of the impact of the programme; and 5) telephone interviews with key stakeholders to assess the wider strategic impact of the CCPA training programme and its role within the agenda of physical activity promotion.

Key findings

During the evaluation period (February–December 2018), 509 training sessions were delivered which were attended by 8,917 healthcare professionals. This included participants with a broad range of roles (35% doctors; 19% nurses; 18% other allied healthcare professionals; 16% students or medical students). The highest proportion of professionals were trained in London (22%) and the North West (21%) with the fewest in East Midlands (6%) North East (4%) reflecting the number of Clinical Champions in post in each region. In December 2018, 46 Clinical Champions were actively delivering training. A high proportion of the training was delivered peer-to-peer in matched job roles with 86% of doctors being trained by Medic Clinical Champions and 69% of nurses being trained by Nurse Clinical Champions. There was more variation in the training of allied healthcare professionals with 33% trained by Medic Champions, 34% trained by Nurse Champions and 29% trained by allied healthcare professional Champions.

There was considerable variation in the context, duration and content of the training sessions. Two thirds of training sessions were standalone sessions; compared to a third delivered as part of wider training programmes. Just over half of training was done as formal training in protected learning time, in comparison to a third which was delivered making use of other Continuing Professional Development events/opportunities, e.g. clinical meetings, lunchtime meetings etc. The duration of training sessions varied (on average they lasted 1.5 hours; ranging from 20 minutes to 3 hrs 30 mins). The core slide set was used in two thirds of sessions; a further third of sessions used a combination of core slides and supplementary slides. It was often not specified which slides were used in training sessions making it difficult to evaluate exactly what was delivered as part of the training. Challenges faced by Clinical Champions in delivering the training included: the initial setting up of training sessions and finding the contacts of suitable persons within trusts and practices; low attendance; limited time to deliver sessions; and a reluctance to engage with and support the promotion of physical activity from some participants. However, this was counteracted by the engagement of most participants who attended the training; and the changes in perception about physical activity which was thought to develop positively during the training sessions.

Overall, the CCPA programme had a positive impact on healthcare professionals in relation to reported promotion of physical activity. The CCPA training increased healthcare professionals' knowledge of the UK guidelines for physical activity in a quarter of participants; the improvement in knowledge was sustained at 12 weeks post-training in this group. There was a significant positive increase in agreement that discussing physical activity with patients is part of the participants' role, which was also sustained after 12 weeks. Healthcare professionals' confidence to advise patients about becoming more active increased significantly between baseline and follow-up. The number of conversations healthcare professionals have, and the length of these conversations, was also reported to have increased. No significant differences were identified on the impact of the programme when the training was delivered by different types of Clinical Champions to different

healthcare professionals. However, the wide variability in the training delivered with regard to the context, duration, format and content may have impacted on the findings.

Key stakeholders were hesitant to provide feedback on the direct impact of the CCPA programme as they felt it formed part of the wider, strategic agenda on the promotion of physical activity and may be influenced by many other programmes which are currently being delivered. However, they were clear that this programme was perceived to provide an adequate level of training to healthcare professionals on physical activity, but that a business case was needed showing increases in patient physical activity levels and a reduction in the need for medication to support embedment of the programme in local policy and commissioning activities.

Recommendations

Based on the findings from the evaluation of the CCPA training programme, key recommendations for the programme are as follows:

1. Increase awareness-raising activities for the programme and raise the profile of physical activity within the healthcare profession to enhance recruitment of training participants.
2. Review and revise programme materials and additional supporting resources to ensure they are fit for purpose, standardised and kept up to date.
3. Review the format, context and content of training to standardise the programme including opportunities to follow-up with and support trainees to sustain programme impact.
4. Increase support for Clinical Champions to enhance training programme delivery.

Table of Contents

Executive Summary	iii
1. Introduction	1
1.1 Background and rationale	1
1.2 Clinical Champions' Physical Activity training programme	2
1.3 Purpose of report	2
2. Evaluation	3
2.1 Evaluation aims and objectives	3
2.2 Evaluation framework	3
2.3 Evaluation design	4
2.4 Evaluation methods.....	4
2.4.1 Process evaluation	4
2.4.2 Impact evaluation.....	5
2.4.3 Telephone interviews.....	7
2.5 Evaluation governance	8
3. Uptake and utilisation of the CCPA training programme	9
3.1 Programme implementation	9
3.1.1 Number of training sessions delivered.....	9
3.1.2 Programme reach.....	10
3.1.3 Numbers trained per training session.....	10
3.1.4 Session delivery	11
3.1.5 Context of training session.....	12
3.1.6 Duration of the training.....	13
3.1.7 Content of the training.....	13
3.2 Successes and challenges of session delivery	15
4. Impact of training on healthcare professionals' knowledge and behaviour.....	19
4.1 Sample size and characteristics.....	19
4.1.1 Participant characteristics	19
4.2 Value placed on physical activity.....	21
4.3 Impact on knowledge and behaviour.....	22
4.3.1 Knowledge.....	22
4.3.2 Role Perception	24
4.3.3 Importance of discussing the benefits of physical activity with patients	25
4.3.4 Confidence to advise patients about becoming more active.....	25
4.3.5 Frequency of physical activity conversations with patients	26
4.3.6 Duration of physical activity conversations with patients	27

4.4 Differential impact of training by different types of Clinical Champion	28
4.5 Barriers to discussing physical activity	29
4.6 Participants perceptions of the training.....	32
4.6.1 Additional comments	34
5. Nurse Clinical Champion perspectives	36
5.1 Nurse Clinical Champions involvement in the CCPA training programme.....	36
5.2 Nurse champions prior training/knowledge on physical activity and behaviour change	36
5.3 Nurse Clinical Champions understanding of the CCPA programme	37
5.4 Nurse champions views on CCPA training	38
5.4.1 Content, format and duration of CCPA training.....	38
5.4.2. Training of Nurse Clinical Champions and cascading information	39
5.5 Nurse champions delivery of the programme	40
5.6 Key strengths/benefits of the training	42
5.7 Key challenges encountered with the CCPA training	43
5.8 Future delivery of the CCPA programme	45
6. Strategic impact of the CCPA training programme	47
6.1 Current implementation.....	47
6.2 Perceived impact of the CCPA training programme.....	48
6.3 Support post-training	48
6.4 Wider strategic impact	48
6.5 Additional suggestions	49
7. Key findings and recommendations	50
7.1 Summary of key findings	50
7.2 Recommendations for the Clinical Champions Physical Activity Programme	54
7.3 Evaluation strengths and limitations.....	56
8. References	58
Appendices	59
Appendix A Session sign-in sheet	60
Appendix B Session delivery audit form.....	61
Appendix C Baseline participant survey	62
Appendix D Follow-up participant survey (week 4)	64
Appendix E Follow-up participant survey (week 12).....	67
Appendix F Nurse Clinical Champion telephone interview schedule.....	69
Appendix G Stakeholder telephone interview schedule	72

1. Introduction

1.1 Background and rationale

Insufficient physical activity, defined as participating in less than 150 minutes of moderate intensity physical activity per week, is now recognised as the fourth leading risk factor for global mortality and is linked to 9% of premature mortality cases globally.¹ There is substantial evidence of the benefits of physical activity for the prevention and management of many long-term conditions.² For example, physical activity has been associated with a 20-35% risk reduction in coronary heart disease and stroke, 35-40% risk reduction in type 2 diabetes, 30-50% risk reduction in colon cancer and 33% risk reduction in high blood pressure.³ Physical inactivity costs the UK economy an estimated £7.4 billion annually.^{4,5}

Given the wealth of scientific evidence on the health benefits of physical activity, it is logical to suggest that increasing levels of physical activity will likely reduce people's risk of developing a long-term condition. However, despite these well-recognised benefits, a high proportion of the UK adult population fail to meet the UK Chief Medical Officer's physical activity guidelines.⁶ It is therefore important that efforts are made to increase population levels of physical activity.

One potential opportunity for promoting physical activity is to encourage healthcare professionals to discuss physical activity with their patients. Over 300 million consultations occur each year in primary care⁷ and within this setting patients consult with a range of healthcare professionals, such as the general practitioner (GP), practice nurse and allied healthcare professional. With this potential reach within the general population, primary care can be viewed as an ideal setting to promote lifestyle behaviour change, including physical activity. This can build on existing foundations where discussions often happen about stopping smoking and moderating alcohol intake.⁸ Research has found that one in four people would be more active if told by their GP, practice nurse or pharmacist that physical activity would help them manage their condition.⁹ This may be because patients consider healthcare professionals as credible sources of information.¹⁰

Unfortunately, many GPs and other healthcare professionals are not routinely trained to offer advice about physical activity. The amount of time spent teaching physical activity has been referred to as 'negligible' at undergraduate level with only 56% of UK medical schools confirming students were taught about the UK guidelines for physical activity.¹¹ NICE public health guidance recommends that primary care practitioners should, whenever the opportunity arises, discuss physical activity with their patients. However, this guidance also acknowledges that a lack of knowledge and training may inhibit some primary care professionals from raising the issue of physical activity with their patients.¹² This may be why 54-72% of patients have not received any advice about physical activity in their consultations.¹³ Consequently, the NICE guidance encourages health service commissioners to provide training for primary care professionals about how physical activity promotion fits within their remit and how it can help prevent and manage numerous health conditions.¹²

1.2 Clinical Champions' Physical Activity training programme

To address the issues outlined above and encourage health care professionals to discuss physical activity with their patients, efforts have begun to champion the integration of brief advice on physical activity in primary care through Public Health England's Clinical Champions' Physical Activity (CCPA) training programme. The long-term aim of this peer-to-peer training programme is to increase physical activity by increasing the proportion of healthcare professionals integrating conversations about physical activity into routine clinical practice in England. The objectives of the CCPA training programme are to:

- Raise knowledge and awareness of the value of physical activity for the prevention and treatment of chronic disease
- Increase the knowledge and confidence of healthcare professionals to deliver brief advice on physical activity to patients
- Increase the frequency of physical activity brief interventions delivered by healthcare professionals to patients as a method of clinical care.

CCPA training is offered for free to registered health professionals and is delivered by trained Physical Activity Clinical Champions. Key topics covered include: 1) definitions and the evidence base for physical activity and health; 2) the physical activity guidelines; 3) the importance of physical activity for the prevention and management of disease; and 4) the integration of brief interventions for physical activity into clinical practice utilising behaviour change theory. In some training sessions, depending on the Champion, audience and time available for training, additional topics are covered. For example, motivational interviewing and the relationships between physical activity and specific chronic conditions. Slide sets (core and supplementary) are provided by Public Health England to support the training sessions.

Overall delivery, management and accountability for the CCPA training programme is the responsibility of Public Health England under the remit of the Diet, Obesity and Physical Activity Division. The CCPA training programme is part of a whole system approach to embed physical activity in clinical practice.¹⁴

1.3 Purpose of report

The purpose of this report is to provide the evaluation findings for the CCPA training programme (for training sessions delivered between 5th February 2018 and 31st December 2018) and to make recommendations for the future delivery and evaluation of the programme.

2. Evaluation

This evaluation of the Clinical Champions' Physical Activity (CCPA) training programme was led and conducted by researchers based at the National Centre for Sport and Exercise Medicine at Loughborough University.

2.1 Evaluation aims and objectives

The overall aim of the evaluation was to determine whether the CCPA training programme achieved its aims and objectives. The objectives of the evaluation were to:

1. Evaluate the uptake and utilisation of the CCPA training programme and the different training models
2. Assess the perceived impact of the CCPA training programme on healthcare professionals' confidence, knowledge and application of brief physical activity advice in routine clinical practice
3. Assess whether there is any differential impact of the CCPA training programme when sessions are delivered by different types of Clinical Champion (i.e. doctor, nurse or allied healthcare professional) to different healthcare professional audiences
4. Assess the perceived strategic impact of the Clinical Champion training programme.

2.2 Evaluation framework

The evaluation of the CCPA training programme is based on Kirkpatrick's Four-Level Training Evaluation Model.¹⁵ Figure 2.1 shows Kirkpatrick's Model and the factors which should be assessed at each level in order to effectively evaluate training programmes. At level 1 Kirkpatrick recommends researchers evaluate the participants' reaction to the training, specifically examining whether participants found the training useful and relevant to their role. At level 2 he recommends researchers assess the extent to which learning has taken place and measure the extent to which participants change attitudes, improve knowledge and/or increase skills because of attending the training and at level 3 he suggests evaluators should measure the extent to which change in the participants' self-reported behaviour has occurred because of attending the training. Finally, at level 4 Kirkpatrick recommends evaluators examine the perceived impact of the training at a patient and local level. This phase of the CCPA training programme evaluation focussed on Levels 1-3.

Figure 2.1: Kirkpatrick's (1959) Four-Level Training Evaluation Model¹⁵

2.3 Evaluation design

A mixed methods approach was used to evaluate the CCPA training programme. A process evaluation was conducted to assess the extent of delivery and the reach of the CCPA training programme (Objective 1). To address objectives 2 and 3, a quasi-experimental pre-post evaluation design was adopted to assess the extent to which learning took place and to measure the extent to which change in the participants' self-reported behaviour occurred as a result of attending the training. In addition, post-only telephone interviews were conducted with a sub-sample of Nurse Clinical Champions to explore implementation and perceived impact of the programme. Finally, interviews were conducted with key stakeholders to assess the wider strategic impact of the CCPA training programme (Objective 4).

2.4 Evaluation methods

Quantitative data collection was coordinated by Loughborough University with assistance from the Clinical Champions and an external data capture agency (Cuttlefish Ltd). Qualitative data collection was conducted by Loughborough University. A summary of the data collection methods used is shown in Table 2.1.

Table 2.1 Summary of data collection methods

Objective 1	Session sign-in sheet (completed by Clinical Champions/training attendees) Session delivery audit form (completed by Clinical Champions) Telephone interviews with nurses
Objective 2	Baseline survey completed by training attendees Follow-up survey 1 completed by training attendees (four weeks post-training)
Objective 3	Follow-up survey 2 completed by training attendees (twelve weeks post-training) Telephone interviews with nurses
Objective 4	Telephone interviews with key stakeholders

2.4.1 Process evaluation

2.4.1.1 Programme reach

At the start of each training session the Clinical Champions asked all attendees to register their attendance by signing a standardised session sign-in sheet (Appendix A). The sign-in sheet captured the attendees name, email address and professional role or position (i.e. doctor in training, doctor not in training, student nurse, registered nurse, trainee healthcare professional, Registered healthcare professional or another role). The Clinical Champion's name, their unique ID code, and the date and location of the training session was also recorded on the sheet.

2.4.1.2 Programme delivery

The Clinical Champions were asked to complete a short session delivery audit form (Appendix B) for each training session. This form captured the following data:

- Clinical Champion's profession
- Date of the training session
- Location of the training session (i.e. region, town/city and type of venue)

- Slide set used for the presentation (i.e. core, supplementary, combination of core and supplementary, other)
- Context of the training session (i.e. protected learning time (PLT), protected training initiative (PTI), GP vocational training scheme (VTS), conference, other continuing professional development (CPD) event)
- Time allocated for the training and subsequent duration of the presentation
- Wider context of the presentation (i.e. part a wider training session or stand-alone, duration of the wider session)
- Feedback on 'What went well?', 'What could have gone better?' and 'Any additional comments'.

2.4.2 Impact evaluation

2.4.2.1 Baseline survey

Prior to the start of the training session, all attendees were asked to complete a brief 16-item survey (estimated to take 5-7 minutes to complete) (Appendix C). The survey captured data on the attendee (i.e. name, email address and age), their current professional position (and accompanying pay scale to elicit hierarchy/progression), the perceived role that physical activity plays in their current role, current knowledge of the UK Government's Physical Activity Guidelines, confidence toward advising patients about their physical activity and perceived barriers to assessing patients' physical activity levels.

Training attendees were asked by the Clinical Champions to complete the baseline survey online, or if the attendee was unable to access the online survey a paper copy of the baseline survey was provided for completion. The Clinical Champions were encouraged to prioritise the online survey as this was quicker and easier to process than the paper format.

All Clinical Champions were asked to adhere to the following evaluation protocol:

1. Provide paper copies of the Participant Information Sheets to all attendees
2. Verbally introduce the evaluation and its purpose
3. Display the evaluation slide containing the website/URL directing them to the questionnaire (i.e. ccpasurvey.uk)
4. Encourage timely completion
5. Identify attendees unable to access the survey online:
 - a. Provide paper copies of the survey to these attendees
 - b. Ask these attendees to read the consent form and if they agree initial each box and sign the consent form
 - c. Check the attendee has initialled and signed the consent form (and countersign then or after the session)
 - d. Ask attendees who have consented to take part to complete the paper survey
 - e. Inform these attendees that the electronic copies of the consent forms will be emailed to them once paperwork has been returned to Loughborough University
 - f. Collect all survey and keep the signed consent form attached
6. Start the presentation/training session.

The online and paper-based surveys were identical in content *except* that the online survey referred to the 'AFC band' (up-to-date terminology) whereas the paper-based survey referred to the 'A&C band' (outdated terminology). This was detected after the paperwork had been printed and dispatched to the Clinical Champions and, having checked that the responses remained identical regardless of which phrase was used, attendees were expected to correctly interpret either of the two phrases used.

Consent for both the online and paper baseline survey referred to taking part in the baseline questionnaire as well as two additional follow-up surveys (both online).

2.4.2.2 Follow-up survey 1 (4 weeks post-training)

A link to a 27-item survey (Appendix D) (estimated to take 10 minutes to complete) was emailed to those who consented to take part in the evaluation. The first 16 questions in the follow-up survey were identical to the baseline survey. The time 1 follow-up survey included eleven additional questions: eight questions relating to aspects of the training, i.e. content, delivery, duration, usefulness and relevancy; one question asking if participants wanted to take part in the prize draw and two filter questions to determine whether participants had received any information about the Physical Activity Clinical Advice Pad (PACAP) during their training and whether they were involved in PACAP pilot study. This online survey was emailed by Loughborough University via Cuttlefish 4 weeks after the training session. If the survey was not completed, reminder emails were sent after 5 weeks and after 6 weeks minus 1 day to prompt attendees to complete the survey. The 4-week survey officially closed after being accessible for 2 weeks.

2.4.2.3 Follow-up survey 2 (12 weeks post-training)

A link to a 19-item survey (Appendix E) (estimated to take 5 minutes to complete) was emailed to those who consented to take part in the follow-up evaluation. The first 16 questions in the time 2 follow-up survey were identical to the baseline survey and the time 1 follow-up survey. The time 2 follow-up survey included three additional questions: one question asking if participants wanted to take part in the prize draw and two filter questions to determine whether participants had received any information about the Physical Activity Clinical Advice Pad (PACAP) during their training and whether they were involved in PACAP pilot study. This online survey was emailed by Loughborough University via Cuttlefish 12 weeks following their attendance at the training session. If the survey was not completed, reminder emails were sent after 13 weeks and 14 weeks minus 1 day to prompt attendees to complete the survey. The 12-week survey officially closed at 14 weeks after being accessible for 2 weeks.

For both follow-up surveys, participants were asked if they wished to be included in the prize draw (yes/no) to help incentivise and encourage survey completion. The prizes were valued at £50 and winners were randomly selected from the collection of responders who answered 'yes' to the prize draw question. Two prizes were drawn each month from the pool of participants who completed either follow-up survey.

2.4.2.4 Data extraction, cleaning and analysis

All participant baseline and follow-up data were exported from Cuttlefish's online admin portal. An SPSS database was created to collate the information gathered from the baseline and two follow-up surveys. To

ensure accuracy and consistency of responses, the database was cleaned prior to analysis. This included identifying cases of missing data, coding responses (e.g. Yes/No to 1/0), excluding residual data and ensuring data was presented in identical units (e.g. minutes rather than hours and minutes). To minimise the number of spreadsheets containing data, and so the chance of error, Cuttlefish arranged a function which allowed paper responses to be imported. An additional database was exported which contained data from the session sign-in sheets and session delivery audit forms. An SPSS database was created, and the data were cleaned. Responses were made consistent where possible e.g. minutes for presentation duration.

Descriptive statistics were used to characterise training attendees. Inferential statistics were used to assess changes between baseline and follow-up. Statistical data and p-values are not included in this report at the request of the funder. Responses to open-ended questions were reviewed and key themes identified.

2.4.2.5 Analysis of sign-in sheets and session delivery audit forms

Descriptive statistics were used to determine frequencies and characterise training sessions. Responses to open-ended questions were reviewed and key themes identified.

2.4.3 Telephone interviews

2.4.3.1 Nurse Clinical Champions

A sub-sample of nurse Clinical Champions were interviewed in January 2019 to explore their views on the content and duration of the training, previous physical activity and behaviour change training, as well as gauging their perceptions on how well the training and resources equipped them to cascade the information. Their thoughts on what would need to happen to improve future delivery of the Clinical Champion Physical Activity (CCPA) programme were also sought. Twelve of the sixteen currently active nurse Clinical Champions were contacted to take part in the survey. The remaining 4 were not contacted due to currently being on extended periods of leave, maternity leave etc. Of the 12 champions, 9 responded and agreed to take part in a telephone interview. These champions represented a range of geographical locations and different levels of experience of the CCPA programme. A participant information sheet was emailed to champions providing details on the purpose of the interview and champions were asked if they were willing to take part. If champions were happy to be involved a suitable time for the telephone interview was arranged. Each champion confirmed verbally at the start of the interview that their consent to take part.

Interviews typically lasted 45 minutes and were conducted using a semi-structured interview schedule (Appendix F) to guide the discussions through key topic areas, however interviews were flexible and accommodated the flow of the conversation.

2.4.3.2 Key stakeholders

Attempts to recruit a sub-sample of key stakeholders to take part in a telephone interview were made in February/March 2019. The purpose of the interviews was to determine the wider strategic impact of the CCPA training programme. Eight potential interviewees were contacted via email and telephone and invited to take part in the interviews. The interviewees represented organisations such as local authority public health teams, the local Active Partnership (formerly County Sports Partnership), the Academy of Medical

Royal Colleges, Royal College of GPs, the GP VTS (Vocational Training Scheme) and a local medical practice. Three agreed to take part, one declined and the others did not respond. Interviews typically lasted 45 minutes and were conducted using a semi-structured interview schedule (Appendix G) to guide the discussions through key topic areas, however interviews were flexible and accommodated the flow of the conversation.

2.4.3.3 Data analysis

All recordings of interviews with nurse Clinical Champions and key stakeholders were transcribed verbatim by an independent administrator. Data were coded into key theme areas. The topics within each theme were then analysed for emerging recurrent views and opinions.

2.5 Evaluation governance

Ethical approval was obtained from Loughborough University's Ethics Approvals (Human Participants) Sub-Committee (reference: C17-87; dated: 11-Dec-2017). This evaluation complied with the Data Protection Act (1998), General Data Protection Regulations (2018) and the guiding principles of Good Clinical Practice.

3. Uptake and utilisation of the CCPA training programme

The findings presented in this section of the report relate to the training sessions delivered during the evaluation period between the period 5th February 2018 to 31st December 2018. Additional training sessions have been delivered outside of the evaluation period which are not reported here. This section aims to report the process evaluation on the uptake and utilisation of the CCPA training programme (Objective 1).

3.1 Programme implementation

3.1.1 Number of training sessions delivered

In total, 509 training sessions were delivered across the nine regions of England between February and December 2018. As can be seen in Figure 3.1 below, most sessions took place within the North West and London regions (23% and 21% respectively), followed by 12% in the East of England and 10% in the South East region. The remaining 34% of sessions were delivered across the other 5 English regions. Although some regions have delivered a higher number of training sessions than others, it should be acknowledged that these regions typically have more Clinical Champions delivering the training. For example, London and the North West region both have seven Champions whereas the North East and the East Midlands only have three Champions.

Figure 3.1 Proportion of training sessions per region

3.1.2 Programme reach

Eight thousand nine hundred and seventeen (8,917) professionals signed into a training session which took place during the evaluation period (February and December 2018). Session sign-in sheets were not available for 15 of the 509 sessions and not everyone signed in to the session, therefore the true reach of the programme is likely to be higher.

Figure 3.2 below provides an overview of the professional role of those attending the training. The highest proportion of attendees were doctors in training (22%) or nurses (21%). Other professional roles (25%) included: Alternative Psychological Therapist; Social Worker; Counsellor; Exercise Instructor; Exercise Physiologist; Health Care Assistant; Student Occupational Therapist; Health Educator; Environmental Health Practitioner; Family Support Worker; Practice Manager; Podiatrist; and Health Trainer.

Figure 3.2 Professional role of training session attendees

3.1.3 Numbers trained per training session

Table 3.1 shows the number of people trained and average attendance per session overall and by region. Clinical Champions in London and the North West trained the highest number of people (21.6% and 20.7% respectively). Overall, 17 people attended each session on average; this ranged from 1 person at one session to 129 people at another session. Training sessions in the West Midlands and Yorkshire and Humber region had the highest average number of attendees. The East of England had a slightly lower average number of attendees per session.

Table 3.1 Number of attendees trained and average attendance per session overall and by region

Region	Numbers trained		Average number of people trained/session
	n	%	
London	1,884	21.6	19
North West	1,808	20.7	16
West Midlands	1,036	11.9	25
South East	1,018	11.7	21
East of England	744	8.5	13
Yorkshire & Humber	681	7.8	23
South West	652	7.5	17
East Midlands	541	6.2	18
North East	368	4.2	16
Overall	8,732*	-	17

*Overall total is less than the number of attendees that signed into a training session (8,917) as some sign in sheets did not identify the region of the session.

3.1.4 Session delivery

At the end of December 2018, forty-six Clinical Champions were actively delivering sessions in the CCPA training programme. The number and percentage of sessions delivered by the different Clinical Champion professional groups varied (Table 3.2). Medic Clinical Champions delivered almost half of the sessions (n= 239, 48%), followed by the Nurse Clinical Champions (n=202, 41%).

Table 3.2 Sessions delivered by different Clinical Champions

	Sessions	
	n	%
Medics	239	48
Nurses	202	41
Allied Healthcare Professionals	44	9
Other	12	2

The training predominantly followed the planned peer-to-peer approach with 85.9% of doctors being trained by Medic Clinical Champions and 69.3% of nurses being trained by Nurse Clinical Champions (Table 3.3). There was more variation in the training of allied healthcare professionals with 32.6% trained by Medic Champions, 34.0% trained by Nurse Champions and 28.5% trained by allied healthcare professional Champions. This may be explained by there being fewer allied healthcare professional Champions compared to the number of Medic and Nurse Clinical Champions available to deliver training.

Table 3.3 Training of professional groups by different Champions

Champion Role	Training participant role					
	Doctor n	Nurse n	Allied Healthcare Professional n	Medical student/ student n	Pharmacist n	Other n
Doctor (Medic)	1,818	388	332	212	20	80
Nurse	134	982	346	720	34	108
Allied Healthcare Professional	18	28	290	51	132	24
Other	146	20	50	6	0	6
Total trained	2,116	1,418	1,018	989	186	218

3.1.5 Context of training session

Three hundred and thirty-eight (69%) sessions were delivered as a standalone CCPA training session; one hundred and fifty-five (31%) were delivered as part of a wider training programme. Most training sessions took place either within protected learning or formal training programmes, i.e. protected learning time (41%), GP Vocational Training Scheme (9%) or conferences (5%) (Figure 3.3). The remaining sessions took place in a range of other continuing professional development events, such as clinical meetings, practice meetings, lunchtime meetings, improving access to psychological therapies training, multidisciplinary team meetings, student nursing module, secondary care grand rounds.

Figure 3.3 Context of training sessions

3.1.6 Duration of the training

Data on the duration of the training sessions was available for 490 sessions. The average duration was 88 minutes (1 hour 28 minutes), however the length of sessions ranged from 20 minutes (n=2) through to 210 minutes (3 hours 30 minutes) (n=1). The longer sessions were generally for student nursing modules with the shorter duration of training being for practice team meetings. A fifth (20%, n=97) of training sessions were given less time than originally scheduled. Several champions commented that this was due to the evaluation survey and registration taking longer than anticipated, time pressure due to late arrivals, and the delivery of the slide sets taking longer than planned.

Nearly a third (n=155, 31%) of Clinical Champion presentations formed part of another wider training session. The duration of these wider training sessions ranged from 2 hours to a week-long course. The topics of the wider training included GP updates/training afternoons, practice staff meetings, protected learning time, consultation evenings, foundation year doctor training/teaching, PA/obesity, social prescription and physical activity, diabetes workshops, health and wellbeing promotion days and trainee nurse associate study/training days.

Of those sessions which were delivered as part of a wider training event, over two thirds (71%, n=110) were delivered as per the scheduled duration, 16% (n=24) were given less time and the remaining 13% (n=21) were allotted more time than originally scheduled. Several Clinical Champions commented that they often found it difficult keeping to time due to overrunning of previous speakers within wider training sessions and events.

3.1.7 Content of the training

The CCPA training programme includes a range of training materials which includes core slide sets for medics and nurses, a psychology slide set used for training psychiatrists and mental health healthcare professionals plus bolt-on slides on motivational interviewing, pregnancy and the physical activity clinical advice pad. To gain an understanding of the content of the training sessions the Clinical Champions were asked to indicate on their session delivery audit form which slide set they used during their training session. The core slide set was used in just under two thirds of sessions (65%, n=312), however just under a third of training sessions (32%, n=155) included a combination of the core slides and supplementary slides (Figure 3.4). In a small percentage of training sessions (2%, n=9) only supplementary slides were used, with 'other' slides used in 1% (n=7) of sessions, these included AHP, psychiatry and psychology.

Figure 3.4 Training session slide sets utilised

Where relevant, the Clinical Champions were asked to specify which supplementary slides were used in their session. Table 3.4 shows that the physical activity clinical advice pad (22%), motivational interviewing (17%) and psychology (13%) supplementary slides were used the most alongside the core slides. However, just over a third of Clinical Champions did not specify which supplementary slides they used with the core slides making it difficult to assess exactly what was delivered during the training.

Table 3.4 Supplementary slide sets used within training sessions

Slide sets	Sessions	
	n	%
Not specified	56	36
Physical Activity Clinical Advice Pad (PACAP)	34	22
Motivational Interviewing (MI)	27	17
Psychology	20	13
Pharmacy	3	2
Psychiatry	3	2
MI and PACAP	3	2
County Sport Partnership	3	2
Midwifery	2	1
Allied Health Professional	1	1
Mental health	1	1
Psychology and MI	1	1

3.2 Successes and challenges of session delivery

Clinical Champions were asked to comment on what went well and what could have gone better with their CCPA training sessions. The findings are outlined in Table 3.5 (successes) and Table 3.6 (challenges). Overall sessions went well and there was a good level of engagement from attendees with many Clinical Champions explaining they had positive feedback from attendees and felt that the training helped many to think about incorporating physical activity discussions into their practice. Clinical Champions highlighted that one of the main challenges they encountered with session delivery was the limited time to effectively deliver all slides and have enough time for discussion around implementation in practice. In particular, champions stated they needed more time to focus on motivational interviewing and behaviour change. In addition, completion of the evaluation survey was found to be challenging as the consent form and survey took a longer than anticipated which put some champions under pressure with the session delivery. It was suggested that when training attendees are in specific teams, and contact details are known, it would be beneficial to send out a link to the survey in advance of the training day. Clinical Champions also highlighted the importance of continuing to maintain good links with Active Partnerships (formerly County Sports Partnerships) and other local providers to enable them to have knowledge of what physical activity opportunities are available in their local area.

Table 3.5 Champions' perceived successes with session delivery

Mixed audiences <ul style="list-style-type: none">• Good mix of clinicians and health care professionals• Multi-disciplinary team present providing interesting perspectives in discussion of themes from the presentation• Networking to promote further training
Use of materials <ul style="list-style-type: none">• Slides formed good basis for discussion• Given pads to trial• Audience enthusiastic about PACAP and asked lots of questions• Receptive to PACAP and were considering read codes and ways of auditing effect on patients
Audience engagement <ul style="list-style-type: none">• Good level of attendance and presentations well received• Large groups engaged well and showed interest in the presentation /asked questions• Good audience involvement with lots of discussion• Enthusiastic and attentive audience• Audience took part in activities e.g. the 'stand to seat' exercise; movement and flag interaction; one session got all 120 attendees up doing squats• Attendees appeared motivated• Audiences found data/statistics interesting• Session made more interactive by using printed flags to ask how the UK compared to other countries

Table 3.5 (continued) Champions' perceived successes with session delivery

<p>Good shared practice experience</p> <ul style="list-style-type: none"> • Some great examples of personal scenarios • Good small group discussions and positive comments re: infographic info • Positive and interesting experiences shared • Good examples of clinical practice and effects of physical activity on positive patient outcomes
<p>Involvement and support of outside organisations/individuals</p> <ul style="list-style-type: none"> • Attendance from local Active Partnerships (formerly County Sports Partnerships) and physical activity leads to share local initiatives and signposting • Local GP talked about physical activity that worked well • Local authority MECC lead attended • Lucy Gossage UK ironman champion and Medic contributed to one session • Representative from sports centre talking about exercise referral scheme • Ability to highlight moving medicine and local options for signposting • Specialist signposting information for disabled clients appreciated by the audience
<p>Audiences receptive to the idea of physical activity</p> <ul style="list-style-type: none"> • Focus on barriers and how doctors in training (FY2s) could make a difference • Many unaware of CMO's guidelines for adults previously • Generated thought on the impact and importance of physical activity • Clinicians very responsive and positive about advising patients on physical activity • Good feedback suggesting they will use learning in practice • Good ideas about prompting physical activity e.g. prescription for trainers/running shoes • <i>"Scepticism turned to enthusiasm in front of my eyes. Further session as a result" (Clinical Champion)</i>
<p>Raised confidence</p> <ul style="list-style-type: none"> • Positive reaction from audience and highlighted they felt confident giving advice in practice
<p>Changes in practice</p> <ul style="list-style-type: none"> • General interest in the programme and practice change • Healthcare professionals commented on changes they would make in practice • Motivational interviewing section helpful for healthcare professionals to start thinking about how to talk to patients

Table 3.6 Champions' perceived challenges with session delivery

<p>Limited time to deliver training</p> <ul style="list-style-type: none">• 40/45 minutes inadequate for the core slides and PACAP slides• Unable to deliver all of slides• Time pressure due to late arrivals and people arriving at intervals during presentation e.g. GP training session (GP VTS) has a lot of late comers• Insufficient time to fully answer healthcare professionals' questions and time for discussion• Several Clinical Champions needed additional time to do more on motivational interviewing• More time to discuss implementation in practice/patient pathways• Too much time taken up with register and evaluation• Unable to ensure everyone signed in due to tight turnaround between speakers in wider training sessions• Overrunning of previous speaker in wider training sessions
<p>Slide sets</p> <ul style="list-style-type: none">• Develop the pharmacy slide set to include more explicit pharmacy opportunities for contacts• Develop cancer specific slide sets• Look at ability to make it more specific e.g. with the case histories or a single slide added in• The PACAP slides have too much text and considered too wordy. It was felt it would be better to have a handout with information, and fewer words on slides.
<p>Low attendance</p> <ul style="list-style-type: none">• Less attendees than expected• Challenge to deliver to low number of attendees• Due to workload and sickness in one session only one member of the practice attended for the whole talk - others arrived late or left early
<p>Lack of audience engagement</p> <ul style="list-style-type: none">• Some audiences did not engage with the training• Some students had a very narrow view on promoting physical activity• In the larger groups people were more afraid to speak up and be involved
<p>Attendee expectations</p> <ul style="list-style-type: none">• Some attendees had expectations that training would be more specifically tailored to their patients e.g. older adults, very frail with mental health problems• Attendees wanted more practical suggestions as well as theory• Greater focus on motivational interviewing and behaviour change needed

Table 3.6 (continued) Champions' perceived challenges with session delivery

Local providers <ul style="list-style-type: none">• More time to discuss local facilities/initiatives• Many physical activity providers attending the training were only local and didn't cover the areas of all attending
Additional Information <ul style="list-style-type: none">• Needed more information about local social prescribing• Some challenging questions, the guidance doesn't go far enough to help answer these• Some questions off topic, difficult to not get drawn into conversation on obesity and nutrition. Needed more guidance on this.
Change in practice <ul style="list-style-type: none">• Some negativity concerning time for physical activity in secondary care• Not convinced the audience to have conversations with patients at the end due to a lack of belief in people listening or changing behaviour• Some senior nurses didn't feel that it wasn't their role to talk about physical activity even though they understood the importance. Healthcare assistants were more responsive.
Evaluation Survey <ul style="list-style-type: none">• Many couldn't access the evaluation survey online• Some negativity around the survey/wasn't well received/some staff declined to complete• Unable to do evaluation questionnaire due to time constraints• Struggled with consent on questionnaire as it took a long time• Many didn't have a facility to complete online survey. Some that received training had policy not to have mobile phones in departments• People arriving at different time so completing the evaluation forms wasn't easy• Evaluation takes 25% of session time makes it very stressful to fit in the rest of the presentation• Consent signing took up a lot of Clinical Champion time• Some attendees felt happier/more confident filling in paper version of survey than putting their info online. Wary of giving out their email online.

4. Impact of training on healthcare professionals' knowledge and behaviour

This section of the report focuses on the findings from the survey with training attendees which was completed at baseline, 4-week follow-up and 12-week follow-up. It aims to provide an understanding of who took part in the training and the impact the Clinical Champions Physical Activity (CCPA) training programme has had on the knowledge and behaviour of healthcare professionals as a result of receiving the training (Objectives 2 and 3).

4.1 Sample size and characteristics

Six thousand six hundred and seventy-nine (6,679) individuals who attended the training agreed to take part in the evaluation whilst at the CCPA training session, representing a baseline response rate of 74.9%. To avoid contaminating the evaluation results, 734 individuals were excluded from the data analysis because they had either attended the Physical Activity Clinical Advice Pad (PACAP) training or were taking part in the PACAP pilot study. The resultant sample size at baseline was 5,945, representing a response rate of 66.7% from the 8,917 participants who attended the training sessions.

Baseline surveys were completed online by 69.5% (n=4,130) of participants and on paper by 30.5% (n=1,815) of participants. Both methods of survey completion were offered due to potential issues with poor internet signals within some hospital settings and security firewalls preventing access to the online survey via NHS Wi-Fi. At the 4-week follow-up, 1,859 participants completed the survey (a response rate of 31.2%) and at the 12-week follow-up, 1,204 participants completed the survey (a response rate of 20.3%). A total of 754 participants completed both the 4-week and 12-week follow-up surveys (response rate of 12.7%) and this sample was used to assess the impact of the CCPA training programme outlined below.

4.1.1 Participant characteristics

A total of 5,910 participants provided age category data (Figure 4.1) with 35.9% (n=2,122) aged 25-34 years old and 20.3% (n=1,062) were aged 35-44 years old. No participants in the training programme were aged under 18 and only 0.5% (n=29) were aged 65 or over.

Figure 4.1 Age of training participants

The general role or position of the professionals who attended the training was presented earlier in this report, however this section contains more precise information about the specific job roles or positions of those professionals who agreed to take part in the evaluation. Figure 4.2 shows that almost 35.4% (n=2,099) of the attendees were categorised as being in a ‘doctor’ role. This can be broken down further into those on the GP Vocational Training Scheme (36.2%, n=759), GPs (GP Partner/Salaried GP/GP Associate or other registered GP) (30.4%, n=637) or foundation level (F1/F2) doctors (24.7%, n=518). The remaining 8.9% of attendees within the ‘doctor’ category were core trainees (CT1/CT2: n=23), higher specialist trainees (ST3 and above: n=24), other doctors (n=39) or consultants (n=99). The consultants came from a range of specialities, e.g. psychiatry, cardiology, general medicine, neurology, anaesthesia, acute medicine, geriatrics, nephrology, endocrinology, forensics, maxillofacial, respiratory and paediatrics.

Almost one fifth, 19.3% (n=1,145), of the attendees were categorised as being in a nursing role. This can be further broken down into 760 registered nurses (66.4%), 170 hospital nurse practitioner/ specialist nurses (14.9%), 188 GP practice nurses (16.4%) and 27 midwives (2.4%).

The role of student was sub-categorised into two groups, medical student (18.4%, n=179) and student (81.6%, n=796). The role of student predominately included nursing students (adult and paediatric), however it was also comprised of pre-registration pharmacists, physiotherapy and occupational therapy students, mental health nursing, trainee psychological well-being practitioners and trainee nursing associates.

Figure 4.2 Professional role of training participants

‘Other clinical role’ was listed by 378 participants (6.4%) and a further 252 (4.3%) listed ‘Non-clinical role’ as their job role with approximately 30% of these (n=191) stating a range of pharmacy roles such as pharmacist, pre-registration pharmacist, pharmacy technician and pharmacy dispenser as their job role. Other clinical roles also included, Palliative care, paramedic, radiographer, psychological well-being practitioner, retinal

screeener, podiatrist and speech and language therapist. Other non-clinical roles were comprised primarily of administration roles (receptionist, administration, business development, practice manager, clerical officer) in addition to assistant practitioner, logistics, social worker, physical activity lead, physical activity facilitator, social prescriber and school nurse/ assistant.

‘Other Allied Healthcare Professionals’ (AHP) roles were reported by 18.2% of participants. Figure 4.3 shows a more detailed breakdown of these. Almost two fifths, 38.4% (n=414) were physiotherapists, 25.0% (n=269) were healthcare assistants/midwifery assistants, 11.5% (n=124) were counsellors/psychologists and 9.8% (n=106) were occupational therapists. A smaller number of those categorised in the AHP role were working as physiotherapy assistants (n=76), dietitians (n=51) and occupational therapy assistants (n=39).

Figure 4.3 Participants within Other Allied Health Professional roles

4.2 Value placed on physical activity

To understand the value placed on physical activity prior to the training, healthcare professionals’ opinions about physical activity prior were sought. Two questions were asked a) ‘*to what extent do you agree that regular physical activity is of benefit to most patients living with a long-term condition*’ and b) ‘*to what extent do you value physical activity as a method of chronic disease prevention for your patients*’. Both questions were asked on a 10-point Likert scale from 1 ‘Totally disagree’/ ‘Not at all valued’ to 10 ‘Totally agree’/ ‘Highly valued’. In response to question a) the benefits for a long-term condition, the mean baseline score was 9.4 indicating a high level of agreement amongst participants that regular physical activity is a benefit to most patients living with a long-term condition, and to question b) chronic disease prevention, the mean baseline score was 8.9. This indicates that those who attended the CCPA training programme already valued the role

of physical activity in the prevention and treatment of chronic diseases, and believe in the physical activity message, therefore they are perhaps more likely to deliver the message to their patients.

4.3 Impact on knowledge and behaviour

As previously reported, the implementation of the CCPA training programme (including the context, duration and content of the training sessions) varied considerably from session to session (see Section 3). For example, some sessions were delivered as standalone sessions compared to others which were delivered as part of wider training programmes; some were delivered as formal training whereas others were delivered as part of other events and meetings; the sessions varied in duration (from as little as 20 minutes to 3.5 hours); and sessions varied in the 'content', e.g. core slides only, versus a combination of core slides and other supplementary slides such as Motivational Interviewing. Multiple different slide sets were utilised between different training sessions and by different Champions, and it was not always clear from the evaluation data collected which slide sets or sub-sets of slides were used and which other activities took place during the training sessions. There was also some variation in attendees' professional roles at different sessions delivered by different types of Champions, and differences in the number of attendees at each session. The impact of the training may have been affected by these factors and this should be taken into consideration when interpreting the findings below.

4.3.1 Knowledge

A key aim of the CCPA training programme is to improve healthcare professionals' knowledge about physical activity. Specifically, the health benefits of physical activity and the UK Government recommendations on the levels of physical activity required to improve health. In order to determine whether this key aim had been achieved healthcare professionals were asked '*how many minutes of moderate intensity physical activity should an adult undertake per week to meet the UK Government's physical activity guidelines?*' Current guidelines recommend a minimum of 150 minutes of moderate intensity physical activity per week therefore, any answer of 150 minutes was coded as 1 (correct) or 0 (incorrect) for any other answer.

Table 4.1 shows the correct and incorrect responses to the guidelines question for all participants who answered this question at each evaluation time point. Whilst the table shows a higher percentage of healthcare professionals knew the guidelines at week 4 and week 12, these results cannot be directly compared as they do not account for responses being from different participants answering correctly at each time point.

Table 4.1 Healthcare professionals' knowledge of UK Government physical activity guidelines

Knowledge	Baseline n (%)	4-week follow-up n (%)	12-week follow-up n (%)
Correct	2,007 (34.9%)	605 (33.8%)	408 (35.2%)
Incorrect	3,746 (65.1%)	1,185 (66.2%)	750 (64.8%)
Total responses	5,753	1,790	1,158

Seven hundred and fifteen (n=715) healthcare professionals completed the guidelines question at all three time points. Table 4.2 shows whether participants knew the physical activity guidelines prior to the training (i.e. at baseline) and whether and how this knowledge changed after the training at each time point (i.e. at 4 weeks and 12 weeks). There was no change in knowledge at baseline, 4 weeks and 12 weeks for 384 respondents (53.7%); 257 (35.9%) people knew the guidelines at all three time points; and 127 (17.8%) people did not know the guidelines at all three time points.

Table 4.2 Changes in knowledge of the UK Government physical activity guidelines

Baseline	4 weeks (T1)	12 weeks (T2)	Respondents n (%)	Direction of change	
				T1	T2
Yes	Yes	Yes	257 (35.9)	-	-
Yes	Yes	No	25 (3.5)	-	↓
Yes	No	No	19 (2.7)	↓	↓
Yes	No	Yes	13 (1.8)	↓	↑*
No	No	No	127 (17.8)	-	-
No	Yes	Yes	178 (24.9)	↑	↑
No	Yes	No	51 (7.1)	↑	↓
No	No	Yes	45 (6.3)	-	↑*
Total participants responding at all 3 time points			715		

The proportion of participants correctly reporting the physical activity guidelines increased from baseline for 24.9% (n=178) of the healthcare professionals attending the training; this increase was sustained from 4 weeks to 12 weeks, thus demonstrating a lasting impact of the CCPA training on knowledge for a quarter of healthcare professionals. This increase represents a significant impact of the CCPA training on the knowledge levels of healthcare professionals regarding the physical activity guidelines.

Forty-four (n=44) healthcare professionals were aware of the current UK guidelines prior to the training (6.2%), however the evaluation found that their knowledge of the guidelines had negatively changed at 12 weeks with n=25 of these also knowing the guidelines at 4 weeks. Whilst the reason for this change is not known, one possibility could be that the healthcare professionals completed the baseline questionnaire in the company of their peers and may have shared responses during completion of the questionnaire.

The findings revealed that 7.1% (n=51) of the healthcare professionals initially increased their knowledge of the guidelines after the training (i.e. at 4 weeks), however their knowledge decreased again at the 12-week follow-up point, reinforcing the idea that some form of follow-up might be warranted to create a lasting impact of the training for some healthcare professionals.

The results for the remaining 6.3% (n=45) of healthcare professionals show a positive increase in knowledge at 12 weeks, however these participants did not know the guidelines at the 4-week follow-up time point thus it is unclear whether this positive change was a result of the training or other external factors.

4.3.2 Role Perception

Participants were asked to what extent they agreed it was part of their role to discuss physical activity with their patients on a scale of 1-10 with 1 indicating they totally disagreed that it was part of their role, and 10 indicating total agreement that it was part of their role (Figure 4.4). A total of 748 participants responded to this question at the three data collection time points i.e. baseline, 4-week follow-up and 12-week follow-up. Between baseline and the 12-week follow-up point, a significant proportion of healthcare professionals increased their opinion that discussing physical activity is part of their role. Responses indicate there has been a significant positive increase with an average score of 8.43 at baseline, 8.81 at 4-week follow-up and 8.82 at 12-week follow-up. These findings also indicate that any changes in role perception which have occurred because of the training remained consistent over time. Additionally, the proportion of healthcare professionals agreeing that it is part of their role to discuss physical activity with their patients (score of 6–10) increased significantly from 92.0% at baseline to 95.2% at 4-weeks and continued to increase to 95.5% at 12-weeks.

Figure 4.4 Healthcare professionals' perceptions of their role in discussing physical activity with patients

4.3.3 Importance of discussing the benefits of physical activity with patients

Participants were asked to rate on a scale of 1 to 10 the extent they thought it was important to tell their patients about the benefits of physical activity, where 1 = 'Not important at all' and 10 = 'Extremely important' (Figure 4.5). A total of 699 healthcare professionals provided answers at all three time points. The mean score increased significantly between baseline and 4-week follow-up from 9.04 to 9.34. Although a slight decrease was found between 4-week and 12-week follow-up (9.18), this still represents an overall increase in the extent to which participants felt it was important to tell their patients about the benefits of physical activity compared to baseline. Almost half of participants (44.5%), rated the importance of discussing the benefits of physical activity with patients as 'extremely important' (10) at all three time points.

Figure 4.5 Perception of importance to discuss physical activity benefits with patients

4.3.4 Confidence to advise patients about becoming more active

Healthcare professionals were asked to rate their level of confidence to advise patients about increasing their physical activity level on a scale from 1 (Not at all confident) to 10 (Extremely confident) (Figure 4.6). Seven hundred (n=700) participants provided answers to this question at all three time points. The average confidence rating increased from 7.05 at baseline to 8.31 at 4-weeks and 8.20 at 12-weeks. This represents the most significant change in attitudes about physical activity due to the training. The number of healthcare professionals rating their confidence level as 'Extremely Confident' (i.e. 10) increased significantly from 114 (16.3%) at baseline to 207 (29.6%) at the 4-week follow-up time point and 180 (25.7%) at the 12-week follow-up time point. Although this trend indicates a decrease in confidence levels between 4 weeks and 12 weeks, there was a significant impact overall compared to baseline. It is possible that further reinforcement about physical activity might be beneficial to promote a sustained change in confidence levels. Seventy-seven participants (11%) showed no change in their confidence levels between baseline, 4-weeks and 12-week follow-up as these all showed high levels of confidence at baseline; 68 (9.4%) healthcare professionals rated their confidence at a 10 (extremely confident) throughout the evaluation therefore no increase was possible.

Figure 4.6 Confidence to discuss physical activity with patients

4.3.5 Frequency of physical activity conversations with patients

Participants were asked to indicate, on a 10-point Likert scale, how often they discuss physical activity with their patients during a typical working day. Response choices ranged from 1 = 'Never' to 10 = 'Almost always'; an option of 'N/A in current role' (coded as 0) was also provided to allow for those working in non-clinical/non-patient facing roles to opt out of this series of questions, thus avoiding a skewing of data resulting from non-clinical roles answering 'Never'. A total of 748 participants responded to this question at all three time points, with 4.3% (n=32), 6.6% (n=49) and 5.4% (n=40) participants at baseline, 4-week follow-up and 12-week follow-up respectively stating that this question is not applicable in their current role (score of 0). A change in job role from a patient facing/clinical role to a non-patient facing/non-clinical role or vice versa impacted the results of 6.3% (n=47) of participants, as this occurred during the 12 weeks of the evaluation.

Overall, the frequency of discussions about physical activity between healthcare professionals and patients increased in the 12-week period from attendance at the CCPA training programme (Figure 4.7). A total of 291 (38.9%) of participants increased the number of discussions they were having with patients from baseline to 4-week follow-up and maintained an overall increase until week 12 thus indicating a positive impact of the training on the behaviours of the healthcare professionals.

In contrast, 192 participants (25.7%) decreased the frequency of discussions about physical activity they had with patients between baseline and 12-week follow-up. There were no changes in the frequency of discussion between baseline and 12-week follow-up for 217 participants (29.0%). Of these, 125 (57.6%) participants

reported the same frequency of discussion at all three time points and 53 (24.4%) participants decreased from baseline to 4-week follow-up before returning to their baseline score. The remaining 39 (18.0%) increased the number of discussions from baseline to 4-week follow-up before decreasing to their baseline score at 12 weeks.

Figure 4.7 Frequency of physical activity discussions with patients

4.3.6 Duration of physical activity conversations with patients

A follow-up question about the amount of time, on average, healthcare professionals spent discussing physical activity with their patients was asked to the 748 participants who indicated they had these discussions. All 748 provided answers, however some participants (32 at Baseline, 49 at 4-week follow-up and 40 at 12-week follow-up) indicated that this question was not applicable to them in their current job role and are therefore not included.

Figure 4.8 shows the average duration of the conversations which healthcare professionals reported having with their patients about physical activity. Across all 3-time points, 1-2 minute discussions were found to be the most common amongst most healthcare professionals and the proportion of healthcare professionals discussing physical activity for 1-2 minutes with patients increased from baseline (43.5%) to 4 weeks (48%) and 12 weeks (49.7%). The figure shows that shorter conversations of less than 60 seconds decreased significantly between baseline and 12-weeks. However, the number of conversations lasting longer than 2 minutes also decreased at each of the three time points. The sustained increase in the number of healthcare professionals discussing physical activity with patients for 1-2 minutes over time might indicate that this is the most pragmatic length of time for physical activity conversations in healthcare consultations. There were no statistically significant changes between baseline and follow-up on the time spent discussing physical

activity with patients. Whilst the number of conversations being held with patients increased significantly, constraints and pressures on appointment times may have more of an impact on the healthcare professional's ability to discuss physical activity for longer periods of time.

Figure 4.8 Length of physical activity discussions with patients

4.4 Differential impact of training by different types of Clinical Champion

Peer-to-peer training is thought to be an important part of the CCPA Training Programme. Understanding whether this means matched job roles (i.e. Doctor to Doctor or Nurse to Nurse) or healthcare professional to healthcare professional regardless of job role, was an objective of this evaluation. Differences in the impact as a result of the professional relationship between Champion and training participant, i.e. different types of Clinical Champion (i.e. Doctor, Nurse or Allied Health Professional) delivering training to those in different job roles (Doctor or Nurse) were investigated. During the current evaluation period (February to December 2018), a high proportion of the training was delivered by those in matched job roles with 85.9% of doctors being training by Medic Clinical Champions and 69.3% of nurses being trained by Nurse Clinical Champions (see section 3.1.4). For the purpose of this investigation, only doctors and nurses who attended the training and only those who completed the 4-week and 12-week survey were included in the analysis. Within this group, a high proportion of doctors were trained by Medic Clinical Champions (88.0%) and two thirds of nurses (66.7%) were trained by Nurse Clinical Champions (Table 4.3).

Differences in the impact of the professional relationship between Champion and training participant on role perception, the importance of discussing physical activity with patients, frequency of physical activity conversations with patients, duration of physical activity conversations with patients, knowledge of the

physical activity guidelines and confidence in advising patients about physical activity were examined. There were no statistically significant differences in impact between training delivered by different types of Clinical Champion to difference audiences. These results should be interpreted with caution due to the low numbers of individuals who were not trained by those in the same professional role as themselves.

Table 4.3 Training of professional groups by different Champions*

Champion Role	Training Participants	
	Doctor n (%)	Nurse n (%)
Doctor (Medic)	219 (88.0)	51 (28.8)
Nurse	19 (7.6)	118 (66.7)
Allied Healthcare Professional	2 (0.8)	5 (2.8)
Other	9 (3.6)	3 (1.7)
Total trained	249	177

*This data only includes participants who completed 4- and 12-week follow-up surveys

It should be noted that a wide range of factors may have influenced the impact of training, other than the professional role of the individual delivering the training. For example, the implementation of the training programme (context, duration and content of the training) was found to vary considerably across training sessions (see section 3). Future programme developments might consider attempting to standardise implementation, recognising the challenges of delivering training programmes in practice.

4.5 Barriers to discussing physical activity

At each of the three survey time points; baseline, 4-week and 12-week follow-up, participants were asked a question regarding the barriers which prevent them from discussing physical activity with their patients; they were advised to *'tick all that apply'*. Twelve possible answers were provided: *'I'm not adequately trained in this area'*, *'Not enough time'*, *'Inadequate reimbursement'*, *'Patients are unlikely to follow my advice'*, *'Patients are not motivated to increase their physical activity levels'*, *'Fear of offending my patient'*, *'Lack of evidence of the effectiveness of physical activity to improve health'*, *'Lack of good quality information to give to patients'*, *'I'm unaware of what's available locally to support my patients'*, *'Lack of adequate referral services for my patients'*, *'I'm unsure of the effectiveness of giving physical activity advice'*, *'Other: please specify'*. Surveys were coded as 1 to represent the selection of the barrier or 0 for non-selection by a participant.

Six hundred and forty-seven (n=647) participants provided answers to the barriers question at all three data collection time points (Table 4.4). There was a significant decrease in the total number of barriers across all participants. At baseline, the 647 participants listed a total of 2,433 barriers. This decreased by 17.3% (495) at both follow-up time points with 1,938 barriers being reported after 4 and 12 weeks. The number of barriers stated by each participant at baseline ranged from one barrier to ten barriers with a mean number of 3.6 barriers per person. At 4-week follow-up, the range reduces with a minimum of 1 and a maximum of 8,

however this increases to a maximum of 10 at 12-week follow-up. Despite the increase in the maximum number of barriers per participant, the mean number of barriers at both 4-week and 12-week follow decreased to 3.0 barriers per participant.

Table 4.4 Total number of barriers at three data collection time points

	Number of barriers			
	Total	Minimum	Maximum	Mean
Baseline	2,433	1	10	3.6
4-week	1,938	1	8	3.0
12-week	1,938	1	10	3.0

Table 4.5 outlines the number of participants selecting each of the barriers across the three data collection time points. As can be seen, *not enough time* was selected by a significantly higher proportion of healthcare professionals across each time point in comparison to the other barriers. This reinforces the earlier point that the time pressures experienced within the health services play a significant role in the ability of the healthcare professionals to promote physical activity to their patients. This also increased over time indicating that the CCPA training programme did not aid the removal of this perceived barrier. The least common barrier stated by participants was the barrier *lack of evidence of the effectiveness of physical activity to improve health* suggesting that participants were aware of the role of physical activity for improving health and that the training programme had less impact on this. The number of healthcare professionals who felt they were *inadequately trained in this area* dropped significantly following attendance at training between baseline (n=247; 10.5%) and 4-week (92; 4.7%) and 12-week follow-up (109; 5.6%). This further reinforces the increase in confidence of healthcare professionals to discuss physical activity with their patients following training, as indicated earlier in this report.

Table 4.5 Frequency of reporting each barrier

Barrier	Baseline (%)	4-week follow-up (%)	12-week follow-up (%)
Not enough time	17.1	21.8	23.0
Patients are not motivated to increase their physical activity levels	15.5	17.3	15.8
I'm unaware of what's available locally to support my patients	13.4	14.0	12.8
Lack of good quality information to give to patients	13.2	12.1	12.5
I'm not adequately trained in this area	10.5	4.7	5.6
Lack of adequate referral services for my patients	8.7	10.3	10.1
Patients are unlikely to follow my advice	8.0	9.3	9.3
Fear of offending my patient	5.8	5.5	5.4
I'm unsure of the effectiveness of giving physical activity advice	3.4	1.0	1.2
Lack of evidence on the effectiveness of physical activity to improve health	1.4	0.2	0.5
Inadequate reimbursement	1.1	1.7	1.1
Other, <i>please specify</i>	2.0	2.2	2.6

The number of participants listing 'Other' as a barrier remained consistent across the three time points with n=47 at baseline, n=43 at 4-week and n=50 at 12-week follow-up. A sample of the comments made at each time point is shown in Table 4.6. The most common reason provided across all three time points related to the role of the participant. Some highlighted it was not their role, they were not in a patient facing role or that it was not possible in their role e.g. as they were theatre nurses who were unable to speak with patients.

Table 4.6 'Other' barriers to discussing physical activity with patients

Baseline
<ul style="list-style-type: none"> • Could affect therapeutic relationship • Patients very unwell with chronic condition so worried about what they can tolerate • Eating disorders – the client needs to be a healthy weight & psychologically well with eating disorder • I deal with a lot of skin cancer so spend most of my time giving lifestyle advice on sun avoidance • I'm overweight so it seems hypocritical • Rural areas; transport/cost issues for patients • Currently not in a patient facing role
4-week follow-up
<ul style="list-style-type: none"> • As a therapist giving advice may affect my therapeutic relationship • Cost for patient • Majority of my patients are full time wheelchair users due to my role • Need to establish a rapport first and often won't get opportunity to meet patient again • If English is not patients first language and there is no interpreter available • Don't have regular contact with patients
12-week follow-up
<ul style="list-style-type: none"> • Don't feel it is appropriate for my patients (school age children) • Working with predominantly immobile patients (full time wheelchair users) • Often see patients on day 1 acute problem so not a priority • Depends on the complaint's patient is coming with • Not always well enough mentally at that moment in time but I revisit • Role with no/minimal patient contact

4.6 Participants perceptions of the training

Following completion of the 4-week follow-up, participants were asked a series of feedback questions on the training they received. During the data collection period; 5th February to 31st December 2018, 6,310 participants were eligible to take part in the 4-week follow-up survey and 2,460 completed the survey giving a response rate of 39.0%. However, when adjusting for participants who had also received PACAP training or were involved in the PACAP pilot, 1,859 valid participants completed the 4-week follow-up survey representing a response rate of 75.6% of valid data.

Table 4.7 shows the findings from participants perceptions of the training across the content, delivery, relevance and usefulness of the training. Participants were asked a series of 7 feedback statements on a 5-point Likert scale from 'Strongly agree' to 'Strongly disagree'. A total of 1,859 participants responded to each statement.

An overwhelming majority of attendees either 'strongly agreed' or 'agreed' that the objectives of the training were clearly defined (95.0%) and that the topics covered at the training were relevant to their area of clinical practice (88.2%). In addition, a high proportion of attendees 'strongly agreed' or 'agreed' that the trainer was knowledgeable about topic (96.9%). Agreement was more varied as to whether it was important that the trainer worked in their area of clinical practice, with almost one third of attendees neither agreeing nor disagreeing with this statement (30.3%). Attendees 'strongly agreed' or 'agreed' that the time allotted for training was sufficient (87.3%). This contrasts with the Clinical Champions who reported one of their challenges was that there often wasn't enough time to deliver the training.

A high proportion of attendees (83.7%) 'strongly agreed' or 'agreed' the training had been useful in their work with 13.8% neither agreeing nor disagreeing. Finally, the majority of attendees indicated they would recommend the training to their colleagues (90.5%).

Table 4.7 Participant perception of training content, delivery, relevance and usefulness

	Strongly agree %	Agree %	Neither agree nor disagree %	Disagree %	Strongly disagree %
The objectives of the training were clearly defined	48.7	46.3	3.1	0.6	1.3
The topics covered were relevant to my area of clinical practice	38.2	50.0	8.4	2.5	0.9
The trainer was knowledgeable about the topic	68.1	28.8	1.8	0.3	1.0
It was important that the trainer worked in my area of clinical practice	25.9	33.3	30.3	8.7	1.8
The time allotted for the training was sufficient	39.3	48.0	6.7	4.8	1.2
The training has been useful in my work	33.8	49.9	13.8	1.6	0.9
I would recommend this training to my colleagues	42.8	47.7	7.0	1.5	0.9

4.6.1 Additional comments

Attendees were invited to provide additional comments about the training and/or their experience. For example, aspects of the training they particularly liked or disliked, any issues or areas they felt were not addressed and how they have used/will use the training in their workplace. Three hundred and nineteen respondents made a comment about the training with over 215 of these being primarily positive (Table 4.8). A further 64 comments were neither positive or negative but focused primarily on constructive feedback such as areas on which to improve, or by simply stating they are already advocates of physical activity without reference to the training. One of the key positives listed by participants was the enthusiasm and knowledge of the trainers, however, for the purposes of this report, the comments listed in Table 4.8 focus on those specifically related to the training.

Table 4.8 Example feedback comments from training participants

Positive
<ul style="list-style-type: none">• This almost needs to become mandatory training for all health professionals!• It was such a good interactive session - just wish it would have been longer.• I felt this training strengthened my knowledge of why being physically active is beneficial to a person's health and has motivated me to continue talking about the benefits of being active to patients on the ward.• Good training session, very informative• Was actually a lot more useful and relevant than I thought it would be and I have been incorporating this into my practice. Particularly the bit on the evidence and how it's probably more effective than many of the drugs we use.• Now always chat to my patients about physical activity - something is better than nothing! Especially to those who cannot be hugely physically active due to health condition. I find discussing a slow build-up of activity and following it up is beneficial to the patients.• This was an incredibly motivating day. I have already had feedback from patients that they've increased their activity levels following my advice.• I have made a more conscious effort to encourage physical activity and mention the benefits whenever the opportunity presents itself.• I found the session to be really inspiring both professionally and personally. I have reflected on it a lot since and it has definitely changed my practice.

Table 4.8 (continued) Example feedback comments from training participants

Constructive
<ul style="list-style-type: none">• Would be useful to spend some more time on methods of encouraging reluctant patients to be more active.• This training could be improved if provided with an activity that could be rolled out with patients.• This could easily be a half day training opportunity, especially if you actually go through the evidence, and spend quality time looking at motivational interviewing. The trainer said she could easily speak for longer, and the group were engaged, we only had 90 mins booked out though, because the flyer suggested that.• More knowledge, advice relating to children (18 years and below).• More mock interactions would be helpful, as well as some examples of dealing with challenging conversations (patients using negative self-talk or resisting the advice). The training would need to be longer to accommodate.• Thought the training was really good and engaging, but to be honest as an F2 on the wards, the work load and time pressures mean it is never realistically done as the advice is not really essential to get them out of hospital. Just feel like it's not realistic to suggest we should be having these kinds of discussions with the work load and time pressures. Very aware of its importance, but I really just don't have time.
Negative
<ul style="list-style-type: none">• I feel the quality and quantity of information I was given was not enough. I need more resources to provide to patients, more of an idea about where to look for adequate information and more emphasis of facts that I can provide patients with- not wishy-washy information that is a bit general.• The information and statistics quoted in the training was out of date. The demographics weren't applicable to the patient group that the team work with.• We were asked to sign up for this training with no prior information about what we were signing for. I thought I was enrolling to be assessed for my physical activity.• I asked how we can motivate patients particularly those that say e.g. can't walk to help my COPD because of my OA knees - not addressed at all just told "yes it's hard".• Found this training to be misleading as thought it was to demonstrate physical exercise we could do with our patients.• Too rushed. Needs to be longer.

5. Nurse Clinical Champion perspectives

A sub-sample of nurse Clinical Champions were interviewed to explore their views on the content and duration of the training, previous physical activity and behaviour change training, as well as gauging their perceptions on how well the training and resources equipped them to cascade the information. Their thoughts on what would need to happen to improve future delivery of the Clinical Champion Physical Activity (CCPA) programme were also sought. Nine nurse Clinical Champions were interviewed. Interviewees included: two cardiac rehabilitation nurses, a senior healthcare public health nurse, a public health specialist who recently took retirement, two health visitors, a cancer awareness nurse (Cancer Research UK), a registered adult nurse in complex care team (who recently changed jobs to become a school nurse) and a practice nurse in a GP surgery. All quotes were provided by the nurse Clinical Champions interviewed.

5.1 Nurse Clinical Champions involvement in the CCPA training programme

Nurses were recruited into the CCPA programme via advertisement of the positions. Most of the nurse champions were made aware of the champion roles from other healthcare professionals in their community who they had previously worked with. These colleagues sent details of the champion role as they were either aware the nurses had a personal interest in physical activity, or an enjoyment of teaching. All the nurse champions applied and undertook a standard recruitment process.

Nurse champions interviewed hadn't been involved in any other physical activity programmes on the same scale as the CCPA training programme. However, several had been involved in projects on a local level. For example, one champion had been working with the health and wellbeing team running sessions for healthcare professionals to help improve their fitness and physical activity.

5.2 Nurse champions prior training/knowledge on physical activity and behaviour change

The majority of Clinical Champions interviewed had little experience of delivering specific training in physical activity, however felt their current roles within public health or their personal interest in being active was adequate to equip them in engaging healthcare professionals in initiating conversations about physical activity with their patients. Champions considered that getting the message across to other healthcare professionals and being enthusiastic *“goes a big way to try and persuade other people”*.

Two interviewees had received prior training on physical activity through the British Association of Cardiac Prevention and Rehabilitation, which included exercise and behaviour change modules. They also attended local behaviour change study days. Prior to the CCPA programme most of champions had not attended any specific training on physical activity, however within their professions had built a knowledge of physical activity and behaviour change. One champion worked within public health helping patients improve their general health, involving both physical activity and weight management. Another champion was a wellness coach who had delivered a twelve-week wellbeing programme and undertaken a GP referral course, however had little experience of motivational interviewing. In addition, one champion worked for 14 years in the 'Stop Smoking' service and had a background in health education, so was experienced in delivering obesity intervention training and smoking cessation. Another champion worked on a children's weight management

programme so had some experience of using motivational interviewing techniques and had attended some motivational interviewing training.

Champions indicated that the CCPA training provided them with a good level of knowledge to deliver information to healthcare professionals. It was felt amongst champions that having knowledge in the area was vital, however it was considered more important that champions were able to effectively deliver the main messages. Delivery style was viewed as being a vital factor for champions to effectively raise awareness and knowledge of the value of physical activity. Interviewees explained how they had successfully developed their presenting styles through practise and experience of delivering to other healthcare professionals. As Clinical Champions commented:

“.....it’s a sort of learning on the job if you like as to what happens and how it happens and as I say having those big links in with people who are providing different types of exercise out there in the community, bringing it into the hospital, it’s more on the processes side of things that’s important than the actual people teaching me anything about physical activity.”

“....your confidence levels come in time and those are things that you can’t teach people, it’s like familiarity with anything is you know, what enables you to do a good job of it and then I would say to people you’ve just got to keep practising it.”

5.3 Nurse Clinical Champions understanding of the CCPA programme

Overall, nurse Clinical Champions had a good understanding of the CCPA programme. They felt that they had been equipped with the latest evidence and research to empower other healthcare professionals with knowledge to ensure their patients had information to improve their health. Champions considered the programme was a massive opportunity for nurses to initiate those conversations and to get this embedded in the culture. In addition, champions commented about the importance of the CCPA programme using physical activity not only in prevention but as part of their care planning and care management. As one champion stated:

“I mean for me I think the key, the key aims were, that stood out were really just to make sure that the, all the healthcare professionals were updated with the CMO guidance and anything like the moving medicines website, just making sure that we promote that sort of motivational interviewing technique for behaviour change, and just really incorporating having that conversation with patients alongside giving up smoking, making that, how much physical activity do you have as important.”

Another stated:

“it’s about reflecting what I already do in this job which is to really get nurses engaging in conversations with patients around physical activity obviously being the focus for this

programme, and I completely believe with that process that we should be doing that and that nurses are the right people because it is all about the opportunity that we have."

Champions highlighted the importance of getting other healthcare professionals thinking about physical activity and applying this in routine clinical practice. Champions stated that those that have already bought into the message typically have an interest in being physically active and are active themselves, however it wasn't a message that was routinely passed on within clinical practice to their patients. It was therefore considered vital by champions that more healthcare professionals are encouraged to give advice and signpost patients to physical activity opportunities to promote lifestyle behaviour change.

"I think it's a message that's just not around at the moment really in the clinical areas that I've been around in, so I think it's a good, new, fresh message that's gaining momentum, so I think, I think it's nice to have a positive message that you're putting out there, so I think that's one of the strengths of it really."

5.4 Nurse champions views on CCPA training

5.4.1 Content, format and duration of CCPA training

Interviewees received one day training to prepare them to deliver the CCPA programme. The format of the training was considered a good mix as champions experienced being in the audience and delivering parts of the presentation to other Clinical Champions. Champions valued receiving feedback on their own delivery and felt this was a beneficial part of the training. In addition, champions described the interactive nature of the presentation, for example sit and stand in 30 secs, to be very effective in promoting learning and felt this helps the audience embed the message more than just sitting and being quoted statistics. Several of the champions also took part in some case studies and had the opportunity for role play during the training day. As one champion stated, *"I came away quite uplifted and thoroughly enjoyed the day."*

Another Clinical Champion referred to the training day that took place in London:

"...so, I do think it's a good training course, and I enjoyed the training when I went down, the facilities were brilliant and Zoe was amazing, very inspirational and there was humour in it and it was really good and I think it does meet the sort of aims and objectives, yeah".

It was highlighted by two champions that they felt the core presentation used in the training was too long and consequently the aim of getting people to understand the importance of being physically active and getting health professionals to promote this in their clinical area is weakened. As one champion explained it *"...starts to go off a little bit at tangents almost I feel, so I think the sort of, the main message can get watered down because there's so many slide sets"*

The Clinical Champion continued:

"I think almost like the second half because it's a really, really strong message coming in maybe about the first 20 (slides) and you keep on going on, this is the problem, look where

we are, this is what we need to be doing, and then you start going into lots of things about mortality and conditions, and then it sort of almost distracts people then from the message about physical activity because then people are starting to talk about conditions rather than still back to the message of physical activity.”

Another champion considered the training day had been rushed due to the number of slides within the presentation. It was felt that the slides were covered very quickly which left her feeling she wasn't fully prepared to deliver the presentation herself and “*she just had to get on with it*”. It was also expressed by some of the champions that they didn't feel enough time was dedicated to the delivery of the programme during the training, in particular the marketing and promotion. Furthermore, help and advice was needed on how to access and build a network of clinical practitioners to deliver to.

Several of the nurse Clinical Champions commented that the presentation slides relating to physiology, specifically to the mitochondria were the most challenging to deliver and the champions were concerned they would struggle to present these effectively without being too scientific. However, after some reading in the area and finding new ways to explain them to ensure understanding champions explained they felt more comfortable.

“I know people who've reported this back to me during mentorship to say those are the two slides they've really struggled with. On the training day initially those were the slides that I think we struggled with and I think it's just trying to find your own sort of comfort zone in terms of what you're saying to make sure it's the right information, but it's how you say it because if you're sort of a little bit you know, floundering about what you're saying and then you're trying to teach people that's what the slides are, I think you've got to be confident in doing those.”

5.4.2. Training of Nurse Clinical Champions and cascading information

Overall, it was felt that having the training over one day training was sufficient. The training provided champions with lots of information and they felt more knowledgeable and confident in cascading the information down to other healthcare professionals. However, the area that champions felt they needed further practise was in their presenting skills. Champions acknowledged that the training provided a good starting point, but champions then needed to develop their own presenting styles to effectively deliver sessions and the most effective way of doing this was “*learning on the go*”. In addition, champions recognised that the circumstances of the training, for example, the group size, type of audience, time available and the environment they were delivering in, all played a vital part in how they needed to present to other clinical professionals to ensure they effectively got the key messages across and gained the respect of the audience.

As one champion highlighted:

“I've presented to health and wellbeing boards, to cabinet, etc., in the council, so quite high-level delivery but it's very much a different type of delivery to what the training was

anticipating. So, I personally felt that I needed to practise and develop more about the interaction.”

Another stated:

“...if you’ve got enough time to use the case studies and have a more workshop way of facilitating it, I found that to be more relaxed and more informal and you get, I suppose a buzz around it, around the training room. And when I’ve delivered it in that way, it’s felt much more relaxed, whereas if you, because at first I was trying to reach lead nurses, so that if I reached the lead nurses, I could then get into their teams, so I tried to use that as a kind of hub to get in to the Trust. So, their meetings tend to be quite formal so the facilitation in those meetings was very different to when you kind of went into departments where you had a proper training room and you could use case studies.”

Mentoring amongst champions appears to have been implemented on an ad hoc basis. Champions identified that being given the opportunity to shadow experienced champions following the training was vital in learning about different presenting styles and seeing what worked most effectively. One of the newer champions who took part in shadowing explained that this had been valuable in raising her own confidence in presenting the information and provided an insight into different ways the information can be delivered. Another champion delivered sessions alongside another experienced champion which was beneficial as they were able to support each other and share ideas and run sessions in a workshop style. In addition, it was emphasised by champions the importance of having a support network post-training. The monthly teleconference with PHE, the WhatsApp groups and other opportunities to meet up with local champions was beneficial in helping to answer champions questions and share their experiences of what had gone well and what had been challenging, helping other champions with their future delivery. It also helped champions to feel as part of a community and less isolated in their role. Those champions that attended the first training day together are still in contact and support each other *“when you’ve been in it from the onset really.... it’s good to have that rapport still when we have the Skype calls, or you know and opportunities to meet up again”*.

Having a point of contact at PHE (Senior Officer for Physical activity, Diet and Obesity PA team) was considered to be useful in helping and supporting champions to answer questions and access information. Receiving update emails and having the training slides on SharePoint was also considered very beneficial and a good support. The recent change over with PHE administration staff left several champions frustrated as they were not getting answers to emails they had sent, however they recognised this was only a temporary situation.

5.5 Nurse champions delivery of the programme

The biggest issue with the delivery of the programme encountered by nurse champions was getting clinical professionals to take up the sessions. One champion considered the fliers advertising the training weren’t as effective as they could be and contained too much information. It was felt that there needed to be more marketing at a higher level so champions could focus their attention on delivering the sessions. One

champion explained that some sessions have been dedicated to Senior Managers as a way of getting the initial message across and encouraging them to sign their teams up to the training. However, often it was challenging getting Senior Management involved and it was felt that more help was needed with this.

Within shorter delivery sessions lasting an hour or less, nurse champions explained that their focus had been on getting the key messages across, in particular the infographics and local services that are available. In longer sessions champions focused on motivational interviewing and role play. It was felt that one of the important parts of delivering the training is the interaction with the audience. Nurse champions highlighted that for effective delivery and to successfully cascade the information to healthcare professionals adapting to the audience was key. As one champion explained:

"I need to expect different questions from different people with different knowledge. So, for example, if you've got physios and OTs there, they're really knowledgeable, I've found, on the subject, so I like to know what professions are going to be in the audience to try and anticipate kind of a theme of any questions that might come through."

Another champion stated:

"...the last presentation I did, there was quite a lot of young people in the audience and they said they kept, they related back to weight management all the time and people's perception is of those hand in hand. But I was conscious that the conversation could easily have gone into weight management rather than physical activity. So, it is interesting how a younger audience definitely were more open to talk about it. But more as a result of losing weight rather than improving health."

Champions found that clinical professionals like having resources that they can go away and use with their patients and explained that the resources available were considered effective; specifically, the infographics and Moving Medicine were popular. The CMO guidance resources were effective in starting conversations with patients and Active 10 was considered by champions to be useful for the healthcare professionals.

"...the infographics being available has been, I've found that the nurses are really, when I've had the infographics there to give out, they've been really keen to take them to put up in the department."

Champions found that overall attendees of the CCPA had been engaged with the programme and had gone away with the message of supporting patients to be more physically active.

"As long as it gives them just, you know, one question they can ask somebody or an answer that they can give, you've done something worthwhile I think in relation to physical activity."

However, some healthcare professionals had tried to challenge the facts and undermine the Clinical Champions during their delivery. Encouragingly, champions commented that this had changed over time as the programme had rolled out. As champions commented:

"I think there was a lot of negativity about them (healthcare professionals) having those types of conversations which really, yes really kind of knocked me in the early days because I didn't really know early days how to react to that, but I've kind of learned through the process, but yes quite surprising as healthcare professionals as how negative initially the responses were regarding their, you know, why they would have that kind of conversation."

"I think early days is very sort of negative, but I say that kind of snowball effect is working, I can see that the people are getting more onboard. I think with the, the stats are quite strong, they're very strong aren't they, and I think it's just them having possibly looked into it more and then obviously the Moving Medicine has helped and, yes, and having the clout from the medics as well, having them onboard, that really helps."

Interviewees also highlighted that it would have been beneficial to have guidance on which clinical professionals they should be delivering the programme to as there was some confusion around this. As one champion stated:

"...for me there's the division between the medics and nurses and what we're allowed to do and, you know, meant to be doing...so there's a lot of discrepancy in what different, you know, people are doing, and, like I said at the beginning, I was under the impression that we could only deliver to NHS professionals, who, yeah... I think there needs to be almost just some, yeah, some structure that, yeah, some guidelines as who we're allowed, who you can and can't deliver to."

5.6 Key strengths/benefits of the training

Champions considered that one of the key strengths of the programme has been that it has captured lots of different types of healthcare professionals and provided them with useful and relevant information. The interactive nature of the training engaged staff and the key messages triggered interest and strengthened knowledge amongst healthcare professionals. As one champion commented:

"I've found that when I've done case studies with people, it's really provoked conversation and the atmosphere has been really buzzing. On a couple of occasions, people have stopped me when I've been leaving and said, "Thank you, that was really interesting."

In addition, champions felt that the programme had created an understanding amongst healthcare professionals that delivering physical activity advice is an integral part of their role and not *"something extra they have to do"*. Some of the key data, statistics, and the infographics used in presentations was felt by

champions to be very powerful, and often the audience were unaware of, for example, the amount of physical activity people should be doing.

It was highlighted by several Clinical Champions that although the training was aimed at giving healthcare professionals the key messages to pass onto their patients, the training has also helped healthcare professionals to think about their own physical activity and wellbeing and has impacted on their own activity levels. This was thought to be important as often one of the barriers to initiating conversations around being physically active with patients was practitioners own lack of activity, and this was therefore seen as a positive outcome of the programme.

“...it’s about what they take away from it personally and how they can also affect these sorts of messages on their family and friends as well. So, I think it’s a wider remit even than just saying nurses, yes, we want the nurses and all the other sort of groups of health professionals to take this message to cascade it, I think the impact of this can be quite big for them personally as well.”

Champions also highlighted that nurses have a substantial opportunity to promote the messages from the CCPA programme and it was felt that the messages are gaining momentum and beginning to support behaviour change. As one champion commented:

“...there’s so many of us who meet those patients on a day-to-day basis and a lot of the patients probably wouldn’t particularly go and do anything about the fact that they might be sedentary or not even, not even for one minute even think that being sedentary is a problem, and I think it’s just a massive, massive opportunity for us as nurses to have those conversations, to really get it embedded in culture.”

5.7 Key challenges encountered with the CCPA training

The main challenge identified by nearly all the nurse champions was getting in touch with the right contact person to enable them to set up delivery sessions. It was initially very time consuming for champions to access the healthcare professionals and arrange the sessions particularly in the time they had dedicated to the champion role. As champions commented:

“...in the beginning it did feel like you were banging your head against a brick wall and that’s where I felt that there wasn’t any support to help you, you were just sort of right, off you go, go and find these sessions and when you’ve exhausted what I call your very local patch where you know all the contacts, I found it really hard then to secure more sessions.”

“...the time you spend in those early days particularly, it’s above and beyond I think what the rate of pay is, that’s for sure. And, you know, again you’re not given any direction on that, you’re just, you know, you’re left to do that all by yourselves.”

"Yes, I mean I think the process of actually being able to have that appointment to give the presentation is very, it's, that's the hard, that's the real bulk of the work, trying to get to people. The actual presentation and training it works really well."

Champions explained that finding contacts and networking had been a "steep learning curve" as it was very different to their everyday nursing roles. Furthermore, when champions had offered sessions some managers had not identified the importance of promoting physical activity and reducing sedentary behaviour and questioned about how the CCPA training is applicable to their staff and their role. All champions highlighted that the setting up of sessions had been more challenging than the actual delivery of the sessions themselves. One champion commented that having a PHE email address made a big difference in communicating to people within NHS Trust and local authorities. She explained that once she used that email address, she received more replies when trying to arrange training.

"...sometimes you feel like you're putting a lot of time and effort in and it's a real priority for me (the CCPA training) but it's way down the priority list of some of the people that you're trying to get in touch with. And the other thing that I've found is when I've talked to nurses, I was actually talking to my friend about this, the nurses will say, "Oh, it's the Healthcare Assistants you need to talk to," and I find that really distressing really in terms of it's the nurses who write the care plans."

One strategy used to access training was to get on the agenda of already established meetings, however one champion explained how this often led to being restricted to strict timeframes and there was little time for interaction following the presentation. However, it was still felt sessions such as these were valuable in getting the initial message across to healthcare professionals. Champions also explained they found it challenging when less attendees turned up the training than expected or they arrived late throughout the session. It was acknowledged that if it's not mandatory training getting healthcare professionals out of their wards or GP practices is difficult.

"I always felt that we were very ambitious, over ambitious if you like in terms of nursing numbers because I think possibly what has been slightly misunderstood is how difficult it is to get clinical staff to any training, and I think a lot of us have had that experience whereby you're going to do your presentations and there's a lot less people in the room or the session's been cancelled."

In addition, one champion commented that one of the challenges she had encountered was the involvement of pharmaceutical companies in nursing meetings and gatherings. As she commented:

"One of the biggest problems I found was how much the pharmaceutical companies are actually involved in lots of the nursing meetings and gatherings. So, you know you mentioned the PLT, the Protected Learning Times, I haven't been able to deliver any of those because, and that's where you get your huge numbers for your nurses. But because of the

pharmaceutical sponsorship I suppose or involvement, it's an area where we haven't been able to, well I certainly haven't been able to tap into and that's a huge loss really."

Completing the consent and evaluation survey was described by champions as being a *"tiresome process"*. Although champions recognised the importance of the evaluation the length of time this took affected the time available for their presentations and many found this a challenge. It was felt that some sort of evaluation was needed at the end of training sessions to gain feedback on what attendees had learnt and how they found the training. Champions commented that there currently isn't any formal assessment of champions delivery and this would be helpful in ensuring training is useful and relevant. Furthermore, there is a lack of support for healthcare professional post-training. Several champions explained that they had provided their email addresses and provided information to those that had requested it following sessions. However, it was felt that a formal contact at PHE was needed post-training.

Several champions highlighted that within delivery sessions healthcare professionals had identified that they weren't personally physically active and commented: *"how can I give that message over when I'm not physically active?"* Some healthcare professionals had made it clear during the training that they were very aware of people judging them and felt they weren't able to integrate conversations about physical activity into their clinical practice. Champions felt that they have got a *"long way to go to give healthcare professionals the confidence to be able to not only understand the evidence but actually give them the help that they need to improve their own health and to give that message to patients."* Nurse champions felt that one of the important parts of delivering the training is the interaction with the audience. However, delivering sessions that are of a short duration, champions described feeling under pressure and consequently slides were rushed and the time for questioning and discussion was limited. The WhatsApp group had helped champions with this as it was useful support as champions had sent links and updates if they faced a challenge which was beneficial to help other champions overcome similar issues.

5.8 Future delivery of the CCPA programme

To make the CCPA programme sustainable champions felt that there needs to be more of a national push and awareness of the programme to get the message out and cascade the information. In addition, interviewees considered further investment in marketing is needed to raise the profile of the programme at national level and increase awareness of the programme. It was felt that there are a lot of healthcare professionals that would benefit from attending the sessions to increase the number of conversations about physical activity in routine clinical practice.

"...it always surprises me that so many people who do not know about this and yet it's such a big thing nationally and obviously now with the NHS plan coming out which is all you know, massive push for prevention, it needs to be out there a lot more than it is, so I think from a national network point of view, PHE need to put out bigger messages to try and encourage people to sort of take up on these things."

“... just making sure nationally that people are aware of what we’re doing and really just to make it bigger, a really big, much bigger push from the national team really.”

Due to the challenges some champions had experienced with the organisation and administration of the programme they highlighted the importance of getting higher management on board, so the training was mandatory as part of healthcare professional’s roles. In addition, it was felt getting the support and respect of more senior practitioners would emphasise the importance of the programme. For future delivery more investment will be necessary to increase engagement with the programme. Champions also considered that it was vital to get conversations with patients concerning physical activity embedded in the culture of healthcare professionals at the beginning of their careers, so it was important to get more students involved in the training. It was felt that some healthcare professionals who are established in their roles and had been doing the job for years were more resistant to expanding their understanding and changing their attitude as a result of attending the training.

Interviewees also felt that there needed to be more follow-up support for training attendees in future delivery as currently champions offer attendees no formal support following the session. Furthermore, nurse champions highlighted that additional support with the administration of the programme and organising sessions was needed as champions spent a significant amount of time networking and building up contacts.

6. Strategic impact of the CCPA training programme

Eight people from a range of organisations were invited to take part in a telephone interview to discuss the perceived wider strategic impact of the Clinical Champions Physical Activity (CCPA) training programme. Those contacted were not directly involved in the programme, however they all had knowledge of physical activity promotion and education and were aware of the CCPA training programme. They came from a range of roles including Public Health Directors, GP Training leads, local council physical activity leads or involvement with relevant organisations e.g. Academy of Medical Royal Colleges, Active Partnerships (formerly County Sports Partnerships). Interviews were undertaken with three stakeholders. The other invited stakeholders declined or did not respond to the invitation despite repeated attempts to make contact by both the evaluation team and Public Health England.

Interviews were focused on the impact of the CCPA training programme with regards to both local implementation and on a wider strategic level. Participants were also asked their opinions about the sustainability of the programme. All participants highlighted how it was difficult to determine the impact of the CCPA programme as a standalone programme, as it was a part of a wider body of work or programmes being delivered to promote physical activity. One participant indicated that their primary area of knowledge of the CCPA programme came second hand through supervision of a Clinical Champion. This may have impacted their perspectives of programme impact. Given the small number of interviewees, it is difficult to determine any recurring themes and concurring opinions therefore the findings below should be interpreted with caution.

6.1 Current implementation

Although those interviewed had not directly taken part in the CCPA training programme, their perceptions of the project were discussed. One interviewee perceived a key strength of the programme was the element of peer-to-peer training with nurses delivering to nurses and doctors delivering to doctors as they each understand their clinical practice and potential barriers to promoting physical activity in their roles. It was suggested that a nurse would be able to offer specific advice to other nurses on appropriate times during their work day, or during interactions with patients, when physical activity could be discussed. However, as noted earlier in the report, not all sessions were specifically delivered to as peer-to-peer training and in some cases the training participants were from mixed professions. For example, those delivering sessions at a GP practice delivered to a range of professions working within that practice. Another interviewee felt that hearing the information from a fellow healthcare professional who is valued and respected was an important part of the programme, but this did not necessarily mean peer-to-peer. It was suggested that having more physiotherapists delivering the programme to a range of healthcare professionals would be beneficial in future delivery. One interviewee considered that physiotherapists might be better placed to deliver the messages to doctors than nurses as they have existing skills in relation to promoting movement and physical activity, this suggestion might be explored further in future programme development. A challenge was highlighted by one interviewee regarding the training of some of the more senior established staff who have on occasion provided resistance to the training (for example making negative comments about the role of physical activity), somewhat undermining the Clinical Champions.

6.2 Perceived impact of the CCPA training programme

The CCPA was perceived to be an overall success in its aims to increase knowledge of physical activity across healthcare professionals, however, it was felt that other programmes for example, 'Making Every Contact Count' and the 'Moving Medicine' project may have also been influential and it was not possible to separate out the impact of these individual programmes. It was felt that the CCPA programme takes some time to gain momentum and have an impact, especially with a small number of Clinical Champions spread across the country, and there was a need for more 'pushing of the message' amongst Clinical Champions to effectively get the message to more healthcare professionals, but also to the right healthcare professionals who have the potential to make a difference.

6.3 Support post-training

Stakeholders supported the findings outlined earlier in the report regarding the need for a follow up process after training has been delivered. Currently, the CCPA training programme '*Helicopters in and helicopters out*'. Whilst this may be adequate for those attendees who are already advocates of physical activity, there are many healthcare professionals who require further support and reinforcement of messages. They require the ability to contact someone, or access further information if they require more advice on the promotion of physical activity to patients. This supports the suggestion of both the Nurse Clinical Champions and healthcare professionals earlier in the report that a follow up to the training is necessary. One interviewee suggested that the Moving Medicine programme was ideally placed to provide this follow up. It was thought to have an important role to play in supporting the CCPA programme as it would enhance learning and encourage healthcare professionals to continue to use their new knowledge to promote physical activity in a practical way to their patients.

6.4 Wider strategic impact

The interviewees found it difficult to specifically identify strategic impact from the CCPA training programme as they indicated it forms part of a wider strategic emphasis on the promotion of physical activity, and there are many other programmes and activities being delivered. Where potential strategic impact was discussed, this mainly referred to impact at a local level. Those interviewed were not aware of any local Clinical Physical Activity Networks which had been established as a result of the CCPA training programme.

One interviewee indicated that embedding the CCPA training programme in local policy and processes had been 'patchy' and reported that in its current format it wasn't a programme that the interviewee would prioritise. This was because it wasn't felt to be cost-effective and there was currently limited funding with severe budget restrictions across the NHS. It was also noted that local commissioners have not yet seen the business case for supporting the CCPA programme in the short-term and there needs to be clear, visible patient impact with '*increased physical activity levels, fewer medications being prescribed and less need for medications*' before this would be considered as a priority for funding.

It was suggested that the CCPA programme would work best where physical activity is already high on the agenda locally and networks have already been established which support it. For example, networks such as Greater Manchester Moving in the North West Region allow for a focused but holistic approach to physical

activity promotion. It was also highlighted that it was important to have a physical activity advocate working at a senior level in a strategic role to influence this agenda.

6.5 Additional suggestions

The interviewees provided additional suggestions regarding the CCPA training programme and these are outlined below. As there were only three interviewees these are not considered to be recommendations, but they could be explored in future development and evaluation of the programme.

- The importance of doctors having the correct information about physical activity was highlighted, given patients often trust and believe the information doctors provide them with, along with the need for all healthcare professionals to be giving a consistent message to patients. It was suggested that information for *'every single doctor or healthcare professional'* was required, such as on the Moving Medicine website, along with more case studies to support training and education.
- It was highlighted that, in the current NHS long term plan, prevention is a key area. However, it was suggested the Clinical Champions programme might fit better in secondary care where there potentially may be more funding.
- One interviewee perceived that GPs may need to be divided into different cohorts for training. Those who are active themselves are more likely to have discussions with patients about physical activity and may just need a reminder about the role of physical activity in preventing and treating chronic disease, other may need more substantive training.
- There are many more nurses than doctors, and they may therefore have potential to have a bigger impact. Therefore, future efforts may be better focussed on nurses to increase reach to patients.
- It is important not to treat all Clinicians the same. Time should be taken to find out what their drivers are for their clinical practice and then develop the programme around those. For example, some Clinicians have more of an interest in diabetes, whereas others may be interested in mental health. It was thought a more tailored and targeted approach may be more effective.
- Consideration should be given as to how others can be used to enhance the programme. For example, referring patients to skilled people with knowledge of physical activity opportunities rather than expecting doctors to know all the information.
- It was noted that a whole system approach to physical activity is needed to support the healthcare professionals who are giving advice about physical activity, e.g. supportive environment for walking and cycling, or local access to a gym, and the CCPA programme on its own would not be enough.
- It was suggested that public education is needed to get people active before they develop a condition and become afraid to increase their activity levels. However, even for those with a condition, it was considered that most people could safely increase their walking without the need for specialist help to become active. A focus alongside the CCPA training should therefore be to increase public education in other settings.
- Funding is a priority for sustainability however there is a challenge at present as to where to invest locally due to the limited funding available. It was suggested that sustainable physical activity networks are needed with multiple programmes and that these are embedded into local systems such that the programme is not reliant on Public Health England (Sport England) funding.

7. Key findings and recommendations

7.1 Summary of key findings

This section provides a summary of the key findings from the evaluation in relation to the evaluation objectives. Please refer to specific chapters for a more detailed breakdown and discussion of the data and findings.

Objective 1.

Evaluate the uptake and utilisation of the CCPA training programme and the different training models

- 509 training sessions were delivered between 5th February 2018 and 31st December 2018.
- 8,917 professionals registered at a training session during this period.
- On average, 17 professionals were trained per session (range 1-129).
- The highest proportion of professionals were trained in London (21.6%) and the North West (20.7%) with the fewest in East Midlands (6.2%) North East (4.2%).
- 46 Clinical Champions were actively delivering training in December 2018.

Session delivery

- There was variation in session delivery by different professional groups; doctors delivered almost half of sessions and nurses two fifths of sessions.
- The training predominantly followed the planned peer-to-peer approach with 85.9% of doctors being training by Medic Clinical Champions and 69.3% of nurses being trained by Nurse Clinical Champions.
- A high proportion of training sessions were standalone sessions (69%); compared to those delivered as part of wider training programmes (31%).
- There was variation in when the training was delivered, for example just over half was done as formal training in protected learning time, in comparison to a third which was delivered making use of other Continuing Professional Development events/opportunities, e.g. clinical meetings, lunchtime meetings etc.
- The duration of training sessions varied (on average they lasted 1.5 hours; ranging from 20 minutes to 3 hrs 30 mins).
- There were challenges with the time available for sessions with the need to do registration, consent and evaluation activities and delivery of slide sets taking longer than planned.
- Delivering training within another event was also challenging due to the overall content of the event and other speakers/sessions overrunning.

Content of training

- The core slide set was used in two thirds of sessions; a further third of sessions used a combination of core slides and supplementary slides; 2% reported using the supplementary slides only.
- Supplementary slides included: use of the physical activity clinical advice pad (22%); motivational interviewing (17%); and psychology (13%) slide sets.
- Many champions did not specify which supplementary slides were used in training sessions making it difficult to evaluate exactly what was delivered as part of the training and how.

Champions' perceived successes and challenges of delivery

- Champions' key successes included: good audience engagement; shared practice and use of examples; representatives from external organisations attending and sign posting to resources and local opportunities; audience interest/engagement; change in audience perceptions of physical activity/its importance and profile; and attendees' raised confidence in giving physical activity advice and intention to change their practice following the training.
- Champions' key challenges included: low attendance; limited time a) to deliver training to allow for all the slides, b) to cover motivational interviewing; c) for discussion and answering questions; and d) to complete the registration and evaluation; lack of availability of slide sets for different conditions/approaches; lack of audience engagement; lack of awareness of local providers/initiatives; more support and guidance needed to help trainer; and lack of time/support/perceived role for PA promotion.

Objective 2.

Assess the perceived impact of the CCPA training programme on healthcare professionals' confidence, knowledge and application of brief physical activity advice in routine clinical practice

Value, knowledge and confidence

- Participants attending training were employed in wide variety of professional roles: doctor (35.4%); nurse (19.3%); other allied health professionals (18.2%) and student/medical student (16.4%).
- These participants already placed a high value on physical activity, scoring highly on agreement with statements that *'regular physical activity is of benefit to most patients living with a long-term condition'* and *'to what extent do you value physical activity as a method of chronic disease prevention for your patients'* prior to the training.
- At baseline, almost two thirds of training participants did not correctly report the UK Government physical activity guidelines (minimum of 150 minutes of moderate intensity physical activity per week)
- A quarter of participants who did not know the guidelines at baseline, correctly reported the guidelines at both 4- and 12-week follow-up.
- There was a significant positive increase in agreement that discussing physical activity is part of participants' role after the training, this was sustained after 12 weeks.
- There was a significant increase in the perception that it was important for health professionals to tell their patients about the benefits of physical activity between baseline and the 4-week follow-up; this dropped at the 12-week follow-up but remained higher than at baseline.
- Health professionals' confidence to advise patients about becoming more active significantly increased between baseline and 4- and 12-week follow-up.

Impact on Health Professionals' behaviour and practice

- Two fifths of training participants increased the frequency of discussions they had with patients about physical activity between baseline and 4-week follow-up; this was sustained 12 weeks after the training.

- Across all three survey time points, participants mostly reported spending 1-2 minutes discussing physical activity with patients; there was an increase in the proportion of participants spending this amount of time in discussions between baseline and 4- and 12- week follow-up.
- The most frequently reported barriers to discussion of physical activity with patients were not enough time; patients not being motivated; being unaware of what is available locally to support patients; and lack of good quality information to give to patients.
- The proportion of healthcare professionals who felt they were inadequately trained in this area dropped significantly following training.

Perceptions of the training

- Perceptions of the training were mostly positive with a high proportion of participants strongly agreeing or agree that the objectives of the training were met, the topics covered were relevant to clinical practice, the trainer was knowledgeable about the topic, and the time allotted for training was sufficient. Opinions were more mixed about whether it was important that the trainer worked in their area of clinical practice.
- Over four fifths of participants strongly agreed or agreed the training had been useful in their work and most participants would recommend the training to their colleagues.

Objective 3.

Assess whether there is any differential impact of the CCPA training programme when sessions are delivered by different types of Clinical Champion (i.e. Doctor, Nurse or Allied Healthcare Professional) to different healthcare professional audiences

- A high proportion of training sessions were delivered peer-to-peer with 85.9% of doctors being training by Medic Clinical Champions and 69.3% of nurses being trained by Nurse Clinical Champions.
- There were no statistically significant differences in impact between different Clinical Champions delivering to different professionals for role perception, the importance of discussing physical activity with patients, frequency of physical activity conversations with patients, duration of physical activity conversations with patients, knowledge of the physical activity guidelines and confidence in advising patients about physical activity.
- The wide number of varying factors in training delivery (e.g. in the context, format, duration, delivery and content of the training sessions delivered), and the diversity of those attending the training sessions, means there are other aspects which may have affected the impact of the CCPA training programme.

Objective 4.

Assess the perceived strategic impact of the Clinical Champion training programme

- The strategic impact was explored through interviews with stakeholders involved in the promotion of physical activity or with a wider public health role. Based on the small sample size; three interviews, it is not possible to fully assess the overall strategic impact at local, regional and national level.

- Stakeholders felt that it was not possible to assess the direct impact of the CCPA programme as a standalone programme as it forms a part of a wider strategic emphasis on the promotion of physical activity. There are many other programmes and activities taking place which may have influence the profile of physical activity at strategic level.
- The CCPA training programme was perceived to provide a good level of education to healthcare professionals, however this needs to be supported some form of follow up; the Moving Medicine initiative was suggested as being an excellent option for this.
- The programme may be too early in its development to influence local policy and commissioning. Further evidence of patient impact on physical activity, health and medication requirements may be needed to develop a business case to support local prioritisation and investment in the programme, and thus support long-term sustainability.

Nurse Clinical Champions perceptions of implementation and impact

An additional piece of work was undertaken with a sub-set of Nurse Clinical Champions to understand their perceived implementation and impact of the CCPA. The key findings are as follows:

Training received by Champions

- The training provided champions with lots of information and they felt more knowledgeable and confident in cascading the information down to other healthcare professionals.
- The format of the Champion training was considered a good mix as champions experienced being in the audience and delivering parts of the presentation to other Clinical Champions. Champions valued receiving feedback on their own delivery and felt this was a beneficial part of the training.
- Some champions stated that they felt the core presentation used in the training was too long.
- Champions emphasised the importance of having a support network post-training. The monthly teleconference with PHE, the WhatsApp groups and other opportunities to meet up with local champions was beneficial in helping to answer champions questions and share their experiences of what had gone well and what had been challenging, helping other champions with their future delivery.

Implementation of training for healthcare professionals

- Champions recognised that the circumstances of the training, for example, the group size, type of audience, time available and the environment they were delivering in, all played a vital part in how they needed to present to other clinical professionals to ensure they effectively got the key messages across and gained the respect of the audience.
- Delivery style was viewed as being a vital factor for champions to effectively raise awareness and knowledge of the value of physical activity.
- The main challenge identified by nearly all the nurse champions was getting in touch with the right contact person to enable them to set up delivery sessions and recruiting clinical professionals to the training sessions.

- Although champions recognised the importance of completing the consent and evaluation, the length of time this took affected the time available for their presentations and many found this a challenge.

Perceived impact of the training on healthcare professionals

- Champions considered that one of the key strengths of the programme has been that it has captured lots of different types of healthcare professionals and provided them with useful and relevant information.
- Champions found that overall attendees of the CCPA had been engaged with the programme and had gone away with the message of supporting patients to be more physically active.
- The programme was perceived to have created an understanding amongst healthcare professionals that delivering physical activity advice is an integral part of their role and not *“something extra they have to do”*.
- The training helped healthcare professionals to think about their own physical activity and wellbeing and has impacted on their own activity levels.

Nurse Champions’ recommendations

- To make the CCPA programme sustainable champions felt that there needs to be more of a national push and awareness of the programme to get the message out and cascade the information.
- They suggested that further investment in marketing is needed to raise the profile of the programme at national level and increase awareness of the programme.
- Additional support with the administration of the programme and organising sessions is needed as champions spent a significant amount of time networking and building up contacts.
- Due to the challenges some champions had experienced with the organisation and administration of the programme they highlighted the importance of getting higher management on board, so the training was mandatory as part of healthcare professional’s roles.
- Champions also considered that it was vital to get conversations with patients concerning physical activity embedded in the culture of healthcare professionals at the beginning of their careers, so it was important to get more students involved in the training.
- It was suggested that more follow-up support is needed for training attendees following the session in future delivery.

7.2 Recommendations for the Clinical Champions Physical Activity Programme

Several recommendations are proposed as a result of the findings detailed within this report. These include:

1. Increase awareness-raising activities for the programme and raise the profile of physical activity within the healthcare profession to enhance recruitment of training participants.

- Further efforts may be needed nationally to raise awareness of the programme, and to promote the physical activity message and the role of healthcare professionals in physical activity promotion, in order to increase engagement in the training.

- Extra efforts and communication may also be required to recruit and engage healthcare professionals who may not currently be aware of the importance of physical activity, or who do not value its role in the prevention and treatment of disease.
- Increasing the support from senior clinicians, managers and practitioners may help emphasise and raise the profile of the importance of physical activity, raise awareness of the CCPA training programme and provide support for staff to attend training.
- The Champions need guidelines as to who they should be targeting for the training.
- Healthcare professionals may need support themselves to become more physically active in order to raise the profile of physical activity within the profession, and to enable them to act as role models and effectively support their patients in becoming active.

2. Review and revise programme materials and additional supporting resources to ensure they are fit for purpose, standardised and kept up to date.

- Promotional materials should be reviewed and amended to ensure they are suitable for use and meet the needs of the Champions.
- The core slide set should be reviewed and amended to focus on core messages about physical activity and reduce distraction to discussion about specific conditions during the initial part of the training. Once revised, the slides should be discussed with Champions to ensure they are comfortable with delivering all the slides provided; refresher training may be required.
- Standardised names and content for additional/bolt-on slide sets should be established to ensure there is clarity for trainers and participants as to what has been delivered and the training received.
- A regular timeline for consultation should be established for updating the slides delivered by champions to ensure the most up to date information is being provided to healthcare professionals .
- Additional resources may be needed which healthcare professionals can provide to patients to support the promotion of physical activity; linking to other initiatives such as Moving Medicine may help to support this.

3. Review the format, context and content of training to standardise the programme including opportunities to follow-up with and support trainees to sustain programme impact.

- More direction needs to be provided to those booking or hosting sessions in relation to minimum session time needed for delivery of the core set of slides to their target group. This will help to ensure all training participants receive a standardised training package and have time for discussion/to ask questions.
- The context of the training should be considered, and guidance provided, e.g. whether it is feasible and effective to deliver the training within other events/meetings where shorter periods of time are available. If this is deemed to be feasible, a shorter set of essential core slides might be useful to ensure the key points are covered.
- Greater clarification on the key points/core slides to be delivered by Clinical Champions should be provided to standardise training.
- A standardised follow-up procedure for enhancing and sustaining the learning of the healthcare professionals and supporting them following the training is needed; this might include further

training and resources to reinforce key messages and sustain changes in practice. Embedding the CCPA training programme into the wider agenda as part of an education programme alongside initiatives such as Moving Medicine may help to provide the practical follow up required to reinforce learning.

4. Increase support for Clinical Champions to enhance training programme delivery.

- The team at Public Health England need to be sufficiently resourced to meet the needs of the Clinical Champions in a timely manner.
- Champions require additional support to undertake marketing and recruitment activities and to build networks to aid recruitment to the training programme.
- A national or regional database of local service providers who can support physical activity is needed for use by the Champions when a local physical activity lead is unable to attend a training session.

7.3 Evaluation strengths and limitations

An evaluation steering group was recruited at the start of the programme to help with development of the evaluation tools and processes and to advise on feasible approaches within the scope of the programme. This was successful in ensuring evaluation data could be collected across most training sessions. The evaluation was generally well received by both Clinical Champions and healthcare professionals. However, there were concerns about the time taken to complete registration and evaluation activities at the start of each training session which reduced time for delivering training content.

Most Clinical Champions engaged positively with the evaluation and complied with the evaluation protocols. A small number of Clinical Champions did not engage with the evaluation and failed to return evaluation resources on time or at all. Session sign-in sheets were not available for 14 of the 509 sessions (2.8%) delivered. These were either not completed due to logistics/time available within the session, the way in which the training was delivered, i.e. webinar, went missing in the post or were simply not returned by the Clinical Champion. Therefore, the true reach of the programme during the evaluation period has not been fully captured and is likely to be higher than reported. It is recommended that for future evaluations, the process is streamlined for the Clinical Champions in order to reduce time pressures during training sessions. Enabling Champions to email a copy of the evaluation or link to the baseline survey prior to the session would save a significant amount of time and allow for the training to start in a timely manner. However, this must be balanced with the risk of a low response rate for email surveys. One compromise would be to email the participant information sheets and consent forms to participants prior to the session so they can focus on completing the survey immediately on arrival.

The evaluation did not include any control or comparison participants; therefore, it is not possible to solely attribute the changes observed in knowledge, confidence and behaviour to the CCPA training programme. Variations in the training content delivered also make it difficult to determine exactly what is needed to impact healthcare professionals' knowledge, confidence and behaviour. In addition, changes were only assessed at 4- and 12-weeks post-training therefore the longer-term impact of training could not be assessed. In future, the longer-term impact of the training on healthcare professional's knowledge and attitudes, along

with the impact on their daily practice of giving brief advice to patients about physical activity on patient physical activity levels and health, should be evaluated in more detail.

The response rate to the baseline survey was high with approximately three quarters of training participants completing a survey. However, despite offering incentives, the survey response at 4- and 12-weeks was much lower, and consideration should be given as to how to improve the response in future. It is recommended that, where appropriate, the option of 'not applicable' is added to survey questions. Survey feedback from some participants indicated that they were unable to take part as several of the questions were not relevant to their job role. This impacted on the overall survey response rate.

The evaluation of the Clinical Champions programme was undertaken mostly as intended. The main changes to the evaluation were that it was not possible to assess the differential impact of different types of Clinical Champions on different Health Professionals. This was due to substantial variation in the content, duration and format of training making it difficult to make true comparisons. In addition, insufficient participants were recruited to assess the strategic impact of the programme despite numerous attempts to contact potential interviewees by the evaluation team and Public Health England. It is typically challenging to engage participants in interviews who have not been directly involved in a programme. Assessing the wider strategic impact of the programme requires significant investment to recruit suitable participants and to obtain an accurate picture at national, regional and local levels and could be considered in future phases of the programme.

8. References

1. Lee I-M, Shiroma, E.J., Lobelo, F., Puska, P., Blair, S.N., and Katzmarkzyk, P.T., for the Lancet Physical Activity Series Working Group (2012) Effect of physical inactive on major non-communicable diseases worldwide: An analysis of burden of disease and life expectancy. *The Lancet*, 380:219-29, doi: 10.1016/S0140-6736(12)61031-9
2. Public Health England. (2014) Everybody active, every day: An evidence-based approach to physical activity. London: Public Health England.
3. World Health Organisation. (2009) Global health risks: Mortality and burden of disease attributable to selected major risks. Geneva: WHO.
4. Scarborough, P, Bhatnagar, P, Wickramasinghe, KK, Allender, S, Foster, C, Rayner, M. (2011) The economic burden of ill health due to diet, physical inactivity, smoking, alcohol and obesity in the UK: An update 2006-07 NHS costs. *Journal of Public Health*, 33 (4): 527-535, doi: 10.1093/pubmed/fdr033
5. Ossa D and Hutton J (2002) The economic burden of physical inactivity in England. London: MEDTAP
6. Townsend N, Wickramasinghe K, Williams J, Bhatnagar P, Rayner M. (2015) Physical Activity Statistics 2015. London: British Heart Foundation.
7. QResearch and the Health and Social Care Information Centre. (2009) Trends in consultation rates in General Practice 1995 to 2008. London: QResearch and the Health and Social Care Information Centre.
8. Wheeler, PC, Mitchell, R, Ghaly, M, Buxton, K (2017) Primary care knowledge and beliefs about physical activity and health: A survey of primary healthcare team members. *British Journal of General Practice Open*, 1(2), doi: 10.3399/bjgpopen17X100809
9. Ipsos Mori Survey 2000
10. Booth, LM, Bauman, A, Owen, N, Gore, CJ. (1997) Physical activity preferences, preferred sources of assistance and perceived barriers to increased activity among physically inactive Australians. *Preventive Medicine*, 26(1): 131-137, doi: 10.1006/pmed.1996.9982
11. Weiler, R, Chew, S, Coombs, N, Hamer, M, Stamatakis, E. (2012) Physical activity education in the undergraduate curricula of all UK medical schools: are tomorrow's doctors equipped to follow clinical guidelines? *British Journal of Sports Medicine*. 46(14): 1024-1026, doi: 10.1136/bjsports-2012-091380
12. National Institute for Health and Care Excellence (2013) Public Health Guidance No. 44: Physical Activity: Brief advice for adults in primary care. London: National Institute for Health and Care Excellence; 2013
13. Chatterjee, Chapman, Brannan, M, Varney, J, (2017) GPs' knowledge, use, and confidence in national physical activity and health guidelines and tools: a questionnaire-based survey of general practice in England. *British Journal of General Practice*, 67(663): e668-e675, doi: 10.3399/bjgp17X692513.
14. Brannan, M., Bernardotto, M., Clarke, N., and Varney, J. (2019) Moving healthcare professionals – a whole system approach to embed physical activity in clinical practice. *BMC Medical Education*, 19:84, doi: 10.1186/s12909-019-1517-y
15. Kirkpatrick, D (1959) Techniques for evaluating training Programs. *Journal of ASTD* 11: 1-13.

Appendices

Appendix A Session sign-in sheet

FOR THE CLINICAL CHAMPIONS OFFICIAL USE ONLY:

Name of Clinical Champion	Clinical Champion Code	Date of session	Location of session
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Clinical Champions' Physical Activity Training – Sign-in Sheet

To receive a copy of the presentation and a certificate of attendance, please sign-in and provide your email address			
	NAME (in CAPITALS please)	PROFESSIONAL ROLE OR POSITION (please tick the most appropriate box)	Email address (in CAPITALS please)
1		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
2		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
3		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
4		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
5		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
6		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	
7		Doctor ☐ <u>in</u> training ☐ Doctor <u>not in</u> training ☐ Student Nurse ☐ Registered Nurse ☐ Trainee HCP ☐ Registered HCP ☐ Other ☐ <i>please specify</i> .	

Appendix B Session delivery audit form

Session Delivery Audit Form

Your name (as a Clinical Champion)	<input type="text"/>	Your Clinical Champion code	<input type="text"/>
Your profession (Please circle)	<input type="text" value="GP / Nurse / Allied Healthcare Professional / Other, please specify."/>		
Date of session	<input type="text"/>		
In what region did your session take place? (Please circle)	<input type="text" value="North West / North East / West Midlands / East Midlands / South West / South East / London / East of England / Yorkshire and the Humber"/>		
In what town/city did your session take place? e.g. Chester.	<input type="text"/>		
In what venue/site did your session take place? e.g. GP practice, nursing school	<input type="text"/>		
What slide set did you use? (Please circle)	<input type="text" value="Core / Supplementary / Combination of core and supplementary. Please specify which supplementary slides were used, eg PACAP"/>		
Did the presentation form part of another, wider training session? (Please circle)	<input type="text" value="Yes / No"/>	If YES, what was the duration of the wider session?	<input type="text"/>
If YES, what was the name/topic of the wider training session?	<input type="text"/>		
What was the time allocation for your presentation?	<input type="text"/>	What was the duration of your presentation?	<input type="text"/>
Under what circumstances was the presentation delivered? (Please circle)	<input type="text" value="Protected Learning Time/Protected Training Initiative/ GPVTS / Conference / Other CPD event, please specify:"/>		
What went well?	<input type="text"/>		
What could have gone better?	<input type="text"/>		
Any additional comments? E.g. how to improve future delivery of the programme	<input type="text"/>		

Appendix C Baseline participant survey

Baseline Survey

Please provide responses to the following questions by filling in the circles or by writing clearly in CAPITAL LETTERS.

1. Please state your FULL NAME: _____

2. Please state TODAY's date (dd/mm/yyyy): ____/____/____

3. Please provide your email address: _____

4. Please indicate how old you are:

☐ Under 18
 ☐ 18-24
 ☐ 25-34
 ☐ 35-44
 ☐ 45-54
 ☐ 55-64
 ☐ 65 or older

5. Which of the following best describes your professional role or position?

DOCTORS:	ALLIED HEALTHCARE PROFESSIONALS:
Medical student ☐	Student, <i>please state speciality:</i> _____ ☐
Foundation Level F1/ F2 ☐	Healthcare Assistant / Midwifery Assistant ☐
GP Registrar (GP VTS) ST1 ☐	Registered Nurse ☐
GP Registrar (GP VTS) ST2 ☐	Hospital Nurse Practitioner / Specialist Nurse, <i>please specify speciality:</i> _____ ☐
GP Registrar (GP VTS) ST3 ☐	GP Practice nurse ☐
Other Core trainee (CT 1 or CT2) <i>Please specify programme:</i> _____ ☐	Midwife ☐
Other Higher Specialist Trainee (ST3 & above), <i>please specify speciality:</i> _____ ☐	Physiotherapist ☐
GP Partner/Salaried GP/GP Associate or other Registered GP ☐	Physiotherapy Assistant ☐
Consultant, <i>please specify speciality:</i> _____ ☐	Occupational Therapist ☐
Other Doctor, <i>please specify role:</i> _____ ☐	Occupational Therapy Assistant ☐
Counsellor/Psychologist ☐	Dietician ☐
Other clinical role, <i>please specify role:</i> _____ ☐	Non-clinical role, <i>please specify role:</i> _____ ☐

6. For all respondents, *except doctors*, please indicate what AfC band best represents your current role:

☐ 1
 ☐ 2
 ☐ 3
 ☐ 4
 ☐ 5
 ☐ 6
 ☐ 7
 ☐ 8 (a-d)
 ☐ 9
 ☐ N/A

7. To what extent do you agree it is part of your role to discuss physical activity with your patients?

☐ 1
 ☐ 2
 ☐ 3
 ☐ 4
 ☐ 5
 ☐ 6
 ☐ 7
 ☐ 8
 ☐ 9
 ☐ 10
 Totally disagree Totally agree

Please turn over

8. To what extent do you agree that regular physical activity is of benefit to most patients living with a long-term condition?

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10
 Totally disagree Totally agree

9. To what extent do you value physical activity as a method of chronic disease prevention for your patients?

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10
 Not at all valued Highly valued

10. How often do you discuss physical activity with your patients in a typical working day?

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐
 Never Almost always N/A in current role
[skip to Question 12]

11. Of those patients with whom you discuss physical activity, on average, how long do you spend discussing physical activity?

☐ ☐ ☐ ☐
 Not applicable Less than 60 seconds 1-2 minutes More than 2 minutes

12. As a minimum per week, how many minutes of moderate intensity physical activity should an adult undertake to meet the UK Government's physical activity guidelines? minutes per week

13. As a minimum per week, how many days should an adult undertake to improve muscle strengthening physical activity to meet the UK Government's physical activity guidelines? days per week

14. To what extent do you think it is important to tell your patients about the benefits of physical activity?

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10
 Not at all important Extremely important

15. How confident are you right now that you could advise your patients about increasing their physical activity?

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10
 Not at all confident Extremely confident

16. Which, if any, of the following do you consider to be barriers to you assessing and/or advising your patients about physical activity? Select all that apply.

I'm not adequately trained in this area	☐	Lack of evidence on the effectiveness of physical activity to improve health	☐
Not enough time	☐	Lack of good quality information to give to patients	☐
Inadequate reimbursement	☐	I'm unaware of what's available locally to support my patients	☐
Patients are unlikely to follow my advice	☐	Lack of adequate referral services for my patients	☐
Patients are not motivated to increase their physical activity levels	☐	I'm unsure of the effectiveness of giving physical activity advice	☐
Fear of offending my patient	☐	Other, please specify:	☐

Thank you for completing the questionnaire.

Appendix D Follow-up participant survey (week 4)

4-week follow-up survey questions

1. Please state TODAY's date (dd/mm/yyyy): _____/_____/_____

2. To what extent do you agree it is part of your role to discuss physical activity with your patients?

1 2 3 4 5 6 7 8 9 10

Totally
disagree

Totally
agree

3. To what extent do you agree that regular physical activity is of benefit to most patients living with a long-term condition?

1 2 3 4 5 6 7 8 9 10

Totally
disagree

Totally
agree

4. To what extent do you value physical activity as a method of chronic disease prevention for your patients?

1 2 3 4 5 6 7 8 9 10

Not at all
valued

Highly
valued

5. How often do you discuss physical activity with your patients in a typical working day?

1 2 3 4 5 6 7 8 9 10 N/A

Never

role

Almost
always N/A in
current

[skip to Question 11]

6. Of those patients with whom you discuss physical activity, on average, how long do you spend discussing physical activity?

☐ ☐ ☐ ☐
Not applicable Less than 60 1-2 minutes More than 2
 seconds minutes

7. As a minimum per week, how many minutes of moderate intensity physical activity should an adult undertake to meet the UK Government's physical activity guidelines?

minutes per week

8. As a minimum per week, how many days should an adult undertake to improve muscle strengthening physical activity to meet the UK Government's physical activity guidelines?

days per week

9. To what extent do you think it is important to tell your patients about the benefits of physical activity?

1 2 3 4 5 6 7 8 9 10

Not at all
important

Extremely
important

10. How confident are you right now that you could advise your patients about increasing their physical activity?

1 2 3 4 5 6 7 8 9 10

Not at all
confident

Extremely
confident

11. Which, if any, of the following do you consider to be barriers to you assessing and/or advising your patients about physical activity? Select all that apply.

I'm not adequately trained in this area	☐	Lack of evidence on the effectiveness of physical activity to improve health	☐
Not enough time	☐	Lack of good quality information to give to patients	☐
Inadequate reimbursement	☐	I'm unaware of what's available locally to support my patients	☐
Patients are unlikely to follow my advice	☐	Lack of adequate referral services for my patients	☐
Patients are not motivated to increase their physical activity levels	☐	I'm unsure of the effectiveness of giving physical activity advice	☐
Fear of offending my patient	☐	Other, please specify below:	☐
Not applicable	☐		

12. To what extent do you agree with the following statements? Please only tick one box for each statement.

	Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree
a. The objectives of the training were clearly defined	☐	☐	☐	☐	☐
b. The time allotted for the training was sufficient	☐	☐	☐	☐	☐
c. The trainer was knowledgeable about the topic	☐	☐	☐	☐	☐
d. It was important that the trainer worked in my area of clinical practice	☐	☐	☐	☐	☐
e. The topics covered were relevant to my area of clinical practice	☐	☐	☐	☐	☐
f. The training has been useful in my work	☐	☐	☐	☐	☐
g. I would recommend this training to my colleagues	☐	☐	☐	☐	☐

Additional comments

Please provide any further comments about the training below (e.g. aspects of the course you particularly liked/disliked, any issues or areas that you feel were not addressed, how you have used/will use the training in your workplace).

13. Did your training session include any information about the Physical Activity Clinical Advice Pad?

☐

Yes

☐

No

☐

Not Sure

14. Have you taken part in the Physical Activity Clinical Advice Pad pilot study?

☐

Yes

☐

No

End of Survey

Appendix E Follow-up participant survey (week 12)

3-month follow-up survey questions

1. Please state TODAY's date (dd/mm/yyyy): ____/____/____

2. To what extent do you agree it is part of your role to discuss physical activity with your patients?

1	2	3	4	5	6	7	8	9	10
Totally disagree					Totally agree				

3. To what extent do you agree that regular physical activity is of benefit to most patients living with a long-term condition?

1	2	3	4	5	6	7	8	9	10
Totally disagree					Totally agree				

4. To what extent do you value physical activity as a method of chronic disease prevention for your patients?

1	2	3	4	5	6	7	8	9	10
Not at all valued					Highly valued				

5. How often do you discuss physical activity with your patients in a typical working day?

1	2	3	4	5	6	7	8	9	10	N/A
Never									Almost always	N/A in current role

[skip to Question 11]

6. Of those patients with whom you discuss physical activity, on average, how long do you spend discussing physical activity?

☐	☐	☐	☐
Not applicable	Less than 60 seconds	1-2 minutes	More than 2 minutes

7. As a minimum per week, how many minutes of moderate intensity physical activity should an adult undertake to meet the UK Government's physical activity guidelines?

<input type="text"/>	minutes per week
----------------------	------------------

8. As a minimum per week, how many days should an adult undertake to improve muscle strengthening physical activity to meet the UK Government's physical activity guidelines?

<input type="text"/>	days per week
----------------------	---------------

9. To what extent do you think it is important to tell your patients about the benefits of physical activity?

1 2 3 4 5 6 7 8 9 10

Not at all
important

Extremely
important

10. How confident are you right now that you could advise your patients about increasing their physical activity?

1 2 3 4 5 6 7 8 9 10

Not at all
confident

Extremely
confident

11. Which, if any, of the following do you consider to be barriers to you assessing and/or advising your patients about physical activity? Select all that apply.

I'm not adequately trained in this area	☐	Lack of evidence on the effectiveness of physical activity to improve health	☐
Not enough time	☐	Lack of good quality information to give to patients	☐
Inadequate reimbursement	☐	I'm unaware of what's available locally to support my patients	☐
Patients are unlikely to follow my advice	☐	Lack of adequate referral services for my patients	☐
Patients are not motivated to increase their physical activity levels	☐	I'm unsure of the effectiveness of giving physical activity advice	☐
Fear of offending my patient	☐	Other, please specify below:	☐
Not applicable	☐		

12. Did your training session include any information about the Physical Activity Clinical Advice Pad?

☐
Yes

☐
No

☐
Not Sure

13. Have you taken part in the Physical Activity Clinical Advice Pad pilot study?

☐
Yes

☐
No

End of Survey

Appendix F Nurse Clinical Champion telephone interview schedule

Nurse Clinical Champions' interview schedule

Introduction

Hello

My name is _____ and I am a researcher at Loughborough University who have been commissioned by Public Health England to evaluate the implementation and effectiveness of the physical activity training sessions delivered by the Nurse Clinical Champions Network. Thank you for agreeing to be interviewed today. The interview will take no longer than 45 minutes.

Have you had a chance to read the information sheet? (yes/no)

Just to briefly remind you, the interview will involve me asking you some questions about your experiences and opinions on the Clinical Champions physical activity training programme. All information that you provide will be treated with the strictest confidence and will be kept anonymous and confidential. You are under no obligation to take part in the study, you have the right to withdraw from this study at any stage for any reason, and you will not be required to explain the reasons for your withdrawing.

Is it okay to record this interview? This recording will be used for the purposes of transcribing and analysing data.

Do you have any questions before we begin?

Are you happy for me to start the interview? (consent given)

1. Background

Firstly, I would like to ask you some questions about your current role and how you became involved in the Clinical Champions project.

- a. Can you describe what your typical week looks like? How often do you have contact with patients and in what setting? What opportunities do you have to promote physical activity?
Day to day schedule
- b. Can you describe how you became involved in the Clinical Champions programme? Why did you want to become a Clinical Champion? What was your experience of the recruitment process?
Who was involved in the recruitment and selection, type of recruitment used, (job adverts, word of mouth, flyers, CCGs, local contacts, conferences, previously known PA GPs etc.), was it targeted only to specific type of Nurses or available to all, what happened, when did you become involved, why did you become involved, clarity of the role
- c. Have you previously been involved in any other physical activity programmes similar to this one?
If YES, what was the program and what did it entail? What was your capacity in this?
- d. Have you received any prior training on physical activity and behaviour change?

2. Understanding of the Clinical Champions programme

- a. What do you understand to be the key aims of the Clinical Champions training programme? How well do you think these have been met?

- b. What are the key messages that the programme wanted to get across (to whom)?

3. Training

I would now like you to tell me about the delivery of the Clinical Champions programme both in relation to the training you received, and also the delivery of the programme to train other health professionals.

Training received

- a. Can you describe the structure and content of the training you received to enable you to deliver the physical activity training programme?

Duration, settings, number of sessions delivered, key material covered, behaviour change techniques used, additional resources available, opportunity to ask questions and to practice methods, were all training sessions the same or tailored to the audience, other trainers involved.

(ask about content and duration of training and whether the training equipped them to cascade the information)

- b. Was the training sufficient to support you in your role as a Clinical Champion?

Content, training

- c. What did you think of the resources provided to support you in training other health professionals? How could these be improved?

- d. What else might be needed/how could the training be improved?

- e. How were you assessed in terms of your understanding of the key messages?

Were there any assessments? Who does the assessment, where and when? If not, why not?

- f. *Do you feel that the training you have received has had any impact on your own clinical practice? Has it impacted your knowledge levels or attitudes surrounding PA? Has your confidence to promote PA increased?*

Training delivered

- g. Can you describe the structure and content of the training that you deliver to the healthcare professionals?

Which slide sets do you normally use? How did you decide on the relevant slide sets for your audience, the key issues you have experienced, the venues and circumstances of training, the level of engagement from the audience?

- h. *What were the main barriers for delivering the training?*

- i. *What facilitated delivering the training?*

4. Post-training

I would now like to ask you some questions about what happens after you have delivered training

- a. Can you tell me about any follow up, other than the current evaluation that takes place to allow you to provide feedback on the training you have delivered?

Quality assurance, who, when, where, how is this done, plans for refresher training.

- b. Do the healthcare professionals receive any support after the initial training has taken place? Is there any follow up, further training, advice on delivering the PA message?

If yes - what type of support is available, frequency of support, who provides this support, when does this extra support take place, where does this happen, extra support common

If no - why not and reasons

5. Future training

Finally, I would like to ask you about the strengths and weaknesses of the programme and its future development.

- a. What do you think the strengths of the program are?
- b. What do you think the weaknesses of the program are?
- c. How well do you think the programme has gone?
- d. Were there any unexpected consequences of the programme?
- e. Do you think the key aims of the Clinical Champions programme have been achieved? Do you feel there has been any impact on the knowledge and practices of the healthcare professionals who receive the training?

Key aims – improve healthcare professionals understanding of physical activity's potential for clinical impact, increase confidence of healthcare professionals to promote physical activity

If yes – how do you know this? What evidence would suggest that this has been achieved?

If no – why have they not been achieved?

- f. How do you think the Clinical Champions training programme could be improved? What would need to change to achieve this?
- g. What else do you think is needed to support health care professionals in promoting physical activity?
- h. Is there anything else you would like to tell me about that we haven't already discussed?

End of interview

Appendix G Stakeholder telephone interview schedule

CCPA Stakeholders Interview Schedule

Introduction

Hello

My name is _____ and I am a researcher at Loughborough University who have been commissioned by Public Health England to evaluate the implementation and effectiveness of the physical activity training sessions delivered by the Clinical Champions Network. Thank you for agreeing to be interviewed today. The interview will take approximately 30 minutes.

Have you had a chance to read the information sheet? (yes/no)

Just to briefly remind you, the interview will involve me asking you some questions regarding the wider impact of the Clinical Champions physical activity training programme from a strategic viewpoint. All information that you provide will be treated with the strictest confidence and will be kept anonymous and confidential. You are under no obligation to take part in the study, you have the right to withdraw from this study at any stage for any reason, and you will not be required to explain the reasons for your withdrawing.

Is it okay to record this interview? This recording will be used for the purposes of transcribing and analysing data.

Do you have any questions before we begin?

Are you happy for me to start the interview? (consent given)

1. Background

Firstly, I would like to ask you some questions about your role and your organisation.

- a. Please could you describe your current role? Which organisation are you with?
- b. What role do you and your organisation have in relation to promoting physical activity in healthcare professionals?
Commissioning programmes, programme delivery, policy making, advocacy for physical activity, other?
- c. How does the Clinical Champions Programme fit within your remit?
- d. Have there been any other physical activity programmes within your area similar to the Clinical Champions project / which involved training healthcare professionals to promote physical activity?
If YES, what was the programme and what did it entail? What was your role in this?

2. Direct impact of the Clinical Champions training programme

- a. Do you think the Clinical Champions Programme is succeeding in its aims to increase knowledge of physical activity and develop skills in physical activity promotion across healthcare professionals?

If YES, ask for some examples; If NO, why not?

- b. In your opinion, do you feel the training has had any impact on the promotion of physical activity in clinical practice?

If so, what changes have you seen? How have you assessed or measured this? Has it impacted the knowledge levels or attitudes surrounding PA? Has confidence to promote PA increased? Examples?

- c. Have you seen any other actions regarding increasing physical activity promotion in healthcare that you feel the Clinical Champions Programme has contributed to or inspired?

3. Wider strategic impact

- a. In your opinion, has the Clinical Champions programme raised the profile of physical activity i) within your organisation? ii) across wider local healthcare systems

If YES, how? If NO, is there a reason why not?

- b. Do you think the Clinical Champion/training programme has impacted on your organisation's decision-making relating to physical activity?

Organisation commitment to physical activity, investment in physical activity, supporting physical activity promotion, organisational priorities

- c. Have you seen impact at a local level or in your organisation in relation to investment in physical activity promotion?

Investment from a financial, time, support perspective.

- d. Are you aware of any new or existing local policies or strategies which now include physical activity as a result of the Clinical Champion or Clinical Champions training programme?

If YES, please outline the policies, what they include and how they came about

Inclusion of compulsory physical activity training for healthcare professionals within strategic planning?

- e. Has the Clinical Champions training programme been embedded into local policy/procedures/commissioning?

If YES, please could you tell us a bit more about this

- f. Since the beginning of the Clinical Champions programme, are you aware of any other new programmes that have been commissioned at a local level that prioritise physical activity promotion in healthcare or the training of physical activity healthcare professionals?

- g. What role do you see schemes such as the Clinical Champions programme having in terms of supporting strategic governance in relation to physical activity promotion moving forward? Which agendas might the programme support?

e.g. NHS LTP, prevention agenda and social prescribing

- h. Has there been any other impact within the healthcare setting since the Clinical Champions programme started?

4. Clinical Physical Activity Networks

- a. Is there an established clinical physical activity network in your local area?

If Yes, how was it established? (was it a result of the Clinical Champions Programme?)

Who is in the clinical physical activity network?

Barriers/facilitators to getting it established? Examples, e.g. anyone who wouldn't engage?

5. Sustainability/future impact

- a. What is needed to generate interest in physical activity in clinical practice locally? Who needs to be engaged (organisations, individuals)? How can they be engaged, and their interest sustained?
- b. How do you think the impact of Clinical Champions Programme could be increased?
- c. What do you think is needed for the Clinical Champions Programme to be sustainable?
- d. Are there any other local or national organisations who should be engaged in physical activity promotion in healthcare who are not currently involved?
- e. What else do you think is needed to raise the profile of physical activity in clinical care?
- f. How do you feel the programme can be changed or improved to better support professionals in your area and support your local health system?

End of interview