Distribuzione spaziale dei parametri delle discariche rurali in Romania *Spatial distribution of rural dumpsites parameters in Romania*

FLORIN-CONSTANTIN MIHAI

Department of Geography , "Alexandru Ioan Cuza" University of Iasi, Romania – mihai.florin86@yahoo.com

Riassunto

La cattiva gestione di impianti di trattamento dei rifiuti in Romania si è tradotta nello smaltimento illegale in siti localizzati in prossimità di insediamenti, soprattutto rurali. Fino al luglio 2009 questa pratica è stata regolare in tutte le regioni rurali, momento in cui la chiusura delle discariche è diventata obbligatoria secondo la normativa del governo nr. 345/2005 che ha recepito la direttiva sulle discariche 1999/31/CE. Nell'articolo viene proposta un'analisi spaziale sulla distribuzione dei rifiuti nelle discariche rurali, sulla base di unità amministrative territoriali a scala nazionale, regionale e locale. Questi dati sono correlati con le caratteristiche geografiche e ne rispecchiano i modelli spaziali di distribuzione nelle unità amministrative romene. Le analisi, supportate da ricerche sul campo, sono necessarie per una migliore comprensione del problema dello smaltimento illegale dei rifiuti. Ciò vale soprattutto per le regioni rurali, ancora esposte a tali pratiche e con un notevole inquinamento dell'ambiente locale.

Parole chiave

Analisi spaziale, indicatori di rifiuti , zone rurali, discariche, gestione dei rifiuti

Abstract

Poor waste management facilities led to uncontrolled waste disposal on improper sites in the proximity of human settlements particularly in rural areas. This bad practice prevailed in all rural regions until 16 July 2009 when these garbage dumps should be closed and rehabilitated according to Government Decision number 345/2005 which comply the Landfill Directive 1999/31/EC. The paper aims a spatial analysis of waste indicators concerning the rural dumpsites at administrative territorial units on national, regional and local scale. These data are correlated to geographical conditions reflecting spatial patterns in their distribution across and within Romanian counties. The role of geographical conditions is revealed at local scales in these spatial patterns due to a low coverage rate of rural communities to waste collection services. Such analysis supported by field observations is necessary for a proper understanding of illegal waste disposal issue. Rural regions are still exposed to such bad practices polluting the local environment.

Keywords

Spatial analysis, waste indicators, rural areas, dumps, waste management

1. Introduction

Non suitable waste management systems are a serious environmental threat on a wide scale across the world (Karak *et al.*, 2012). Noncompliant landfills and illegal dumping are the main options as a treatment solution of waste generated by urban and rural localities. Poor infrastructure and the lack of proper waste collection services led to the pollution of the local environment (rivers & streams, lakes, forests, agricultural land, roadsides etc.).

Rural regions are more predisposed to illegal dumping due to the lack of investments in this sector. Pollution derived from rural dumpsites in emerging economies such as China and India are complex and threatening the human health (Guan *et al.*, 2012; Chunhui e Ping, 2008; Lakshmikantha, 2006). Furthermore, rivers are frequently exposed to waste dumping in the proximity of rural households (Obeta e Ochege, 2014; Breg *et al.*, 2007;)

Illegal waste disposal sites are also encountered across rural EU countries, despite recent improvements in waste management infrastructure (Skoczko, 2003; Skourides, 2008; Mihai, 2012). GIS techniques and multi-criteria analysis are used in order to determine the rural areas predisposed to illegal dumping (Borrell *et al.*, 2014; Mihai et al, 2013; De Feo *et al.*, 2013). Waste management systems from rural areas of EU countries need to be better supported by central and local authorities in order to mitigate these bad practices (Căpățină e Simonescu, 2008, Passoti, 2010; Gabršček e Išljamović, 2011; Benjamin, 2011).

This paper aims a spatial analysis of statistical parameters (number, surface – ha/sq.m) concerning the rural dumpsites at different geographical scales such as counties (Romania), communes (North-East Region) and the villages of Neamt County.

Regional and micro-scale analysis outline the role of geographical conditions in spatial patterns of rural dumpsites parameters. Poor data about the rural waste management system from Romania are available in environmental reports and quality of those provided are often questionable. There is no database concerning the rural waste indicators at the county or commune scale.

In this context, this rural environmental issue is barely debated in the Romanian scientific literature and a geographical approach is absent.

2. Spatial analysis at national and regional scales

Romania has 8 development regions which correspond to NUTS 2 classifications, but these are not quite administrative borders with no executive attributions and a constitutional basis. These regions include 41 counties (NUTS 3) and the Bucharest municipality as a capital city. Each county is further divided into cities and communes (NUTS4). The commune is a lower administrative division specifically for rural areas which may include one or more villages. North-East Region is a part of the historical region of Moldavia and includes 6 counties as follows: Suceava, Botosani, Neamt, Iasi, Bacau and Vaslui. Each county has a County Council as a local authority of public administration, which coordinate the urban and communal councils within a county in order to provide public services. Regional development regions play an important role in accessing EU funds, including for the waste management sector. County councils supervise the new local integrated waste management systems supported through structural funds.

Regional authorities and waste operators often ignored rural areas concerning the waste management issue before EU accession. Poor waste management infrastructure led to the spread of dumpsites across rural regions. Every commune and village disposed their wastes on such improper sites (Mihai e Lămășanu, 2013). Almost every river or stream in the proximity of households were predisposed to illegal dumping particularly in mountain regions. Such dumpsites had a mixed composition, including household waste, agricultural waste, sawdust, manure, demolition and construction waste, hazardous waste (tires, batteries, WEEE etc.) threatening the community health and local environment.

Development of waste collection services (WCS) in rural Romania was a lazy and lengthy process. Following the EU accession in 2007, eight Romanian counties still did not provide such services in rural areas in 2008

and in another 6 counties, the share of rural population with access to WCS was very low <10% (Apostol and Mihai, 2012).

Next year, the overall situation has partially improved, but following counties have no access to the WCS in rural areas such as Ialomița, Teleorman, Dolj. In case of Vaslui county, only 207 people (0.07%) were connected with such services from Zorleni village. Dolj and Mehedinți had a coverage of only 2%, and in 8 counties these rates are below 30% (including Neamț county). Lack of proper waste management facilities has increased the amounts of waste disposed in open dumps. Counties from North-East, South-East and South of Romania have the lower coverage rates as shown in Figure 1, being most vulnerable to waste dumping except following counties: Ilfov, Călărași (over 90%), Suceava & Tulcea (over 70%), Dâmbovița & Argeș (over 50%). Larger open dumps are frequently found in the proximity of human settlements located in regions with a low risk of flooding (plateau areas, inter-fluvial hills, fluvial terraces) or on the plains where rural population density is

higher and human settlements are more bundled in the absence of geographical constraints. Such dumpsites are more extensive and frequent in well populated counties with a significant share of rural population and poor access to the WCS (<10%) where plains and low hills dominate the landscape (Apostol and Mihai, 2012).

The North-East region has 3.302.217 inhabitants in 2011, according to the last population census data and include 6 counties, 46 cities, 506 communes and 2.414 villages. This region has a harmonious combination between various relief types as follows from West to East: mountains (Eastern Carpathians – 30%, 2100 m max. altitude), Moldavian Subcarpathians (30%) which include several depressions and hills (higher altitudes around 700–800m), and 40% goes to the Moldavian plateau. This last form of relief occupies more than 70% of the surface in the counties of Botosani, Vaslui, Iasi.

Mihai et al., (2012b) outlined some spatial patterns concerning the ratio between the number of dumpsites at commune scale and number of villages that form a commune:

FIGURE 1 – Rural dumpsites parameters related to WCS rates at the county scale (NUTS3)

- in the mountainous western half of the counties Suceava, Neamț and Bacău the number of dumpsites is less than in the eastern half (dominant landscapes as Subcarpathian depressions and hills, plateau) as shown in figure 2;
- Botosani, Iași and Vaslui counties are overlapping the Moldavian Plateau, number of dumpsites are larger than the other three counties (particularly to mountainous western half). Frequently, each village from a commune reported the presence of a waste disposal site and sometimes number of these sites exceeds the number of villages that form the commune. This fact is due to the large rural population, especially in Iași County.

Physical-geographical transition of Suceava, Neamț (see figure 3) and Bacău counties influenced the distribution of rural dumpsites areas (ha) within the same county, while in eastern counties (Botoșani, Iași and Vaslui) this distribution is more uniform due to a more homogeneous landscape of Moldavian Plateau (Mihai *et al.*, 2012b) as shown in Figure 2.

The North-East region is still facing the uncontrolled waste disposal (due to a partial coverage rate of rural population access to WCS) polluting local environmental factors such as the rivers and streams, ground waters, forested areas, agricultural lands in the proximity of built-up areas. Suceava, Botosani, Iași, Bacău and Neamț counties have made significant progress after

FIGURE 2 – Spatial patterns of rural dumpsites parameters in North-East Region

2009, regarding the development of waste management facilities in rural areas, unlike Vaslui where this sector was almost non-existent in 2010.

3. Spatial analysis of micro-scale (villages of Neamț County)

Following the multi-scale analysis of the geographical distribution of rural dumpsites at county & commune level, such an analysis is also performed at the micro-scale for villages of Neamț county. This has been possible due to inventory of these dumpsites made by EPA Neamț in partnership with local authorities in December

2008, data are provided on this scale in the annual environmental report (EPA Neamț, 2009). Nevertheless, it should be noted that these data differ from those used in the analysis at commune scale in the North-East Region as shown in Figure 2 (Neamț county data were provided by the National Environmental Guard, County Commissariat, September 2009).

Statistical data representing the total amount of surfaces occupied by these sites within a village because there may be one or more such sites across a village. Comparing Figure 2 to Figure 4 it is noted that there are mostly the same geographical distribution of dumpsites surfaces, high values (> 1 ha or 10000 sq.m) focusing on the subcarpathian region of Bistrița river where wastes

FIGURE 3 – Geographical features of Neamț County

are often disposed on alluvial plains across several villages such as Cut (1.5 ha), Brășăuți (1ha), Săvinești (2ha), Zănești (5ha), Șovoiaia and Ruseni.

These villages are vulnerable to flash floods in the warm season, local dumpsites are often temporary which may explain the differences regarding the surfaces at commune level between December 2008 and September 2009 or as open dumps located on older terraces of Bistrița river close to settlements such as Izvoare (2ha), Traian (0.55 ha), Podoleni (1.7ha) and Costișa (0.2 ha). Also, in densely populated localities located on terraces and floodplain of Moldova river larger open dumps prevail in following villages: Săbăoani (3ha), Cordun (3ha), Pildești (2ha), Horia (0.45 ha). In the same context enroll the villages which dispose the wastes on floodplain of Siret river as Tămășeni (3ha) and Adjundeni (1ha). Fig-

ure 3 & Figure 4 reveal the role of landscape in spatial analysis of rural dumpsites at local scale. Open dumps are common and usually occupy small areas (<0.5 ha) in the Moldavian Plateau with some exceptions, such as Valea Ursului (4ha) Bucium (1ha) or Recea (3ha).

Communes of this region have a large number of small villages in their administrative structure, these villages are sparsely populated and aging (<500 inhabitants) such as Oniceni, Icusești or with between 500-1000 people in villages Bozieni, or Valea Ursului and Stanița.

Subsistence agriculture and isolation from major traffic arteries & cities contribute to a poor economic situation that lead to a decrease of consumer goods which also imply a lower waste generation rate. Furthermore, waste recovery in own households (organic

FIGURE 4 – Geographical distribution of dumpsites areas (sqm) at micro-scale (village)

waste as a food source for livestock or compost, reuse of recyclable) mitigates the amounts of waste disposed on improper sites. This goes for hilly regions of central and south of the county and only in some cases rural dumpsites having larger areas such as Budești (0.7 ha) Moldoveni (2ha) Hociungi (1ha), Goșmani (2ha). In subcarpathian region, these sites are larger in case of tourist localities such as Agapia (1,2ha), Filioara (1,6ha), Bălțațești (1,07 ha). Development of waste collection services in such areas should be a priority in order to avoid the prejudice of local tourism. In the same context fits the localities within the mountain region where wastes (household, agricultural and sawdust) were dumped on the banks of streams and rivers which are frequently flooded (Borca – 1 ha, Madei – 0.5 ha, Grințies – 2ha, Ceahlău – 2 ha, Hangu – 0.9 ha, Tașca – 0.75 ha, Pângărați – 1ha, Tazlău– 1.075 ha, Pipirig – 0.41 ha, Piatra Șoimului – 1ha).

Differences between surfaces of dumpsites reported in December 2008 and September 2009 highlights the temporary nature of these sites in mountainous regions and on floodplains (extra-Carpathian region) which were frequently flooded. This comparison is made at commune scale, thus data at the village level is compiled for 2008. Such an analysis is relevant in the context of poor waste management services.

The significant decrease (Dec 2008/Sept 2009 ha) in the mountainous region is found for following communes: Borca (1.5/0.27 ha), Ceahlău (2.04/0.81 ha), Pipirig (0.51 ha/-), Hangu (1.5/0.93 ha), Tazlău (1.075/0.15 ha), Grințies (2.4/0.85 ha), Tarcău (1.125 /0.05 ha), Piatra Șoimului (1/0.51 ha).

In the subcarpathian Bistrița valley, significant differences were recorded in case of Dumbrava Roșie (4.5 /0.12 ha), Săvinești (2/0.5 ha), Zănești (5 /0.14 ha) communes and the same patterns are encountered also in floodplain of Siret river in the proximity of the Tamaseeni commune (4/0.28 ha) or floodplain of the Moldova river in case of Cordun commune (2/0.59 ha). Almost

constant values were recorded in the villages located on the terraces of Moldova where such dumpsites are furthest from the river as Botești (1.03/1.3 ha) and Gherăești (0.28/0.29 ha). These major differences observed in the comparative analysis contributes also the closure of these sites (between the two inventories taken by the authorities, the legal term until 16 July 2009), on the other hand, depends on the accuracy of the data reported by local authorities. In any case, these aspects cannot minimize the potential role of flash floods on these sites where waste dumping still prevails in these areas (2010-2011) as confirmed by field observation. It should be noted that in both inventories there were several communes / villages who did not report such sites on their territory, although rural population access to WCS was only 15.14% in 2009.

4. Conclusions

Statistic analysis of rural dumpsites parameters cannot claim to be exhaustive, but outlines the role of geographical conditions in their spatial distribution in a multi-scale context (counties – communes – villages). Rural dumpsites were the heritage of poor waste management facilities from pre-accession period until 16 July 2009 when these sites should be closed according to Government Decision nr. 345/2005. Nevertheless, these improper sites are also encountered in now days due to low coverage of WCS from several rural regions of Romania. Geographical implications at local and regional scale are outlined by thematic cartography and GIS techniques. These are useful tools in order to assess complex interactions between environmental- waste management- human settlements in a multi-scalar context, such as villages – communes – counties – development regions – countries – EU. Geography of waste is emerging under the multi and interdisciplinary approaches of waste management sector.

References

- APOSTOL L. e MIHAI F.C. (2012) Rural waste management: challenges and issues in Romania, "Present Environment and Sustainable Development" 6 (2), pp. 105-114.
- BENJAMIN J.V. (2011) Litter on the Shores of Bohemia. Environmental Justice, European Enlargement, and Illegal Waste Dumping in the Czech Republic. First edition. Praha, Brno: Institute of Sociology of the Academy of Sciences of the Czech Republic, Masaryk University Press, 145 p., DOI: 10.5817/CZ.MUNI.M210-5733-2011.
- BORRELL R.J., RODRÍGUEZ F.R. E MONEDERO A.L.L. (2014), Factor analysis and geographic information system for determining probability areas of presence of illegal landfills, DOI: 10.1016/j.ecolind.2013.10.001, "Ecological Indicators", 37, pp. 151-160.
- BREG M., Kladnik D. e SMREKAR A. (2007) Dumping sites in the Ljubljansko polje water protection area, the primary source of Ljubljana's drinking water, "Acta Geographica Slovenica-Geografski Zbornik", 47(1), pp. 74-93.
- CĂPĂȚÎNĂ C. e SIMONESCU C. M. (2008). Management of waste in rural areas of Gorj County, Romania. "Environmental Engineering & Management Journal", 7(6), pp. 717-723.
- CHUNHUI Y. e PING Q. (2008), Provision of Residential Solid Waste Management Service in Rural China China & World Economy 16 (5), pp. 118-128.
- COUNCIL DIRECTIVE 99/31/EC of 26 April 1999 on the landfill of waste.
- DE FEO G., CERRATO F., SIANO P. e TORRETTA V. (2013). Definition of a multi-criteria, web-based approach to managing the illegal dumping of solid waste in Italian villages. "Environmental Technology", 35, pp. 104-114, DOI:10.1080/09593330.2013.816328.
- GABRŠČEK, A. e IŠLJAMOVIĆ S. (2011), Communal Waste Management: Case study for Slovenia. "Management – časopis za teoriju i praksu menadžmenta", 16(60), pp. 35-41.
- ENVIRONMENTAL PROTECTION AGENCY of NEAMT (EPA Neamt) Annual report on environmental status in Neamt County, Waste Chapter, 2009.
- GOVERNMENT DECISION nr. 345/2005 regarding the landfill of waste, Romania.
- GUAN Y.D., DU Y.H., Ji H.F., LUO A.C. e ZHAO B.W., (2012) Assessment of Abandoned Unsanitary Landfills in Rural Areas of Ningbo, China, Asian Journal of Chemistry, 24(3), pp. 1185-1190.
- KARAK T., BHAGAT R. M. e BHATTACHARYYA P. (2012), Municipal Solid Waste Generation, Composition, and Management: The World Scenario, "Critical Reviews in Environmental Science and Technology", 42(15), pp. 1509-1630.
- LAKSHMIKANTHA, H. (2006) Report on waste dump sites around Bangalore, Waste Management 26 (6), pp. 640-650, DOI: 10.1016/j.wasman.2005.06.009.
- MIHAI F.C., URSU A., ICHIM, P. E. CHELARU, D.A., (2013), Determining rural areas vulnerable to illegal dumping using GIS techniques. Case study: Neamț County, Romania, "13th International Multidisciplinary Scientific GeoConference on Ecology, Economics, Education And Legislation, SGEM 2013, Conference Proceedings" vol. 1, pp. 275-282, DOI: 10.5593/SGEM2013/BE5.V1/S20.037.
- MIHAI F.C. e LĂMĂȘANU A. (2013) Spatial analysis of dumpsites volumes from rural territory Case study: Neamț County, Romania, Forum Geografic. Geographical studies and environment protection research, 12(1) pp. 59-66, DOI: 10.5775/fg.2067-4635.2013.063.i
- MIHAI F.C. (2012), Improper Household Waste Disposal in Rural Territory. Case Study: Neamț County, Romania, "Bulletin USAMV Agriculture", 69(2), pp. 15-20, DOI: dx.doi.org/10.5281/zenodo.19131
- MIHAI F.C., APOSTOL L., GHIURCĂ A.A., LĂMĂȘANU A., e BĂNICĂ A. (2012), Geographical distribution of rural dumpsites in North-East Region from

Romania, "12th International Multidisciplinary Scientific GeoConference SGEM 2012, Conference Proceedings" vol. 5, pp. 447-452, DOI: 10.5593/sgem2012/s20.v5060.

OBETA M C. e OCHEGE F.U. (2014), Effects of waste dumps on stream water quality in rural areas of southern Nigeria, "IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT)", 8(2), pp. 82-88.

PASOTTI E., (2010). Sorting through the Trash: The Waste Management Crisis in Southern Italy "South European Society and Politics", 15(2), pp. 289-307, DOI: 10.1080/13608740903497733.

REGIONAL ENVIRONMENTAL PROTECTION AGENCY of BACAU (REPA Bacău), Annual report on environmental status in North-East Region, 2010.

SKOCZKO, I Solid waste management on the terrain of Podlaskie Province.

(2003) National Polish Scientific Conference on Complex and Detailed Problems of Environmental Engineering Book Series: Zeszyty Naukowe Wydziału Budownictwa i Inżynierii Środowiska", 21, pp. 249-263.

SKOURIDES I., SMITH S.R. e LOIZIDES M., (2008) Sources and factors controlling the disposal of biodegradable municipal solid waste in urban and rural areas of Cyprus, Waste Management & Research, 26(2), pp. 188-195, DOI: 10.1177/0734242X07085756.