Hemlock Hospice: landscape ecology, art, and design as science communication

Aaron M. Ellison and David Buckley Borden

Harvard University, Harvard Forest, 324 North Main Street, Petersham, Massachusetts

01366

Abstract

Interdisciplinary science-communication projects at the intersection of landscape ecology, art, and design are effectively realized through a democratic process involving co-equal collaborators. We illustrate this collaborative process through a case study of *Hemlock Hospice*, a 3000-meter-long art-based, site-specific interpretive trail at Harvard University's Harvard Forest. At one level, *Hemlock Hospice* describes the ongoing demise of the eastern hemlock tree caused by a tiny aphid-like insect, the hemlock woolly adelgid. More broadly, *Hemlock Hospice* addresses issues of climate change, human impact, and the future of the world's forests. This case study highlights gains realized from embedding artists and designers in an active scientific research site while specifically including scientists as full partners in designing and producing mission-driven educational artwork. It also illuminates challenges of democratizing art/science collaborations, including different modes of communication among participants; appropriate levels of financial support; different measures of scientific and artistic success; and creating opportunities for direct action.

1. Introduction

Hemlock Hospice is a series of 18 site-specific sculptural installations that we co-designed and situated along a 3000-m-long (≈ 1 mile) interpretive trail at the Harvard Forest in Petersham, Massachusetts. It presents a visual and interactive narrative about the introduction of a nonnative insect (the hemlock woolly adelgid), the associated decline of a dominant forest tree (eastern hemlock), and a glimpse of New England forests of the near future. *Hemlock Hospice* also is designed intentionally to encourage people to reflect on how to interact empathetically with trees and forests (Figure 1). Finally, *Hemlock Hospice* is contextualized locally, regionally, and globally. Research scientists and support staff who work at the Harvard Forest daily witness the inexorable decline of this particular forest stand. Visitors from throughout New England see in the decline of hemlock at Harvard Forest other ongoing forest declines caused by insects and pathogens throughout this region (Lovett et al., 2016). And forest declines around the world are accelerating because of human-caused climate change (Perie and de Blois, 2016; Figure 2).

[Figure 1 about here]

[Figure 2 about here]

2. Background

Eastern hemlock (*Tsuga canadensis*) is an evergreen tree related to pines, cedars, larches, firs, and spruces. For the last eight millennia, eastern hemlock has been a “foundation species” in eastern North American forests: it exerts disproportionate control on biodiversity, energy flow, and nutrient fluxes in the forest (Ellison, 2014). The dense canopy, shaded understory, and quiet, soft soil built up from centuries of shed needles of eastern hemlock forests also has inspired

some of America's great poets (e.g., *I think the Hemlock likes to stand* [F400 (1862) in Dickinson, 1998] and *Dust of Snow* [Frost, 1923]).

In the early 1950s, the hemlock woolly adelgid (*Adelges tsugae*), a tiny insect native to northeast Asia, was inadvertently brought into Virginia (Havill et al., 2006; Figure 3). Spread by wind, birds, and people, it feeds on and kills eastern hemlocks of all ages and sizes. Although adelgid infestations on one or a few trees are controllable with regular applications of insecticides, these are infeasible for treating large numbers of trees in dense forest stands. Biological control measures for the adelgid are being investigated but have not yet proven effective in controlling it at landscape scales (USDA Forest Service, 2017; Sumpter et al., 2018).

[Figure 3 about here]

Responses to hemlock decline range widely. Ecologists study how the adelgid, climate change, and patterns of land use affect hemlock decline rates and the different trees and forests that may replace it (Ellison 2014; Foster, 2014). Entomologists are developing methods to control the adelgid (Sumpter et al., 2018). Foresters suggest “preemptively” salvaging hemlock trees so landowners can realize economic value from them (Foster and Orwig, 2006; Figure 4). Geneticists are identifying eastern hemlocks resistant to the adelgid and cross-breeding them with non-resistant individuals to develop resistant trees (Ingwell and Preisser, 2011; Oten et al., 2014). Conservation biologists are planting orchards of eastern hemlocks in North Carolina, Chile, and Brazil to preserve genetically diverse stock so hemlock forests can be replanted if and when the adelgid has been controlled or eradicated (Jetton et al., 2013). Despite these efforts, all of us are witnessing the inevitable passing of these trees from our forests.

[Figure 4 about here]

Hemlock Hospice integrates and communicates these diverse responses through site-specific art and design. For people, hospice and palliative treatment provide physical and spiritual care for terminally ill individuals, their families, and loved ones (Kane et al., 1985; Teno et al., 2004). Hospice care not only comforts individuals who are dying, often painfully, but helps family and friends cope with impending loss and ultimately come to terms with it. By extension, *Hemlock Hospice* provides an expression of care for dying trees in a declining forest and opens a space for thoughtful and constructive conversations about our relationships with nonhuman organisms such as trees and insects (Figure 4). Visitors should leave *Hemlock Hospice* with newfound empathy for trees and species like the adelgid that interact with them, and an acceptance of ongoing, dynamic changes in forests and other ecological systems (Ellison, 2013).

3. Designing *Hemlock Hospice* and Democratizing Art/Science Collaborations

The conceptualization, design, fabrication, and installation of *Hemlock Hospice* was intentionally collaborative and democratic. A typical practice diagram representing the relationship between art, design, and science (Figure 5) places art at the apex—the cultural edge to engage broad audiences. Art is informed by design-thinking, which makes explicit the overall creative framework and goals of the project. And both art and design are built on a foundation of scientific research. This view of the relationship between art, design, and science not only seems to us to be inappropriately hierarchical, but also omits other crucial and practical aspects of

projects such as this one that aim to integrate and communicate a variety of disciplinary perspectives. These aspects include community engagement, educational programming, promotion, and ultimately direct action (Figure 5), all of which are integrated empathetically at multiple stages throughout project conception, design, development, and implementation.

[Figure 5 about here]

3.1. *Community engagement in the design of Hemlock Hospice*

Communities inspire projects. *Hemlock Hospice* is situated at Harvard Forest, whose communities motivated and drove its narrative. Onsite researchers (students, research staff, faculty) and support staff (facilities and administration) work together to realize the educational, research, and outreach mission of the Harvard Forest. Researchers come from all over the world to contribute to, and take advantage of, site-based, field and archival long-term ecological research. Students visit Harvard Forest to learn about its research. Hikers, horseback riders, hunters, day-visitors, and many others use Harvard Forest trails and lands for recreation and contemplation. *Hemlock Hospice* engaged and expanded these Harvard Forest communities by involving them variously in conceptualizing and fabricating individual pieces, determining access and location for installations, and providing thoughtful feedback, critique, and validation of the work as it progressed from design through installation and opening.

The artful design of *Hemlock Hospice* reflected not only individual inspiration, but also curation and editing of content provided by the Harvard Forest onsite community. Not only did this community collectively set the tone of the narrative—much of the background data on eastern hemlock, the adelgid, and current hemlock decline has been collected by Harvard Forest

researchers (summarized in Foster, 2014)—but it also contributed many nuanced cultural details to the individual pieces and the landscape context of *Hemlock Hospice*. For example, the caricature of New Englanders as thrifty Yankees and the sustainability ethos of the Harvard Forest community is apparent in the recycling or repurposing of $\approx 90\%$ of the materials used to construct the *Hemlock Hospice* sculptures. These include lumber and wood fragments left over from onsite processing of locally sourced wood used to heat Harvard Forest’s office, laboratory, and residential spaces (e.g., the tree stumps in *Bio-Resource Plug* [Figure 4] or the sawmill saw blades in *Double Assault* [Figure 3]), and “eco-debris” from decommissioned experiments (e.g., the heat lamp and ant-nest boxes in *Wayfinding Barrier No. 1* [Figure 1]). This regular back-and-forth between the artist/designer and the community differs from the more traditional vision of science (data) $\rightarrow$ design $\rightarrow$ art envisioned in the standard practice diagram (Figure 5).

3.2. Community engagement in the production of *Hemlock Hospice*

Realizing designs of individual sculptures and the overall installation engaged other communities. At a very practical level, production costs money, and resources for art are non-existent in a department focused on scientific research at a field station run and used by scientists. The lead scientist for *Hemlock Hospice* not only contributed and helped to interpret data, but also worked as a behind-the-scenes “executive producer,” identifying, with the help of the supportive administrative team at Harvard Forest, unrestricted and unencumbered funds that could be reallocated to this science communication project.

Hemlock Hospice also was deliberately and carefully sited. This first art-based interpretive trail at Harvard Forest was located in one its most intensively studied and instrumented areas. We worked consistently with the leadership team at Harvard Forest

(including the Director, Director of Administration, and Site Coordinator) to identify appropriate sites for individual installations to create maximum aesthetic impact while minimizing effects on ongoing research projects and the ecological integrity of the forest stand itself. At the same time, concerns about limbs of disintegrating trees falling on visitors inspired additional decisions regarding design direction, project branding, wayfinding, and the overall route of the trail through the forest.

We had a great deal of help from a community of visiting fabricators who refined the designs of, and constructed the sculptures themselves (Hass, 2018). We drew on the expertise and craft of more than a dozen painters, woodworkers, print makers, fabric artists who each brought crucial ideas and skills to *Hemlock Hospice*. Each also designed a hard-hat used by visitors to the installation (Figure 6) and their contributions are explicitly recognized in the associated trail guide and publicity efforts.

[Figure 6 about here]

Finally, during its installation, we brought groups of students and visitors through *Hemlock Hospice* at various stages of completion to assess their experiences and reactions. This “beta-testing” informed the sequencing of the work and led us to create additional sculptures to fill gaps in the narrative that we had overlooked or not considered.

3.3. *Encouraging empathy in a community of care-givers*

Empathy is the ability to understand and share the feelings of another (or “an other”). The installations of *Hemlock Hospice* engage different visitors in myriad ways and spark different

degrees of understanding and empathy. A casual visitor might view *Wayfinding Barrier No. 1* as a simple detour sign (Figure 1); a regular hiker might be taken aback by the large object preventing them from walking their normal route; a member of the Harvard Forest Woods Crew might remember cutting the wood used to support or frame the sculpture; and an ant researcher might hope that ants would still be able to take up residence in the now-airborne nest boxes. When conversations occur among these diverse groups, each brings their own interpretations and unique perspectives to subsequent discussions about the changing forest. An art/science project like *Hemlock Hospice* can provide a vehicle for expression of community values and can give visual voice to the people that work in and around the installation site (here, the forest). All who experience *Hemlock Hospice* attain a greater empathetic understanding of the forest, too.

Hemlock Hospice had its origin in the observations that eastern hemlock forests are inexorably declining as adelgids spread, feed on, and ultimately kill their host trees. Although many groups and stakeholders continue to focus on chemical and biological control efforts or *ex situ* conservation plantings, these measures to date have been ineffective at slowing the spread of the adelgid or the demise of hemlock forests at the landscape scale. With *Hemlock Hospice*, we wanted to spark a conversation about making the transition from “curative” to hospice care for hemlock forests, a conversation that seems to us to be especially relevant as people and their activities are rapidly transforming the world and extinguishing its biodiversity (Figure 7).

[Figure 7 about here]

In clinical practice, the patient in hospice care and the family are considered together to be the unit of care (Wittenberg-Lyles et al., 2012). By analogy, eastern hemlock and the broader

Harvard Forest communities are partners in hospice for eastern hemlock forests. Interdisciplinary teams and nurturing, empathetic relationships between family caregivers and patients are just as crucial in human-centered hospice care (Wittenberg-Lyles et al., 2012) as in our stewardship of our changing environment (Berenguer, 2007). Empathy is not always natural in caregiver-patient relationships (Larson and Yao, 2005) and needs even more encouragement when the patient, like eastern hemlock, is not human (Berenguer, 2007; Balding and Williams, 2016).

Good artistic (and architectural) design “helps people deal with change... [and changes] our understanding of how the world evolves” (Antonelli, quoted in Luebckemen, 2015). In *Hemlock Hospice*, we encourage our communities to think about what it means to be a tree—living, dying, or dead—or an immigrant insect such as the adelgid (Figure 8). We also encourage thinking of trees and forests not just as inanimate resources (Figure 4) for our use, but rather as co-habitants with us of the forest, this region, or the Earth (Geisel, 1971).

4. Successes, Challenges, and Lessons Learned

The successful design and execution of *Hemlock Hospice* was possible in large measure because the artist/designer was supported to work full-time for a year as part of the Harvard Forest community. The substantial accomplishments of *Hemlock Hospice* were realized because of the non-hierarchical nature of the collaboration (Figure 5): the lead and collaborating artists, designers, and fabricators were embedded in an active scientific research site, and scientists simultaneously were full partners in the design and creation process. Bringing together artists, designers, and scientists on a common project also has its challenges, including different modes of communication among participants, different measures of scientific and artistic success, and different expectations for direct action.

Artists and scientists communicate ideas in different ways. Scientific ideas often are framed as hypotheses, and data are analyzed quantitatively or modeled mathematically. Artistic ideas often are more conceptual, qualitative, or sensorial. We found a common language through constructed physical study models (Figure 8) with which artistic ideas could be made sufficiently concrete so that evidence-based scientists could respond to them both intuitively and intellectually.

Scientists and artists may have different measures of success. Salaried scientists usually are paid for the process (“doing science”), whereas artists and other creative content producers usually are paid only when they sell their “work.” In the case of *Hemlock Hospice*, we were on the same level: both were salaried. Scientists are rewarded for writing technical papers and books, whereas artists are rewarded by selling paintings, sculptures, videos, *etc.* In the case of *Hemlock Hospice*, we and our collaborators had scoped the project together and were united in the overall mission of the project. There were only a few times when we questioned what we were doing, and if we did disagree on a particular direction or piece we would immediately step back and ask whether we were moving the agenda forward. But the science or the sculptural installations were not the ends in and of themselves for either of us. Rather, the primary measure of success was whether this art/science project created opportunities for understanding, outreach, and further community-building and engagement.

Education and outreach also should be central to the mission of science communication, not an afterthought; it must be intentionally planned from the outset. We were fortunate in having the help and support of a full-time outreach manager at Harvard Forest (who also manages its well-respected Fisher Museum), additional outreach and event planning “borrowed” from the time of devoted staff, and a contracted public-relations consultant. Each of us

contributed print and online media contacts to promote the project and encourage individuals to visit an installation at a relatively remote site. We added indoor exhibition content to the Fisher Museum, which itself draws thousands of visitors annually to view its historical dioramas (Foster and O’Keefe, 2000), leveraging it as a springboard for the *Hemlock Hospice* trail.

One of the most salient critiques of *Hemlock Hospice* and other art/science collaborations is that it doesn’t include an explicit direct-action component. Many people viewing *Hemlock Hospice*, especially those learning about the adelgid for the first time, want to do something tangible about controlling it to save the trees or take broader actions to prevent environmental degradation. *Hemlock Hospice* is successful because it leads people to consider a sustainable future. But even though we cannot save the hemlocks, we still missed an opportunity to provide concrete steps forward. Expanding our communities even further to include educators and activists, educational institutions and NGOs, and policy- and decision-makers could suggest immediate actions inspired by art/science collaborations. Although we didn’t do this explicitly with *Hemlock Hospice*, we are taking this route with our follow-up installation, *Warning Warning Walk*, to be emplaced on Harvard’s main campus in October 2018.

5. Conclusions

Traditional art/science projects reflect unidirectional and hierarchical relationships: scientists intentionally or unintentionally provide data to designers and artists who interpret it for broader audiences. The resulting artistic creation communicates a message—scientific or otherwise—that most often is independent of the intent of the scientists who generated the data. Our experience with *Hemlock Hospice* suggests that art/design/science collaborations can communicate scientific information more effectively *and accurately* if both participants and content are neither

hierarchical nor exclusive. More broadly, the most successful art/science projects will engage diverse communities in their programming, publicity, and outreach at multiple points throughout their conception, design development, fabrication, and promotion.

Acknowledgments

Hemlock Hospice could not have been realized without the full support and collaboration of the Harvard Forest staff and many artistic collaborators (the latter are identified by name in figure captions). David Buckley Borden's work was supported by a Charles Bullard Fellowship in Forest Research. Additional financial support for design, fabrication, and construction was provided by the Harvard Forest, and through research grants to David Foster and Aaron Ellison from the U.S. National Science Foundation (DEB 12-37491 and DBI 14-59519).

References

- Balding, M. and Williams, K. J. H. (2016). Plant blindness and the implications for plant conservation. *Conservation Biology* 30(6), pp. 1192-1199.
- Berenguer, J. (2007). The effect of empathy in proenvironmental attitudes and behaviors. *Environment and Behavior*, 39(2), pp. 269-283.
- Boose, E. (2018). Fisher meteorological station at Harvard Forest since 2001. Harvard Forest Data Archive: HF001. [online] Available at: <https://dx.doi.org/10.6073/pasta/04076dfd30b286c6c29301b6345a63f5> [Accessed 10 June 2018].
- Bradley, B. A., Blumenthal, D. M., Early, R., Grosholz, E. D., Lawler, J. J., Miller, L. P., Sorte, C. J. B., D'Antonio, C. M., Diez, J. M., Dukes, J. S., Ibanze, I. and Olden, J. D. (2012). Global change, global trade, and the next wave of plant invasions. *Frontiers in Ecology and the Environment*, 10(1), pp. 20-28.
- Butin, E., Porter, A. H. and Elkinton, J. (2005). Adaptation during biological invasions and the case of *Adelges tsugae*. *Evolutionary Ecology Research*, 7(6), pp. 887-900.
- Canadian Food Inspection Agency (2017). Hemlock woolly adelgid – *Adelges tsugae* (Annand). [online] Available at: <http://www.inspection.gc.ca/plants/plant-pests-invasive-species/insects/hemlock-woolly-adelgid/eng/1325610383502/1325610993895> [Accessed 10 June 2018].
- Chamberlin, T. C. (1890). The method of multiple working hypotheses. *Science* (Old Series), 15(366), pp. 92-96.

- Costa, S. D., Trotter, T. R. and Montgomery, M. (2008). Low temperature in the hemlock woolly adelgid system. In: *Fourth Symposium on Hemlock Woolly Adelgid in the Eastern United States*. Morgantown: U.S. Forest Service, pp. 47-53.
- Dickinson, E. (1998). *The Poems of Emily Dickinson*, Variorum Edition (edited by R. W. Franklin). Cambridge: Belknap.
- Ellison, A. M. (2013). The suffocating embrace of landscape and the picturesque conditioning of ecology. *Landscape Journal*, 32(1), pp. 79-94.
- Ellison, A. M. (2014). Experiments are revealing a foundation species: a case-study of eastern hemlock (*Tsuga canadensis*). *Advances in Ecology* [online], 2014, article 456904. Available at: <https://dx.doi.org/10.1155/2014/456904> [Accessed 10 June 2018].
- Fitzpatrick, M. C., Preisser, E. L., Porter, A., Elkinton, J. S. and Ellison, A. M. (2012). Modeling range dynamics in heterogeneous landscapes: invasion of the hemlock woolly adelgid in eastern North America. *Ecological Applications*, 22(2), pp. 472-486.
- Foster, D. R., editor (2014). *Hemlock: A Forest Giant on the Edge*. New Haven: Yale University Press.
- Foster, D. R. and O'Keefe, J. F. (2000). *New England Forests Through Time: Insights from the Harvard Forest Dioramas*. Petersham, Harvard Forest.
- Foster, D. R. and Orwig, D. A. (2006). Preemptive and salvage harvesting of New England forests: When doing nothing is a viable alternative. *Conservation Biology* 20(4), pp. 959-970.
- Frost, R. (1923). *New Hampshire: A Poem, with Notes and Grace Notes*. New York: Henry Holt and Company.
- Geisel, T. S. (a.k.a. Dr. Seuss) (1971). *The Lorax*. New York: Random House.
- Harris, J. (2000). The sixth extinction. *Interdisciplinary Science Reviews*, 25(4), pp. 245-249.

- Hass, N. (2018). Are fabricators the most important people in the art world? *The New York Times Style Magazine*, [online]. Available at <https://www.nytimes.com/2018/06/22/t-magazine/art-fabricators.html> [Accessed 22 June 2018].
- Havill, N. P., Montgomery, M. E., Yu, G. Y., Shiyake, S. and Caccone, A. (2006). Mitochondrial DNA from hemlock woolly adelgid (Hemiptera : Adelgidae) suggests cryptic speciation and pinpoints the source of the introduction to eastern North America. *Annals of the Entomological Society of America*, 99(2), pp. 195-203.
- Havill, N. P., Shiyake, S., Galloway, A. L., Footit, R. G., Yu, G. Y., Paradis, A., Elkinton, J., Montgomery, M. E., Sano, M., and Caccone, A. (2016). Ancient and modern colonization of North America by hemlock woolly adelgid, *Adelges tsugae* (Hemiptera: Adelgidae), an invasive insect from East Asia. *Molecular Ecology*, 25(9), pp. 2065-2080.
- Ingwell, L. L. and Preisser, E. L. (2011). Using citizen science programs to identify host resistance in pest-invaded forests. *Conservation Biology* 25(1), pp. 182-188.
- Jetton, R. M., Whittier, W. A., Dvorak, W. S. and Rhea, J. R. (2013) Conserved *ex situ* genetic resources of eastern and Carolina hemlock: eastern North American conifers threatened by the hemlock woolly adelgid. *Tree Planters' Notes*, 70(2), pp. 59-71.
- Kane, R. L., Klein, S. J., Bernstein, L., Rothenberg, R. and Wales, J. (1985). Hospice role in alleviating the emotional stress of terminal patients and their families. *Medical Care*, 23(3), pp. 189-197.
- Larson, B. M. H. (2005). The war of the roses: demilitarizing invasion biology. *Frontiers in Ecology and the Environment*, 3(9), pp. 495-500.
- Larson, E. B. and Yao, X. (2005). Clinical empathy as emotional labor in the patient-physician relationship. *Journal of the American Medical Association*, 293(9), pp. 1100-1106.

- Leakey, R. E. and Lewin, R. (1996). *The Sixth Extinction: Patterns of Life and the Future of Humankind*. New York: Anchor.
- Lovett, G. M., Weiss, M., Liebhold, A. M., Holmes, T. P., Leung, B., Lambert, K. F., Orwig, D. A., Campbell, F. T., Rosenthal, J., McCullough, D. G., Wildova, R., Ayres, M. P., Canham, C. D., Foster, D. R., LaDeau, S. L. and Weldy, T. (2016). Nonnative forest insects and pathogens in the United States: Impacts and policy options. *Ecological Applications*, 26(5), pp. 1437-1455.
- Luebke, C. (2015). Designing a graceful ending: a conversation with design luminary Paola Antonelli. *Architectural Design*, 85(4), pp. 20-25.
- Meier, E. (2015). *Wood! Identifying and Using Hundreds of Woods Worldwide*. New York: The Wood Database.
- Oten, K. L. F., Merkle, S. A., Jetton, R. M., Smith, B. C., Talley, M. E., and Hain, F. P. (2014). Understanding and developing resistance in hemlocks to the hemlock woolly adelgid. *Southeastern Naturalist*, 13(sp6), pp. 147-167.
- Perie, C. and de Blois, S. (2016) Dominant forest tree species are potentially vulnerable to climate change over large portions of their range even at high latitudes. *PeerJ*, [online] 4, article e2218. Available at: <https://dx.doi.org/10.7717/peerj.2218> [Accessed 9 June 2018].
- Sumpter, K. L., McAvoy, T. J., Brewster, C. C., Mayfield, A. E. and Salom, S. M. (2018). Assessing an integrated biological and chemical control strategy for managing hemlock woolly adelgid in southern Appalachian forests. *Forest Ecology and Management*, 411(1), pp. 12-19.

Teno, J. M., Clarridge, B. R., Casey, V., Welch, L. C., Wetle, T., Shield, R. and Mor, V. (2004).

Family perspectives on end-of-life care at the last place of care. *Journal of the American Medical Association* 291(1), pp. 88-93.

USDA Forest Service (2017). Forest disturbance processes: Hemlock woolly adelgid. [online]

Available at: https://www.nrs.fs.fed.us/disturbance/invasive_species/hwa/ [Accessed 10 June 2018].

Wittenberg-Lyles, E., Debra, P. O., Demir, G., Rankin, A., Shaunfield, S. and Kruse, R. L.

(2012). Conveying empathy to hospice family caregivers: Team responses to caregiver empathetic communication. *Patient Education and Counseling*, 89(1), pp. 31-37.

Figure Legends

Figure 1. Wayfinding Barrier No. 1 and X-Trail Closure (2017).

Installations at Harvard Forest. Wayfinding Barrier No. 1: $1.5 \times 3.75 \times 4$ feet; Wood, acrylic paint, vinyl, assorted hardware, aluminum tape, and recycled field equipment (heat lamp and ant-nest boxes); Collaborators: David Buckley Borden, Jack Byers, Aaron Ellison, and Salua Rivero. X-Trail Closure: $10 \times 10 \times 3$ feet; Wood, acrylic paint, vinyl, and assorted hardware; Collaborators: David Buckley Borden, Aaron M. Ellison, and Salua Rivero; Photograph: David Buckley Borden.

As the first installation on the *Hemlock Hospice* trail, the *Wayfinding Barrier and X-Trail Closure* not only reroutes visitors, but also prompts visitors and scientists alike to reflect on how slow and subtle environmental changes alter our daily lives by changing familiar paths to unfamiliar ones. The “yellow” natural history trail was one of Harvard Forest’s oldest natural history trails; for more than three decades it was used daily by dozens of visitors and onsite staff. In 2014, as eastern hemlocks within this old-growth hemlock stand began to disintegrate as the trees succumbed to the depredations of the hemlock woolly adelgid, the yellow trail was closed because of safety concerns for visitors who use it regularly for recreation and occasional hunting.

Figure 2. Double Assault (2017).

Installation at Harvard Forest. Variable dimensions; Acrylic paint, wood, vintage sawmill saw blades, and assorted hardware; Collaborators: David Buckley Borden, Jack Byers, Aaron M. Ellison, and Salua Rivero; Photographs: David Buckley Borden and Aaron M. Ellison.

Interactions between climatic warming and the insect have led to a “double assault” on the trees. In the last century, average annual temperatures in New England have increased nearly 1.5 °C (> 2.5 °F) in parallel with the industrialization of the economy and the unsustainable burning of fossil fuels. Eastern hemlock favors cooler climates and it is stressed by warmer temperatures. At the same time, winter minimum temperatures of −25 °C (−13 °F) or lower kill at least 50% of the adelgids (Costa et al., 2008). Because winters generally are colder further north where hemlock is more common, winter low temperatures historically have prevented the adelgid from spreading quickly (Fitzpatrick et al., 2012). Winter low temperatures colder than −25 °C used to be the norm in southern New England, but now they are very unusual. The last time it was that cold in Groton, Connecticut was in 1983; the adelgid established there in 1985. For Harvard Forest, it was last that cold in 2004 and the adelgid was well established at Harvard Forest by 2009 (Ellison, 2014). There was a brief dip to −29 °C in early 2018 at Harvard Forest (Boose, 2018), but by then, the rapidly-reproducing adelgid had evolved substantially greater tolerance to extreme cold (Butin et al., 2005). Whereas its populations used to take several years to recover from a cold winter, now they bounce back within only a few months.

Figure 3. Insect Landing (2017).

Installation at Harvard Forest. 4 × 6 × 6 feet; Recycled wood, acrylic paint, and hardware);

Collaborators: David Buckley Borden, Jack Byers, Aaron M. Ellison, Salvador Jiménez-Flores,

C. C. McGregor, Patrick Moore, Salua Rivero, and Lisa Ward; Photograph: Aaron M. Ellison.

The hemlock woolly adelgid first arrived in eastern North America in 1951, imported inadvertently by a plant nursery in Richmond, Virginia on Japanese hemlock trees from Osaka, Japan (Havill et al., 2006). It had been reported previously in the 1920s in British Columbia,

where it feeds on western hemlock (*Tsuga heterophylla*) and mountain hemlock (*Tsuga mertensiana*) (Havill et al., 2016) with little ill effects. Once established in the eastern US, the adelgid spread northeast into Pennsylvania (again, most likely via the horticultural trade) and southern New England (Fitzpatrick et al., 2012). It subsequently moved southwest into the Shenandoah and Great Smokey Mountains, then crossed the Appalachian Mountains and continued its spread west and north. As of 2018, the adelgid occurs in $\approx 90\%$ of the range of eastern hemlock and in all populations of the much more narrowly distributed Carolina hemlock (Canadian Food Inspection Agency, 2017; USDA Forest Service, 2017).

The colonization of North America by the adelgid, like that of other nonnative species, is strongly linked to transboundary shipping and the global economy (Bradley et al., 2012; Lovett et al., 2016). Its regional spread is linked as much to economic activities and transportation networks as it is to the prevalence of a suitable host plant and a hospitable climate. Local actions to manage ecological systems must account for regional, national, and international activities. The clarion call of the first Earth Day (1970) to “think globally, act locally” still applies today, nearly fifty years later.

Figure 4. Bio-Resource Plug (2017).

Installation at Harvard Forest; $1.5 \times 1.5 \times 3.5$ feet (plug); Wood, steel, and plastic tubing; Collaborators: David Buckley Borden and Brian Hall; Photograph: Neal Pederson; used with permission.

Throughout New England, as many hemlocks have been lost to pre-emptive harvesting to extract as much economic value as possible out of hemlock stands before they are killed by the adelgid as has been lost to the adelgid itself (Foster and Orwig, 2006). Hemlock is not an especially

valuable timber tree; it checks and twists, and few hemlock logs can be used for post-and-beam construction (Meier 2015). Most harvested hemlock are chipped for biofuel or bioenergy feedstock, or pulped for toilet paper and paper towels.

If we think of and refer to non-human organisms as “natural resources,” then it is easier to exploit them and harder to empathize with them. Yet eastern hemlock also is a part of New England history and culture, and its loss represents more than simply the loss of a natural resource for which a synthetic substitute eventually can be found. Recall the words of *Dust of Snow* by the New England poet, Robert Frost (1923):

*The way a crow
Shook down on me
The dust of snow
From a hemlock tree
Has given my heart
A change of mood
And saved some part
Of a day I had rued.*

Figure 5. Interdisciplinary Feedback between Science, Art, Design, and Supporting Disciplines.

Many art/science projects reflect unidirectional and hierarchical relationships (**left**) in which data generated from scientific observations or experiments provide the conceptual foundation for creativity. Design-thinking provides the overall framework and goals, accounting for the project

mission, resources, and constraints for the artwork. The artistic creation acts as the cultural edge for transmitting an engaging message to broader (and generally non-scientific) audiences. In this view (common to “broader impact” statements in research grants), scientists hand off their data to a designer and artist, who then independently develop a way to communicate the results more broadly.

In contrast, we view art- and design-based science communication projects less hierarchically and more inclusively, in terms of both participants and content (**right**). In this creative process, collaboration is built around a shared mission, builds on the inherent strengths of each discipline, and provides a framework for productive feedback. Community, education, and outreach modulate the ever-expanding potential by amplifying the desired science-communication goals.

Figure 6. Hospice Visitor Check-in and Safety Helmet Station (2017).

Installation at Harvard Forest. Variable dimensions; Acrylic paint and vinyl on hardhats;

Collaborators: David Buckley Borden, Jack Byers, Benjamin Carlson, Aaron M. Ellison,

Salvador Jiménez-Flores, and Salua Rivero; Photograph: Patrick Moore; used with permission.

We advised all visitors to *Hemlock Hospice* to put on hard-hats—each designed by one of our visiting fabricators—because falling limbs and disintegrating trees are a safety hazard in declining hemlock stands. Wearing hard-hats was a ritual of immersion that embedded visitors more deeply in the installation—they became participants and care-givers rather than simple observers. The act of putting on hard-hats prompted visitors to look up and observe the grey, thinning canopy of dying trees while engaging them in the research context of the forest, where

scientists working in adelgid-infested stands routinely wear hard-hats and other personal protective equipment.

Figure 7. Sixth Extinction Flag (2017).

Installation at Harvard Forest. 5 × 5 feet; Canvas, thread, nylon rope, and grommets;

Collaborators: Jackie Barry, David Buckley Borden, Mike Demaggio, and Aaron M. Ellison;

Photograph: Aaron M. Ellison.

Eastern hemlock is but one of many species being lost around the world as part of the ongoing sixth "mass extinction" in Earth's history (Leakey and Lewin, 1996; Harris, 2000). The loss of hemlock, the gain of the adelgid, the deliberate and unintentional movement of species, and the conversion of "natural" areas to human-dominated ones are global-scale phenomena; the rapid changes in forest structure occurring at Harvard Forest are a local example. Keeping the global picture in mind while foregrounding attention and study on local changes and the actions responsible for them will allow us to focus our energies where they can do the most good.

Figure 8. HWA Tent (2017) and Study Model for HWA Tent.

Installation at Harvard Forest. 2.5 × 2.5 × 6 feet; Wood, acrylic paint, canvas, thread, and

nylon rope; Collaborators: Jackie Barry, Johnny Buck, David Buckley Borden, Aaron M.

Ellison, and Salua Rivero; Photographs: David Buckley Borden and Aaron M. Ellison.

By referring to an organism like the hemlock woolly adelgid ("HWA") as an "invasive species," we usually mean that it is an organism living where we don't want it and behaving counter to our desires. We also implicitly ascribe agency to it, as if the invasive species planned its illegal entry through our borders (Larson, 2005). But there is, in fact, no evidence that invasive species plan

their actions. Rather, these organisms, like with those we hold in higher esteem, simply are acting according to normal evolutionary drives: survive and reproduce. The adelgid did not deliberately emigrate to Richmond; it was carried there as an unrecorded stowaway on plants we imported for enjoyment and financial gain. And once on these shores, the adelgid behaved like any other immigrant. It sought a place to live, food to eat, and an opportunity to produce offspring to perpetuate its lineage. Our extensive hemlock forests with hundreds of millions of trees are ideal food and housing for the adelgid; given adequate food and shelter, it successfully reproduces and evolves. No agency required.

The study model (inset) is one example of a common visual language shared by artists, designers, and scientists. Just like a series of scientific experiments allows us to test a series of alternative scientific hypothesis (Chamberlin, 1890), a study model allows us to iteratively test artistic ideas through the design process. The study model for the HWA tent was a scaled-down, simplified version of a concept about invasive species, colonization, and habitat. It lacked many of the details of the final design, but also sparked new ideas about how to communicate important scientific details such as the range of the adelgid (through the state “patches”) and unique identifiers of hemlock (two white stripes under the needles), while also highlighting that hemlock is a temporary home for each new adelgid generation.

Figure 1.

Figure 2.

Figure 3.

Figure 4.

Figure 5.

Figure 6.

Figure 7.

Figure 8.

Figure 8 (inset).