Indian Journal of Public Health Research & Development

An International Journal

SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development

Scopus coverage years: from 2010 to till date. Publisher:

R.K. Sharma, Institute of Medico-Legal Publications

ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine:

Public Health, Environmental and Occupational Health

CiteScore 2017-0.03

SJR 2017 - 0.108

SNIP 2017- 0.047

Website:

www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Prof. Vidya Surwade

Deptt. of Community Medicine, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohini, Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

1. **Dr. Abdul Rashid Khan B. Md Jagar Din** (*Associate Professor*)
Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
2. **Dr. V Kumar** (*Consulting Physician*)
Mount View Hospital, Las Vegas, USA
3. **Basheer A. Al-Sum**,
Botany and Microbiology Deptt, College of Science, King Saud University,
Riyadh, Saudi Arabia
4. **Dr. Ch Vijay Kumar** (*Associate Professor*)
Public Health and Community Medicine, University of Buraimi, Oman
5. **Dr. VMC Ramaswamy** (*Senior Lecturer*)
Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
6. **Kartavya J. Vyas** (*Clinical Researcher*)
Department of Deployment Health Research,
Naval Health Research Center, San Diego, CA (USA)
7. **Prof. PK Pokharel** (*Community Medicine*)
BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

1. **Dr. Anju D Ade** (Professor)
Community Medicine Department, SVIMS, Sri Padamavati Medical College, Tirupati, Andhra Pradesh.
2. **Dr. E. Venkata Rao** (*Associate Professor*) Community Medicine,
Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
3. **Dr. Amit K. Singh** (*Associate Professor*) Community Medicine,
VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
4. **Dr. R G Viveki** (*Associate Professor*) Community Medicine,
Belgaum Institute of Medical Sciences, Belgaum, Karnataka
5. **Dr. Santosh Kumar Mulage** (*Assistant Professor*)
Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
6. **Dr. Gouri Ku. Padhy** (*Associate Professor*) Community and Family
Medicine, All India Institute of Medical Sciences, Raipur
7. **Dr. Ritu Goyal** (*Associate Professor*)
Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
8. **Dr. Anand Kalaskar** (*Associate Professor*)
Microbiology, Prathima Institute of Medical Sciences, AP
9. **Dr. Md. Amirul Hassan** (*Associate Professor*)
Community Medicine, Government Medical College, Ambedkar Nagar, UP
10. **Dr. N. Girish** (*Associate Professor*) Microbiology, VIMS&RC, Bangalore
11. **Dr. BR Hungund** (*Associate Professor*) Pathology, JNMC, Belgaum.
12. **Dr Sartaj Ahmad**, PhD Medical Sociology, *Associate Professor*,
Swami Vivekananda Subharti University Meerut UP India
13. **Dr Sumeeta Soni** (*Associate Professor*)
Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

1. **Prof. Sushanta Kumar Mishra** (Community Medicine)
GSL Medical College – Rajahmundry, Karnataka
2. **Prof. D.K. Srivastava** (*Medical Biochemistry*)
Jamia Hamdard Medical College, New Delhi
3. **Prof. M Sriharibabu** (*General Medicine*) GSL Medical College, Rajahmundry, Andhra Pradesh
4. **Prof. Pankaj Datta** (*Principal & Prosthodontist*)
Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

5. **Prof. Samarendra Mahapatro** (*Pediatrician*)
Hi-Tech Medical College, Bhubaneswar, Orissa
6. **Dr. Abhiruchi Galhotra** (*Additional Professor*) Community and Family
Medicine, All India Institute of Medical Sciences, Raipur
7. **Prof. Deepti Pruthvi** (*Pathologist*) SS Institute of Medical Sciences &
Research Center, Davangere, Karnataka
8. **Prof. G S Meena** (*Director Professor*)
Maulana Azad Medical College, New Delhi
9. **Prof. Pradeep Khanna** (*Community Medicine*)
Post Graduate Institute of Medical Sciences, Rohtak, Haryana
10. **Dr. Sunil Mehra** (*Paediatrician & Executive Director*)
MAMTA Health Institute of Mother & Child, New Delhi
11. **Dr Shailendra Handu**, *Associate Professor*, Phrma, DM (Pharma, PGI Chandigarh)
12. **Dr. A.C. Dhariwal**: *Directorate* of National Vector Borne Disease
Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India, Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarterly
(Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

Website : www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efficacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma
Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Printed, published and owned by

Dr. R.K. Sharma
Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Published at

Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Indian Journal of Public Health Research & Development

www.ijphrd.com

Contents

Volume 11, March 03

March 2020

1. Development and Validation of a Questionnaire on Eating Behaviour for School Children and its Correlation with Nutritional Status..... 1
A. Ayesha Fathima, T.H. Hema, A.J. Hemamalini
2. Are the Kerala Model of Community-based Palliative Care Operations Sustainable? Evidence from the Field 7
Abdul Azeez E.P., G. Anbuselvi
3. Occupational Varicella outbreak at a Tertiary Care Hospital: An Insight..... 12
Abhisek Mishra, C.M. Singh, Binod Ku Pati, Barkha Rani Beck, Hari Krishnan Ashokan
4. An Exploratory Study To Identify Factors Affecting Non Compliance To Dots Therapy Among Tb Patients At Selected Dots Centre Vadodara 18
Akash S. Patel, Miss. Varsha Hun, Mr. Adithya S.
5. Assessment of Cognitive Impairment among Elderly in the Selected Rural Community, Kancheepuram District, Tamil Nadu 24
Akila K., Divya R., Preethianushya M., Aravindhan B., Rogina J.S. Savarimuthu
6. Safety and Tolerability of Two Different Formulations of Mycophenolate (Mycophenolate Mofetil and Mycophenolate Sodium) among Patient with Connective Tissue Disease Associated Interstitial Lung Disease (CTD-ILD) in a Tertiary Care Hospital..... 27
Amrut Kumar Mohapatra, Pratima Singh
7. Assessment of Awareness of Parents on Importance of Dental Care in Pediatric Patients in Ethnic Tamil Population 32
Anandhi D., R. Bharanidharan, Lekshmy Jayan, Ramya R., K. Rajkumar, R. Hemalatha
8. Study of Total Time Taken for OPD Billing Process in a Multi-Specialty Hospital 37
Anil Pandit, Savita Prashar
9. Sleep Quality and Glycemic Control among Patients with Type II Diabetes Mellitus 46
Anju Babu, Sabitha V Janardhanan, Sreevidhya R., Sruthy K.S.
10. A Comprehensive Break Even Analysis of MRI and CT Unit of a Tertiary Care Hospital in Sikkim..... 52
Ankit Singh, Priya Ravi, Soniya Joseph

XVI

206. The Effect of Mind Fullness Therapy on Psych on Euro Immunology: A Systematic Review1099
Agus Yulianto, Zaenal Abidin, Abdul Fauzi, Anita Dewi A., Ika Endah K., Dady Zharfan H., M. Hendri Haryono
207. Long Term Outcome of Laparoscopic Assisted Anorectoplasty in Management if High Anorectal Malformations in Males.....1105
Ahmed Akoula, Ahmed Wishahy, Gamal Eltagy, Omar Nagy, Mohammed Abdelrahman
208. Perceived Stress among Mothers of Children with Autism Spectrum Disorder1110
Ahmed El-Monshed, Mostafa Amr
209. Regionalization Referral System of the Hospital National Health Insurance1115
Amir Mahmud Hafsa, Alimin Maidin, Sukri Palutturi, Stang
210. Relationship of Knowledge and Experience with Perception of the Level of Emergency in Patient's Family at Emergency Room1120
Ani Sutriningsih, Setya Haksama, Firman Suryadi Rahman
211. Relationship Factor Enabling Giving Complementary Foods for Breast Milk with Baby Nutrition Status in Makassar City1125
Anto J. Hadi, Matius Rantesalu, Endang Maryanti, Erni Yetti R, Saskiyanto Manggabarani, Syamsopyan Ishak
212. Urinary Tract Stones Cases Profile at a B-type General Hospital, Gresik, East Java in March: May 2018 1131
Ardito Ario Willy Goller, Rochmad Yasin
213. Performance of Immunization Program Managers Based on Malcolm Baldrige Criteria for Performance Excellence (MBCFPE) in Puskesmas Tangerang District in 20191135
Asruddin, Dian Ayubi, Pujiyanto
214. The Impact of Primary Dysmenorrhea on the Level of Physical Activity among College age Students.....1141
Ayat M. Omar Masoud, Heba A. Bahey El-Deen, Samya M. Hegazy^{a&b}
215. Factors Associated with Safety Compliance among Workers at Feed Poultry Industry1147
Bachtiar Chahyadhi, Denny Ardyanto, TjiptoSoewandi
216. Public Perceptions About Immunization in Indonesia: National Online Survey1152
Celcius Butandi, Muhammad Auzan Ridho, Klara Sinta, Rizma Adlia Syakurah
217. The Effect of Metal Nanoparticle on LH, FSH and Testosterone in Male Rats.....1157
Dalya K. Naser, Kadhim A. Aadim, Ahmed K. Abbas, Salah M.M. AL-Chalabi
218. Association of Exclusive Breast Feeding Practice and Physical Activities in Reducing of Postpartum Maternal Weight1162
Dede Wulanita Sari, Luluk Mutmainnah, Sri Sumarmi
219. Short: Term Survival of Stroke Patients According to Hemorrhagic and Ischemic Stroke Typein National Brain Center Hospital Jakarta1167
Desvina Della, Helda

Relationship Factor Enabling Giving Complementary Foods for Breast Milk with Baby Nutrition Status in Makassar City

Anto J. Hadi¹, Matius Rantesalu², Endang Maryanti¹, Erni Yetti R³, Saskiyanto Manggabarani⁴,
Syamsopyan Ishak⁴

¹Public Health Department, Faculty of Public Health, Helvetia Health Institute, Medan, Indonesia; ²Nutrition Department, Midwifery Academy of Sinar kasih Toraja, Tana Toraja, Indonesia; ³Health Promotion Departement, Midwifery Academy of Sinar kasih Toraja, Tana Toraja, Indonesia; ⁴Nutrition Department, Faculty of Public Health, Helvetia Health Institute, Medan, Indonesia

Abstract

Introduction: Poor nutritional status is a major nutritional problem in infants and has an impact on growth disorders and is a problem that needs to be addressed seriously, age 6-18 months is a very important period as well as a critical period in the process of growth and development both physically and intellectually. Therefore, every baby at this time must obtain nutritional intake according to their needs. Aim; to prove the relationship between enabling factors and infant nutritional status.

Method: Type of research used analytical survey with a cross-sectional study approach. This research was carried out in Maccini Sawah Sub-District, Makassar Sub-District, Makassar City. The sample of this study was infants with exhaustive sampling with 62 samples.

Results: The study found that the age of starting complementary food for breast milk was related to the nutritional status of the baby with a p-value (0,000), the type of complementary foods for breast milk related to the nutritional status of the baby with a p-value (0,015), the frequency of complementary foods for breast milk related to nutritional status with p-value 0.004), and the variation of complementary foods for breast milk administration is related to nutritional status with p-value (0.001).

Conclusion: It was found that there was a strong relationship between age, starting, giving, type, frequency, and variation of complementary feeding with infant nutritional status.

Keywords: *Nutritional Status, Complementary Food, Breast Milk, Enabling Factors*

Introduction

Nutritional status in children is very important for their lives, growing and developing into healthy, productive adults who benefit the community, this is an

international priority to improve children's nutritional status ⁽¹⁾. The World Child Association (UNICEF) and the World Health Organization (WHO) state that good nutrition practices in children include the initiation of early breastfeeding, exclusive breastfeeding ages 0-6 months, the addition of adequate, safe nutrition, and complementary foods according to the breastfeeding period for 1 year^(2,3). The prevalence of malnutrition in Indonesia is still high. One potential factor that contributes to the high prevalence of malnutrition is the inappropriate complementary diet and practice of breastfeeding ⁽⁴⁾.

Correspondence Author:

Anto J. Hadi

Public Health Department, Faculty of Public Health,
Helvetia Health Institute, Medan, Indonesia.

Mobile:085242877376.

e-mail: antoarunraja@gmail.com

Malnutrition during breastfeeding, especially the practice of exclusive breast milk for 6 months after birth is a risk factor for infant and child morbidity and mortality that can be corrected by providing complementary food⁽⁵⁾. One intervention to prevent a more effective way to reduce 13-15% of child deaths is to apply exclusive breastfeeding supplemented with complementary foods that will prevent 19% of children's deaths⁽⁶⁾. The impact during the child learning process is inactivity, intellectual disruption, decreased productivity, and development of social behavior⁽⁵⁾.

Improvement of maternal nutrition carried out before and during exclusive breastfeeding is one of the efforts to improve infant nutrition 0-6 months. This problem is very important and needs to be addressed seriously. The age of 6-18 months is a critical period due to malnutrition at the age of under two years, has an impact on decreasing brain development, physical growth, intellectual, and productivity, the impact of malnutrition is largely irreversible. Malnutrition in infants and children occur because of the food given is low in nutrition or energy. Additional food for babies in developing countries generally made of cereals or tubers tends to be powdery. At the age of one year, the proper administration of complementary foods for breast milk is expected to meet the nutritional needs of the baby, but it can also stimulate the baby's eating behavior which is usually liquid and then adapt to the types of porridge and biscuits⁽⁷⁾. Premature babies are at high risk and really need adequate nutrition to increase proper growth⁽⁸⁾. The complimentary food program of breast milk is very important to give to babies in overcoming high nutrient deficiencies, based on the description above the authors

feel interested in conducting research on the relationship of enabling factors for complementary food for breast milk with the nutritional status of infants. Aim; to prove the relationship between enabling factors and infant nutritional status.

Method

This research was conducted in 2017 with samples in the study, namely infants aged 6-11 months, using exhaustive sampling techniques as many as 62 infants. The type of research used is an analytical survey with the approach cross sectional study. The source of complementary food data is derived from the results of interviews with mothers and caregivers using questionnaires, nutritional status data obtained from weighing the baby's weight using Baby Scale the GEA brand with measurement accuracy of 0.05 Kg to 0.1 Kg followed by calculation of standard deviation using anthropometric method (WHO Anthro Plus) and referring to the NCHS table. Data analysis using univariate, bivariate and multivariate analysis.

Results

Sample Characteristics: Table 1 shows a description of the sex of the baby, the age of the baby, the level of education and the type of work the mother has on the case of infant nutritional status. The homogeneity test results between cases of abnormal nutritional status and normal nutritional status in the baby sex obtained a value of $p = 0.77$, the average age of the baby obtained a value of $p = 0.87$, the maternal education level obtained a value of $p = 0.44$ and work mother obtained p value = 0.73.

Table 1: Analysis of Sample

Characteristics	Infant Nutritional Status				Number of	P-values
	Normal		Normal			
	n	Percentage	n	Percentage of		
Gender for infants						
Male	11	31.4	24	68.6	35	0.77 *
Female	9	33.3	18	66.7	27	
Age of Infants						
6 - 7 Months	6	42.9	8	57.1	14	0.87 *
8 - 9 Months	6	35.3	11	64.7	17	
10 - 11 Months	8	25.8	23	74.2	31	

Characteristics	Infant Nutritional Status				Number of	P-values
	Normal		Normal			
	n	Percentage	n	Percentage of		
Mother's Education						
Elementary	5	35.7	9	64.3	14	0.44 *
Junior High School	3	25.0	9	75.0	12	
Senior High School	8	29.6	19	70.4	27	
Bachelor	4	44.4	5	55.6	9	
Mother's Work						
not work	15	32,6	31	67,4	46	0,73 *
contract	1	33,3	2	66,7	3	
employees	2	22,2	7	77,8	9	
government employees	2	50,0	2	50,0	4	

n: Number of Samples, * Homogeneity Test

Factors Enabling Complementary Foods: relationship between enabling factors and infant nutritional status is presented in Table 2. Based on table 2, age suitability in supplementary feeding does not have a significant relationship with infant nutritional status, age suitability in the process of providing complementary food for breast milk in cases of abnormal nutritional status is more 37.5 ± 22.7 compared with age suitability in the case of normal nutritional status 62.5 ± 77.3 . Chi-square test between the two variables obtained p value = 0.23. There is a significant relationship between the consistency of the type of complementary food

given with the nutritional status of the baby, where the consistency in the case of abnormal nutritional status is more 55.6 ± 14.3 compared to the consistency of food types in the case of normal nutritional status 44.3 ± 85.7 . The chi-square test between the two variables obtained p = 0.001. there is a significant relationship between the frequency of complementary feeding and the nutritional status of infants, where the frequency in cases of abnormal nutritional status is more 45.2 ± 19.4 compared to the frequency in cases of normal nutritional status 54.8 ± 80.6 . The chi-square test between the two variables obtained a value of p = 0.03.

Table 2: Correlation Factors Enabling Food Complementary foods for breast milk with Infant Nutritional Status

Enabling complementary foods for breast milk	Infant Nutritional Status				Total	p-Value
	Not Normal		Normal			
	n	Percentage	n	Percentage		
Age Suitability						
Unsuitable	15	37.5	25	62, 5	40	0,234 *
Suitable	5	22.7	17	77,3	22	0,000 **
Type Consistency						
Inconsistent	15	55.6	12	44,4	27	0,001 *
Consistent	5	14,3	30	85,7	35	0.090 **
Frequency						
Less	14	45,2	17	54.8	31	0.030 *
Sufficient	4	19,4	25	80.6	31	0.021 **

* Chi-Square **Paired Test

Multivariate Analysis: Requirements fulfilled in multivariate analysis, namely all variables related to p value <0.05 entered which are then analyzed include variable consistency the type of complementary food,

the frequency of supplementary feeding, using the statistical ratio method to see the riskier and most related variables. It is indicated that the consistency of food types and frequency can improve nutritional status (Table 3).

Table 3: Multiple Logistic Regression

Variable	B	Sig (p-value)	Exp (B)	OR	95% CI
* Consistency type	2.186	0.001	8.903	7.500	2.384 to 33.054
Frequency	1.477	0.027	4.380	3.431	1.183 to 16.219

B: Beta, Sig: Significant, Exp: Expected, OR: Odds Ratio, CI: Confidential Interval. * Variables that are most related to the nutritional status of the baby.

Discussion

Giving Age Suitability: Provision of complementary foods for breast milk should be started at the age of 6 months because the digestive system of the body has started to be perfect and ready to receive food other than breast milk. When babies enter the age of 6 months and above, some nutritional elements such as protein, carbohydrates and some vitamins and minerals contained in breast milk are no longer sufficient. Based on the results of this study that the suitability of the age of the first time giving is not related to nutritional status. Important findings in this study, supplementary feeding was first given in the first 6 months, but more were given formula milk at the age of under 6 months. Similarly, Lakshman's research is more focused and specific in the provision of bottled milk and obesogenic foods⁽⁹⁾.

The results of this study are in contrast to Alzaheb's research in Saudi Arabia (2015) stating that the practice of giving is very useful as a complement to infant malnutrition obtained from breast milk⁽¹⁰⁾. The introduction of earlier complementary foods before a six-month-old baby has a negative effect as a substitute for breast milk and can stop breastfeeding practices at an early stage^(11,12). Baby's nutritional needs increase along with increasing age and reduced breast milk production and duration of breastfeeding⁽¹⁰⁾. In the first year of life, the method of feeding babies on time is one way of intervention carried out in the community to support optimal baby growth and development⁽¹³⁾.

Consistency of Food Types: important finding in this research is that the type of complementary food has an influence on the nutritional status of infants and children. Research found and explained more specifically

the age conformity with the type of quality food consumed has an influence on the absorption of nutrients that have an impact on nutritional status. Various kinds of complementary foods for breast milk are given to each day according to age development. Complementary foods cannot match breast milk in its nutritional content, enzymes, hormones, and immunological substances and antibodies. Modified food ingredients or mixtures of various types of food ingredients that are specially made as complementary foods for breast milk so that these foods contain complete nutrients needed by babies because this period includes the period of growth.

This study is not in line with stating that the average food supplement studied cannot meet the needs of calcium, iron and zinc every day as a nutritional source of complementary foods for infants in developing countries⁽¹⁴⁾. This study is in line with that conducted in Tanzania in the 6-23 month age group (2010) which states that the main determinant that can affect a baby's health, development and growth is the proper consumption of complementary foods⁽¹⁵⁾. Giving baby food is a modification factor that can reduce mortality and disability caused by preterm birth⁽¹⁶⁾. The growth and development of premature babies is in accordance with types of food such as breast milk or fortified formula⁽¹⁷⁾.

Giving Frequency: Quantity of complementary food is very important for brain growth and intelligence development. The fulfillment of infant and family nutrition is closely related to the frequency of food provided. The frequency of breastfeeding must be adjusted to the age and ability to produce breast milk. Increasing age needs are also increasing and the ability

to produce breast milk decreases so that the frequency of supplementary food supply is increasing and added some types of snack foods.

The frequency of eating children is also influenced by several factors such as the family's socio-economic status and the number of family members. According to the theory, the proportion of adults more than children in the family can result in less food availability for children. Low-income communities increase the attention and focus on breastfeeding and supplementary food for babies ⁽¹⁾. The results of this study are similar to research conducted in Krakow and Silesia (2014) stating that regular feeding is very important, adequate daily nutrient intake is useful for physical development and it is necessary to introduce healthy eating patterns for health during the growth period ⁽¹⁸⁾. Perceptions about breast milk and feeding given complementary breast milk can be improved by health education ⁽¹³⁾.

Conclusion

Provision of complementary breast milk food is related to the nutritional status of the baby. The consistency of food types has a greater relationship with nutritional status compared to frequency. The age match for starting complementary foods performed by mothers starts at 6 months of age. The practice of giving complementary foods for breast milk is influenced by the mother's knowledge which has an impact on the mother's skills in serving complementary foods.

Significant Statement: Results of this study found that babies need complementary food as they age to cover malnutrition from the intake of breast milk for growth and development. The practice of providing good complementary foods can be seen from the suitability and consistency in providing complementary foods caused by knowledge of maternal nutrition.

Funding Sources: Used during this study were sourced from personal funds.

Acknowledgments: The authors wish to thank all the Public Health students who helped in the collection of the data. The Makassar City Government, the Health Office, the Head of the community health center which has given research permission. Respondents who have been willing to spend time in the interview process.

Internal Conflict: The author (s) declare that they have no conflict of interest.

Ethical Clearance: Ethical approval has been obtained from Ethical Commission of Health Research, Faculty of Public Health, with protocol number UH910183006.

References

1. Bazzano AN, Kaji A, Felker-Kantor E, Bazzano LA, Potts KS. Qualitative studies of infant and young child feeding in lower-income countries: A systematic review and synthesis of dietary patterns. *Nutrients*. 2017;9(10):1140.
2. Dhingra U, Gittelsohn J, Moh'd Suleiman A, Moh'd Suleiman S, Dutta A, Ali SM, et al. Delivery, immediate newborn and cord care practices in Pemba Tanzania: a qualitative study of community, hospital staff and community level care providers for knowledge, attitudes, belief systems and practices. *BMC Pregnancy Childbirth*. 2014;14(1):173.
3. (UNICEF.) UNCF. The state of the world's children 2012: children in an urban world. UNICEF New York; 2012.
4. Ahmad A, Boediman D, Prawirohartono EP. Pola makanan pendamping air susu ibu dan status gizi bayi 0-12 bulan di Kecamatan Lhoknga Kabupaten Aceh Besar. *J Gizi Klin Indones*. 2006;3(1):58–65.
5. Baker P, Smith J, Salmon L, Friel S, Kent G, Iellamo A, et al. Global trends and patterns of commercial milk-based formula sales: is an unprecedented infant and young child feeding transition underway? *Public Health Nutr*. 2016;19(14):2540–50.
6. Khan AM, Kayina P, Agrawal P, Gupta A, Kannan AT. A study on infant and young child feeding practices among mothers attending an urban health center in East Delhi. *Indian J Public Health*. 2012;56(4):301.
7. Lutter CK, Morrow AL. Protection, Promotion, and Support and Global Trends in Breastfeeding-. *Adv Nutr*. 2013;4(2):213–9.
8. Tabata M, Abdelrahman K, Hair AB, Hawthorne KM, Chen Z, Abrams SA. Fortifier and cream improve fat delivery in continuous enteral infant feeding of breast milk. *Nutrients*. 2015;7(2):1174–83.
9. Sankar MJ, Sinha B, Chowdhury R, Bhandari N, Taneja S, Martinez J, et al. Optimal breastfeeding practices and infant and child mortality: a

- systematic review and metaanalysis. *Acta Paediatr.* 2015;104:3–13.
10. Alzaheb RA. Factors Associated with the Early Introduction of Complementary Feeding in Saudi Arabia. *Int J Environ Res Public Health.* 2016;13(7):702.
11. Kronborg H, Foverskov E, Væth M. Predictors for early introduction of solid food among Danish mothers and infants: an observational study. *BMC Pediatr.* 2014;14(1):243.
12. Madhu GN, Harish S. Complementary feeding practices among mothers of children aged six months to two years admitted in a tertiary care hospital. *Int J Contemp Pediatr.* 2017;5(1):97–100.
13. Kamath SP, Garg D, Khan M, Jain A, Baliga BS. Perceptions and Practices regarding Breastfeeding among Postnatal Women at a District Tertiary Referral Government Hospital in Southern India. *Scientifica (Cairo).* 2016;2016.
14. Nona S, Srijana K. Perceptions and Practices Regarding Breastfeeding among Postnatal Mothers. *Int J Nurs Educ.* 2018;10(4):128–33.
15. Victor R, Baines SK, Agho KE, Dibley MJ. Factors associated with inappropriate complementary feeding practices among children aged 6–23 months in Tanzania. *Matern Child Nutr.* 2014;10(4):545–61.
16. Colaizy TT, Bartick MC, Jegier BJ, Green BD, Reinhold AG, Schaefer AJ, et al. Impact of optimized breastfeeding on the costs of necrotizing enterocolitis in extremely low birthweight infants. *J Pediatr.* 2016;175:100–5.
17. Lok KYW, Chau PH, Fan HSL, Chan KM, Chan BH, Fung GPC, et al. Increase in Weight in Low Birth Weight and Very Low Birth Weight Infants Fed Fortified Breast Milk versus Formula Milk: A Retrospective Cohort Study. *Nutrients.* 2017;9(5):520.
18. Ostachowska-Gasior A, Piwowar M, Kwiatkowski J, Kasperczyk J, Skop-Lewandowska A. Breakfast and other meal consumption in adolescents from southern Poland. *Int J Environ Res Public Health.* 2016;13(5):453.

Call for Papers / Article Submission

The editor invites scholarly articles that contribute to the development and understanding of all aspects of Public Health and all medical specialities. All manuscripts are double blind peer reviewed. If there is a requirement, medical statistician review statistical content. Invitation to submit paper: A general invitation is extended to authors to submit papers for publication in IJPHRD.

The following guidelines should be noted:

- The article must be submitted by e-mail only. Hard copy not needed. Send article as attachment in e-mail.
- The article should be accompanied by a declaration from all authors that it is an original work and has not been sent to any other journal for publication.
- As a policy matter, journal encourages articles regarding new concepts and new information.
- Article should have a Title
- Names of authors
- Your Affiliation (designations with college address)
- Abstract
- Key words
- Introduction or back ground
- Material and Methods
- Findings
- Conclusion
- Acknowledgements
- Interest of conflict
- References in Vancouver style.
- Please quote references in text by superscripting
- Word limit 2500-3000 words, MSWORD Format, single file

All articles should be sent to: **editor.ijphrd@gmail.com**

Send all payment to :

Institute of Medico-Legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall

Sector- 32, Noida - 201 301 (Uttar Pradesh)

Mob: 09971888542, 0120- 429 4015

E-mail: editor.ijphrd@gmail.com, Website: www.ijphrd.com

Indian Journal of Public Health Research & Development

CALL FOR SUBSCRIPTIONS

About the Journal

Print-ISSN: 0976-0245 **Electronic - ISSN:** 0976-5506, **Frequency:** Quarterly

Indian Journal of Public Health Research & Development is a double blind peer reviewed international Journal. The frequency is half yearly. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, Public Health Laws and covers all medical specialities concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and south east Asia.

The journal has been assigned international standards (ISSN) serial number and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases.

Journal Title	Print Only
Indian Journal of Public Health Research & Development	INR 9000

NOTE FOR SUBSCRIBERS

- Advance payment required by cheque/demand draft in the name of **"Institute of Medico-Legal Publications"** payable at New Delhi.
- Cancellation not allowed except for duplicate payment.
- Claim must be made within six months from issue date.
- A free copy can be forwarded on request.

Bank Details

Name of account : **Institute of Medico-Legal Publications Pvt Ltd**
Bank: **HDFC Bank**
Branch: **Sector-50, Noida-201 301**
Account number: **09307630000146**
Type of Account: **Current Account**
MICR Code: **110240113**
RTGS/NEFT/IFSC Code: **HDFC0000728**

Please quote reference number.

Send all payment to :

Institute of Medico-Legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Mob: 09971888542, 0120- 429 4015

E-mail: editor.ijphrd@gmail.com, Website: www.ijphrd.com

Published, Printed and Owned : Dr. R.K. Sharma

Printed : Printpack Electrostat G-2, Eros Apartment, 56, Nehru Place, New Delhi-110019

Published at: Institute of Medico Legal Publications Pvt. Ltd., Logix Office Tower, Unit No. 1704, Logix City Centre Mall Sector- 32,
Noida - 201 301 (Uttar Pradesh) Editor : Dr. R.K. Sharma, Mobile: + 91 9971888542, Ph. No: +91 120- 429 4015