Original article

Structure, intensity and player duels in under-13 football training in Switzerland

Jonas Uebersax, Ralf Roth, Tobias Bächle, Oliver Faude

Department of Sport, Exercise and Health, University of Basel, Basel, Switzerland

Address for correspondence:

oliver.faude@unibas.ch

Twitter: @OliverFaude

Citation

Uebersax, J, Roth, R, Bächle, T, and Faude, O. 2020. Structure, Intensity and Player Duels in Under-13 Football Training in Switzerland. SportRxiv. July 31. doi:10.31236/osf.io/xbfhq.

Abstract

We evaluated the structure (i.e., the different training parts), contents (i.e., the various activities used), intensity and occurrence of contact situations and headers during training sessions in under-13 football in Switzerland. 242 players from 20 different teams on average aged 11.4 (SD 0.7) years participated. The participants were filmed during a typical training session while they were equipped with a heart rate sensor. The sessions were systematically recorded to allow for detailed analyses. Furthermore, a preliminary and explorative analysis of the influence of the level of play on these results was conducted. The overall findings indicated that training included 33.4% playing forms, 29.5% training forms, 28.4% inactivity time and 8.7% athletics. The highest heart rates were achieved in the playing forms (166 min⁻¹, 83% HR_{max}) compared to the other two activities (training forms 154 min⁻¹, 77% HR_{max}; athletics 150 min⁻¹, 75% HR_{max}). Each player had 12.8 duels and 0.6 headers per training. Overall most duels were conducted from anterior direction. Playing forms induce higher cardio-circulatory load as well as a better learning environment. Potentially dangerous situations like contact with other players or headers occurred in a single player on average every 6 minutes during a training session.

Key words: soccer; youth; children; health; training programming

Introduction

Regular physical activity is important for the development of children (1,2). Football (soccer) is the most popular sport in the world, especially among children. In Switzerland, almost 30% of all boys and 17% of all girls aged 10 to 14 years play football (3). Football clubs are frequently the first points of contact with the organized sports system. It has been shown that children who play club football in their leisure time exhibit a higher overall daily physical activity (4). Organised football is therefore a promising opportunity to get a large number of children physically active. Research in non-performance-oriented children's football and thus evidence-based measures on how to structure and conduct football training are rare (5).

Important aspects of football training are how to structure a training session and which contents to include. An Australian study, based on the Football Federation Australia (FFA) curriculum for under-11 to under-13 age groups (skill acquisition phase), has shown that coaches frequently used individual and drill forms during the warm-up period. The learning period (main part of the session) consisted mainly of small-sided games and the final part almost exclusively of a training game (6). Drill forms have predetermined movement sequences, predicted results and little decision-making ability (6). Playing forms, on the other hand, have a play-like character with open decisions and constantly changing conditions, thus including tactical and technical elements simultaneously. It is assumed that children enjoy playing more than drills, that they typically learn implicitly, differentially and undermine a more effective development that supports superior performance (7–9). According to contemporary research and theory, the emphasis in children's and youth football should be on playing forms (7). In addition, a study on talent identification states that perception-related cognitive and decisive abilities and game performances are important foundations for the selection of promising players (10). Certain coaches' qualifications are required in order to design training sessions at the appropriate level in terms of structure, learning behaviour, teaching and intensity. In children's football in Switzerland many coaches are insufficiently or even not at all trained. Data on the typical structuring of training sessions in children's football in Switzerland or other Central European countries is currently lacking.

Football is also a suitable means to improve fitness and health in children. The developing organism is exposed to important stimuli targeting particularly the cardiovascular and the musculo-skeletal systems as well as metabolism (11–13). Various studies showed that playing football leads to increased physical fitness and considerable health benefits. Therefore, football, especially conducted with small-sided games, appears to be a highly effective form of training for children (12,14–16). In order to achieve physiological adaptations, it is important that the intensity, frequently assessed by heart rate measurements, is sufficiently high. For

instance, Bendiksen et al. (17) examined school children aged 8 to 9 years during football sessions (small-sided games, 3 vs. 3). The boys achieved an average heart rate (HR) of 158 (SD18) min^{-1} corresponding to 78 (8) % of maximal heart rate. Compared to other sports, playing football usually achieves high heart rate values (based on average HR and proportion of total time at intensities greater 80% of maximal HR). However, data on training intensity in children's football is still sparse.

Playing football is, unfortunately, also associated with the risk of sustaining an injury (18). Football is among those team sports with the highest injury risk in boys and girls (19). In general, injuries can have far-reaching and long-term consequences in terms of physical inactivity, arthrosis, obesity and a limitation of future activities (20). More than three quarters of all injuries are located to the lower limbs (21). The incidence of injuries in young football players increases with increasing age. The majority of injuries occur in high-intensity contact situations with high biomechanical loads. Contact injuries are a particular problem with nearly 60% of all injuries in children aged from 7 to 12 years resulting from contact with an opponent, the ball or floor (21). It is, therefore, important to evaluate contact situations in children's football. Although a minor part of all injuries (5 to 10%) (18,21), head injuries have gained considerable media attention during the last years. In particular, acute traumatic head injuries (including concussions) and the possibility of long-term damage to the brain through repetitive micro-traumata induced by frequent heading are currently subject of intense discussion (22–24). This has led to a ban of headers in under-11 football and a call to avoid it in under-13 football in the United States. Current knowledge on the occurrence of duels and headers during training sessions in children's football is insufficient.

Based on the above-mentioned rationales, our study aimed at evaluating (i) the structure and contents, (ii) the intensity, and (iii) the occurrence of contact situations and headers in training sessions in under-13 football in Switzerland. A further aim was a preliminary and exploratory analysis of the influence of the level of play on these outcomes.

Methods

Participants

A total of 242 children (5 girls) from 20 different teams took part in the study. The children were on average 11.4 (SD 0.7) years old, weighed 41.5 (SD 8.0) kg and were 150.5 (SD 7.9) cm tall. All children played in the under-13 age category and were officially licensed to their football clubs. The study protocol is in accordance with the ethical criteria outlined the Declaration of Helsinki. The regional ethics committee (Ethikkommission Nordwest- und Zentralschweiz) declared that the study is in line with the national guidelines for human research (Req-2020-00639). All players as well as their parents signed a written informed consent after having been informed about the study.

In this age group, the number of players per team in official matches in Switzerland is nine. The teams were chosen so that each region of the association North Western Switzerland was covered. According to this, both urban and rural regions were involved. Most of these teams trained twice a week. All teams had coaches who have completed at least the lowest coaching licence (beginners' course) in Switzerland. However, an additional certificate (licence category C) is officially required for the age group studied. Exactly three-quarters of the coaches had this or even a higher-level licence (category UEFA B). All four regional playing levels of this age group were included in this study.

The Promotion league is the most performance-oriented class in regional recreational football at any youth level. Eight teams played on this level. The remaining teams were from the lower categories, first league (n=8), second league (n=3) and third league (n=1). We combined the three lower, recreational leagues (n=148 players) for statistical comparison with the performance-oriented Promotion league (n=94 players).

General design

The training sessions took place on the grounds of the respective clubs. Each club was visited once, resulting in a total of 20 analysed training sessions. The measurements were carried out within 2.5 months (September to November 2018) and took place in all weather conditions. The coaches were informed about the visit. Before the session, anthropometric data of all players were measured. In addition, all players were fitted with a chest strap to measure their heart rate. The coach was asked about his coaching licence. On the pitch, we installed a camera in order to record all activities of the players. During the training session, players and coaches performed the training as planned for this day.

The investigation aimed to assess the general situation in children's football. Thus, the training sessions were not discussed beforehand nor were the coaches provided with any possible classification or evaluation criteria. This led to a large variety in training sessions performed.

Procedures

Video recordings

The training sessions were recorded on video. A digital camera (I-phone 8, Apple, Silicon Valley, USA) was fixed on a tripod. We paid attention to all players being visible on the video. Therefore, we placed the camera outside the field and, if the facility allowed it, on an elevated ground. The entire training session was captured. Three video recordings were interrupted for short time periods due to technical reasons. During these periods, the training contents were noted by hand. This notation could be used for training structure analysis but not for investigating the duels.

Session analysis

A training sessions was considered started when the coach started the session verbally, mostly in a group. Previous activities on the field or setting up material were not counted as training time. The coach verbally announced the end of the training after the last training part.

The trainings were analysed in two ways (for detailed definitions see Table 1). First, we evaluated the sessions regarding the training activities according to O'Connor et al. (6). The three main activities were playing forms, training forms and inactive time. In addition to these activities, we added an athletic part (only athletic activities were performed) as a separate category. In parallel to this classification, structural parts of the training were surveyed based on the educational curriculum of the Swiss Football Federation and the curriculum of Football Federation Australia (25). The following classification was used: Warm up; Learning and Teaching - main part; Training game; Finishing part. The finishing part was added as the youth coaches in Switzerland are educated according to a certain training structure, where this training part is integrated. During the finishing part, teams should do some exercises for fun or for emotional regulation after the final training game for the last couple of minutes of the session. There can be shots, challenges, small competitions, cool down or anything else. This part is not a main part of training, but was nevertheless considered as training time. The coaches in Switzerland are taught the "GAG" model [G1 = Training theme-related playing form (10-15 min), A = Analytical part (tactical/technical focus; 30 min), G2 = controlled game related to the topic of the session or free game (20-30 min)], which is supplemented by a warm-up in advance and a small finishing part at the end of the training. The differentiation between the warm-up and the main part was not always obvious. One criterion was that the first themed

playing form completes the warm-up as coaches are correspondingly educated in the “GAG” teaching method.

In general, the analyses in this part refer to the team as a whole and not to the individual player. If a particular training form was performed, the time for this exercise was measured until the end of the exercise. Even if some players had waiting times, these were not evaluated separately. Particularly in the case of athletic parts, breaks within the exercises are unavoidable. As soon as the first player had started an activity, it was considered as started. As soon as the last player had completed his activity, this part was considered finished. In most instances the coach indicated this by a verbal signal.

Table 1. Definitions of training activities and parts. Adopted, modified and complemented from (6,25,26).

Training activities	
Playing form	<p>Activities during the training session that have an emphasis on match or game play.</p> <p><u>Subcategories</u></p> <p>Small-sided activities Activities whereby players work in small teams of between 2 and 4 players in a game or activity situation, such as 4 v 3 end zone game or 2 v 2 possession activity.</p> <p>Larger activities Activities during training where players work in teams of 5 or more players in a game or activity situation, such as 8 v 8 game or 5 v 7 offense v defence game.</p> <p>Phase of play Uni-directional match-play towards one goal.</p>
Training form	<p>Activities during the training session that have a predicted outcome or isolated skill component.</p> <p><u>Subcategories</u></p> <p>Individual Activities during training whereby the player is working on skills by himself, such as juggling or running a lap with a ball.</p> <p>Paired Activities during training where players work with one other individual, such as passing between two players or 1 v 1 opponent activities.</p> <p>Drills Activities during training where the player is performing predetermined actions or movements. There is a set sequence to the activity with minimal options available to the player such as dribbling around cones or sequence passing (i.e., players have to pass to a specific player next).</p>
Athletics	Activities during training session where players are working without ball. The players work in specific athletic skills such as endurance, strength, speed or agility.
Inactive time	<p>Moments during the training session where the teams are not actively participating in either training or playing form activities.</p> <p><u>Subcategories</u></p> <p>Freeze in position Coach stops the activity to talk to the players and the players remain in their current position during the activity (i.e., “stop and hold there. . .”).</p> <p>Player huddle Coach stops the activity and gets the players to come together for a discussion in a certain area (i.e., “stop and bring it in. . .”).</p> <p>Drink break Periods of time where the players have been told by the coach to have rest and a drink (i.e., “stop there and go get a drink. . .”).</p> <p>Transition Periods of time where the players are moving (or transitioning) between activities or inactivity periods such as the players moving back into position following a player huddle or drink break</p>

Table 1. Continued

Training parts	
Warm up	<p>The first activity of the session which introduces the core skill and is the only component of the session where drill-type exercises should be used. This component should flow with very little stop-start coaching to allow the players time to practice the key skill.</p> <p>The warm up part ends as soon as the first playing form is made. When started with a playing form, the duration of the first form is considered as the warm-up period. If no form of play follows after the warm-up, specific coaching as in the main part should separate it. Running school, strengthening and other conditional skills are counted as warm-up as long as they are used for warm-up.</p>
Learning and Teaching – main part	<p>The component of the session where conscious teaching and learning takes place. The coach designs an activity, which provides repetition of realistic game scenarios, coupled with task-based coaching using effective interventions (i.e., quality feedback and questions).</p> <p>For example, small-sided game with the coach stopping the activity at key learning and teaching moments.</p> <p>This part is delimited from the last part by the fact that there is still a lot of coaching and the games are not yet too similar to the traditional form. This also includes conditional parts that have nothing to do with the warm-up or are made late after the warm-up phase.</p>
(Final) Training game	<p>The traditional game with many elements of the real game being present but organised to promote the skill of the coaching session. The coach observes for player learning with little to no stop-start coaching</p> <p>For example, small-sided or large-sided game which aims to replicate key aspects of a competition match</p>
Finishing part	<p>Training part that takes place after the actual final game. It is for fun or cool down.</p> <p>As an example, penalty shooting, free kicks, small competition game or other things.</p>

Heart rate measurement

The heart rate measurements were performed with a Polar Team² system (Polar Electro Oy, Kempele, Finland). A belt equipped with electrodes and a transmitter was fixed around the chest. The recorded data was transmitted directly from the transmitter to a base station. The base station was connected to the PC and provided real-time data on the PC screen. The recording of the data was manually started and stopped. In order to estimate maximum heart rate, we used the following formula: $208 - 0.7 \times \text{age}$. This formula has been shown to result in an accurate estimate of $HR_{\max}$ for children (27). For the evaluation of the different training activities and parts, the times in the respective periods were evaluated. During playing forms only the heart rates of the field players were taken into account. With regard to the athletic activities it has to be mentioned that different contents were used for improving the physical fitness of the children and mostly combined (speed, endurance, strength, agility). This led to a variety of loads, which cannot be allocated to a specific athletic area and, thus, were analysed in combination. We started heart rate recordings manually. This process was recorded with the camera and used for synchronizing video recordings and heart rate measurement.

Duels and headers

Duels and headers were evaluated by visual inspection. We defined a duel as a situation with one player trying to conquer the ball from his opponent by tackling or blocking. We further differentiated the direction from which the (first) contact came: anterior ($\pm 45^\circ$ deviation from sagittal plane in viewing direction), lateral ($\pm 45^\circ$ deviation from frontal plane in both lateral directions), and posterior ($\pm 45^\circ$ deviation from sagittal plane opposing to viewing direction). Additionally, we assessed running duels as situations with two players running side-by-side in the same direction, fighting for the ball over a longer running distance (> 5 m), either with one player controlling the ball or with both players trying to reach a ball first. We classified air duels as situations with at least one player jumping vertically and one opponent nearby (< 1 m), also trying to reach the ball or disturbing the opponent. Finally, every ball that was intentionally touched with the head was counted as header. A sub-sample ($N = 3$ teams) was analysed by two raters independently in order to estimate the accuracy of definitions. We observed a discrepancy between raters for total number of duels of 2% (anterior 2%, lateral 12%, posterior 10%), for running duels of 14%, for air duels of 14%, and for headers of 2.5%, respectively.

Data analysis

Data are presented mainly descriptive and mostly in minutes, percentages of total training time or in absolute numbers (duels and headers). Time data are given as means with standard deviation (SD) and as minimum and maximum. Absolute numbers are presented as medians with upper and lower quartiles and as minimum and maximum. Mean differences between teams of the different performance levels were calculated together with bootstrapped 95% confidence limits based on 5000 resamples (28). Two-sided p values were calculated by the Mann-Whitney test for the differences between the different performance levels and by the Wilcoxon test for difference in heart rates during different training activities.

Results

Training activities

Total average training time was 81.4 (SD 5.8) minutes (ranging from 69.0 to 90.0 minutes). The duration of the different training activities is presented in table 2. Playing forms represent about one third of a training session with training forms lasting slightly shorter. Inactivity time constituted also with nearly 30% to total training time. Athletic contents represent less than 10% of total training time. We found a difference in the time that was invested in playing and training forms between teams of the Promotion league compared to the lower levels. Promotion level teams conducted on average 7.9 minutes (95% CI 1.4, 14.3, $p = 0.04$) more playing forms and 6.8 minutes (-0.5, 14.0, $p = 0.15$) less training forms compared to the lower level teams (figure 1). Inactive time and athletic contents were similar between levels ($p > 0.5$).

Table 2. Mean duration of training activities during training sessions. Data presented as means with standard deviation and minimum and maximum.

	Overall		Promotion		Lower level	
	Mean (SD)	Min-Max	Mean (SD)	Min-Max	Mean (SD)	Min-Max
Playing form [min]	27.2 (5.8)	13.0-43.0	32.0 (7.9)	20.0-43.0	24.1 (7.3)	13.0-34.0
[%of total training time]	33.4 (7.1)	16.0-52.8	38.4 (9.5)	24.0-51.6	30.1 (9.1)	16.2-42.4
Training form [min]	24.0 (9.9)	7.0-40.0	20.1 (6.9)	10.5-28.5	26.9 (10.4)	9.0-40.0
[%of total training time]	29.5 (12.2)	8.6-49.1	24.1 (8.3)	12.6-34.2	33.6 (13.0)	11.2-49.9
Athletic [min]	7.1 (7.1)	0.0-24.0	8.7 (7.8)	0.0-18.8	6.0 (6.7)	0.0-24.0
[%of total training time]	8.7 (8.7)	0.0-29.5	10.4 (9.4)	0.0-22.6	7.5 (8.4)	0.0-30.0
Inactive time [min]	23.1 (6.4)	13.0-36.0	22.9 (7.8)	13.0-36.0	23.2 (5.5)	13.0-36.0
[%of total training time]	28.4 (7.9)	16.0-44.2	27.5 (9.4)	15.6-43.2	29.0 (6.9)	16.2-44.9

Figure 1. Comparison of training activities between the two performance levels (Promotion vs. lower level).

(PF = Playing form; TF = Training form; Athl. = Athletic; IT = Inactive time; Promo. = Promotion; low. Lev. = Lower level)

Training structure

With regard to the different training parts, we observed that the main part constituted to more than the half of total training time with the warm-up and training game making up about 20% of total training time each (table 3). The main part was 9.4 minutes (-2.3, 21.1, $p = 0.11$) longer and the training game was 7.9 minutes (-0.4, 16.1, $p = 0.09$) shorter in the Promotion teams compared to the lower level teams (figure 2). Warm-up and the finishing part were similar in both playing levels ($p > 0.35$).

Table 3. Mean duration of training parts during training sessions. Data presented as means with standard deviation and minimum and maximum.

	Overall		Promotion		Lower level	
	Mean (SD)	Min-Max	Mean (SD)	Min-Max	Mean (SD)	Min-Max
Warm-up [min]	17.4 (6.6)	7.5-28.0	18.8 (7.3)	11.0-28.0	16.4 (6.2)	7.5-24.0
[%of total training time]	21.4 (8.1)	9.2-34.4	22.5 (8.7)	13.2-33.6	20.5 (7.7)	9.4-30.0
Main part [min]	43.8 (13.9)	23.5-71.0	49.4 (14.8)	27.5-71.0	40.1 (12.6)	23.5-65.0
[%of total training time]	53.8 (17.1)	28.9-87.2	59.3 (17.8)	33.0-85.2	50.1 (15.7)	29.3-81.1
Training game [min]	18.5 (10.5)	0.0-33.0	13.8 (9.0)	0.0-22.5	21.7 (10.5)	0.0-33.0
[%of total training time]	22.7 (12.9)	0.0-40.5	16.6 (10.8)	0.0-27.0	27.1 (13.1)	0.0-41.2
Finishing part [min]	1.7 (4.2)	0.0-14.5	1.3 (3.7)	0.0-10.5	1.9 (4.6)	0.0-14.5
[%of total training time]	2.1 (5.2)	0.0-17.8	1.6 (4.4)	0.0-12.6	2.4 (5.7)	0.0-18.1

Figure 2. Comparison of training parts between the two performance levels (Promotion vs. lower level).

(W-up = Warm-up; MP = Main part; TG = Training game; FP = Finishing part; Promo. = Promotion; low. Lev. = Lower level)

Heart rate

Average team heart rates during the different training activities are presented in table 4. HR was highest during playing forms and lowest during athletic activities. The mean difference between playing forms and athletics was 15 min^{-1} (95% CI 8, 24, $p = 0.006$), between playing

forms and training forms 12 min^{-1} (95% CI 8, 16, $p < 0.001$) and between training forms and athletics 2 min^{-1} (95% CI -6, 11, $p = 0.6$; figure 3). There were no obvious differences between both playing levels ($p > 0.3$). Players spent 34.4% of total training time at a HR below 70% of $\text{HR}_{\max}$, 38.5% between 70 and 85% of $\text{HR}_{\max}$ and 27.1% above 85% of $\text{HR}_{\max}$.

Table 4. Mean heart rates in different training activities during training sessions. Data presented as means with standard deviation and minimum and maximum.

	Overall		Promotion		Lower level	
	Mean (SD)	Min-Max	Mean (SD)	Min-Max	Mean (SD)	Min-Max
Heart rate in playing form [bpm]	166 (8)	150-176	164 (7)	152-175	167 (8)	150-176
[% of estimated $\text{HR}_{\max}$]	82.9 (3.9)	75.0-88.0	81.8 (3.6)	76.0-87.5	83.5 (4.0)	75.0-88.0
Heart rate in training form [bpm]	154 (12)	136-170	153 (10)	140-168	155 (13)	136-170
[% of estimated $\text{HR}_{\max}$]	77.0 (5.7)	68.0-85.0	76.6 (5.0)	70.0-84.0	77.3 (6.4)	68.0-85.0
Heart rate in athletics [bpm]	150 (15)	112-168	153 (12)	134-165	148 (17)	112-168
[% of estimated $\text{HR}_{\max}$]	75.0 (7.7)	56.0-84.0	76.5 (6.1)	67.0-82.5	74.1 (8.7)	56.0-84.0

Figure 3. Mean heart rates of each team for different training activities.

(PF = Playing form; TF = Training form; Athl. = Athletic. N = 14 teams for the comparison regarding the athletic part, as 6 teams did not perform athletic exercises)

Duels and headers

The number of duels and headers is presented in table 5. On average 38.2% of the total training time consisted of situations where duels can occur. A player was involved in nearly 13 duels per training corresponding to one duel every 6.4 minutes on average. More than two thirds of all duels were conducted from anterior direction. The overall number of headers per

player and training session was less than one. Promotion league teams conducted more headers (1.0 headers per player per session) than lower level teams (0.4 headers per player per session). One team from the Promotion league completed specific header training resulting in a total of 209 headers in this particular training session.

Table 5. Duels and headers during training sessions. Data presented as medians with interquartile range and minimum and maximum.

	Overall		Promotion		Lower level	
	Median (IQR)	Min-Max	Median (IQR)	Min-Max	Median (IQR)	Min-Max
Anterior duel	71 (40)	28-170	78.5 (46.5)	28-101	61 (29)	41-170
Anterior duel per player	6.1 (3.1)	2.8-12.1	6.4 (3.2)	2.8-7.9	6.0 (3)	3.0-12.1
Lateral duel	29 (17)	17-82	30 (12)	24-63	29 (19.5)	17-82
Lateral duel per player	2.5 (1.3)	1.1-5.9	2.3 (1.7)	2.0-4.8	3.0 (0.9)	1.1-5.9
Posterior duel	21 (13)	6-54	18.5 (10)	6-29	22 (13)	6-54
Posterior duel per player	1.6 (0.9)	0.5-3.9	1.6 (0.4)	0.7-2.2	1.6 (1.2)	0.5-3.9
Running duel	16 (12)	0-38	16 (10)	0-38	13 (13.5)	0-32
Running duel per player	1.3 (0.9)	0.0-2.5	1.3 (0.4)	0.0-2.5	1.3 (0.9)	0.0-2.2
Air duel	1 (3)	0-23	2.5 (11.5)	1-23	1 (3)	0-21
Air duel per player	0.1 (0.2)	0.0-2.3	0.2 (0.8)	0.1-2.3	0.1 (0.2)	0.0-2.3
Header	7 (8)	0-209	14 (36.5)	4-209	4 (5.5)	0-24
Header per player	0.6 (0.8)	0.0-14.9	1.0 (3.5)	0.3-14.9	0.4 (0.5)	0.0-2.7
Total duels	127 (84)	91-328	143 (88)	91-215	125 (76.5)	93-328
Total duels per player	12.8 (5.1)	6.1-23.4	12.7 (4.6)	8.5-16.1	12.8 (5.0)	6.1-23.4

Discussion

The aims of this study were to evaluate the structure and contents, the intensity as well as contact situations and headers in training sessions in under-13 football in Switzerland. To the best of our knowledge, this is the first study in a Central European country on this topic. We found that playing forms amounted to the largest part of training time. This observation was more pronounced in the higher level teams. Athletic contents represented less than 10% and inactivity time nearly one third of the total training time. Average heart rate was highest during playing forms, reaching an average of nearly 83% of maximal heart rate. On average, each player performed more than 12 duels and less than one header during one training session, i.e. a potentially dangerous situation every 6 minutes.

The average training duration in our study was very similar to previous studies, i.e. around 80 minutes (6,26). In our study, fewer playing forms on average (33.4% vs. 35.6-40.9%) and training forms inside the lower range (29.5% vs. 22.3-64.4%) were applied compared to other studies (6,7). The inactive time (28.4% vs. 36.8%) was lower in our study than in the one by O'Connor et al. (6). It is important to note that we added an athletic part. This section accounted for less than 10% of the total training time and was partly included in the subcategory of training forms in former studies. The athletic part consisted of individual athletic exercises and we intended to separate it from the training form part to get a more accurate analysis. Athletic exercises were conducted without the ball and with the intention to improve physical abilities rather than football-specific skills. We observed that no team included any specific prevention program in the training sessions, although it has been shown that such programs can result in relevant performance improvements (29) and, more importantly, can reduce injury incidence by about 40% already in these age groups (30,31).

The largest difference between the performance levels (Promotion vs. lower level) was that the higher level teams applied more playing forms (38.4% vs. 30.1%), while the lower level teams spend more time in training forms (33.6% vs. 24.1%). Likewise, at the lower level the main part did almost not include any playing forms and teams performed mainly one open (final) game at the end of the training. The Promotion league teams were closer to the recommended training standards in Switzerland, as they included a sufficient amount of playing forms in the main part and the whole training session. The curricular recommendation is that playing forms should represent at least 30 minutes. These differences are unlikely due to the coaches' qualifications, as we found no relevant differences in the obtained diplomas between the higher and lower level coaches. Five coaches did not even have a sufficient diploma for this age category. The time spent in the different training phases (warm-up/main part/final game) did not differ relevantly compared to the results of O'Connor et al. (6) and fits

with the recommendation of the Swiss Football Association. The only difference in this study was the finishing part, which was introduced by the Swiss Football Association and is suggested to complete every training session. We observed that this objective has not yet arrived at the regional pitches. As actually intended by the Swiss Football Association, at least a section of the main part should be a thematic playing form. Our results show that almost half of the surveyed teams did not play any form of game in the main section and many only had the final game as a form close to the real game in their training sessions. So-called small-sided games are mostly missing in the main part and the players are offered too little time for implicit, game related learning in which they have to make their own decisions and undergo a more effective learning process (32,33).

Heart rate data show that playing forms are an appropriate way to induce beneficial adaptations as children reached the highest heart rate levels while playing (> 80% of estimated maximum). Sperlich et al. (34) mentioned different heart rate zones in order to comprehensively describe fitness training in under-14 football players: below 60% HR_{max} , 60 to 70% HR_{max} , 70 to 80% HR_{max} , 80-90% HR_{max} , above 90% HR_{max} . Our results were in the middle to upper range of this classification system. The playing forms reached the range from 80 to 90% of HR_{max} . Heart rate is usually used as an indicator of training intensity. Improvements in peak oxygen uptake are only achievable with a sufficient training stimulus (35). Baquet et al. (36) showed that relevant aerobic training effects occur at intensities between 78% and 95% of HR_{max} in adolescents. Also, Obert et al. (37) reported improvements in maximal oxygen uptake in boys and girls with endurance training at 80% HR_{max} and above. Faude et al. (14) observed large improvements in 20m shuttle-run performance after a 6-month football training at 78% HR_{max} in overweight children. In summary, heart rates during playing forms in our study were in intensity zones, which have been shown to induce relevant improvements in children and adolescents.

The investigation of the frequency of duels in recreational football for players under 13 years of age is a novelty of our study and can serve as a basic record of the current situation in typical football training sessions in under-13 players. Contact injuries to children between the ages of 7 and 12, including an opponent, account for a large proportion of injuries (21). On average, the coaches organized 38.2% of the training time with exercises, which bear the risk of contact between opponents. The direction of a duel is particularly interesting, because players may be differently prepared for a duel coming from anterior vs. posterior direction. Most duels in our study occurred from an anterior direction. In anterior duels, both players can anticipate the following action, possibly limiting the risk of injury, whereas in lateral and posterior duels at least one player frequently is not aware of the approaching situation. In this

regard, it is of particular interest, that Faude et al. (23) observed that indeed most injuries to the head occurred due to an impact to the face or the forehead, whereas the majority of concussions resulted from an impact to the occiput. The authors speculated that players were mostly unaware of the impact to the occiput and, therefore, could not prepare for the impact. Running duels and air duels were relatively rare in our study. Most air duels occurred after throw-ins.

Headers are a hotly debated topic in youth and children's football (22–24). Attention must be paid to the children's brain and skull because both structures are still developing. It has been shown that after a single training session including 6 to 20 headers, amateur players aged 15 to 25 years show cognitive changes (38,39). It is discussed whether such acute effects potentially resulting from repetitive micro traumata due to frequent heading may result in long-term neurocognitive sequelae (23). Repeated head impacts can in the long run lead to structural brain changes which was observed in former football players (40). Recently, Mackay et al. (41) found that mortality from neurodegenerative disease was higher and dementia medication was prescribed more frequently in several thousand former Scottish football players compared to matched controls. Although the latter findings were obtained in former professionals, the current situation in recreational club football is also of particular importance as the vast majority of active footballers is playing on an amateur level. In our study, each player conducted less than one header per training session. This is in line with training data of a recent large-scale observational study in eight European countries (median 4 to 6 headers per training session with a large variability in under-10 and -12 teams) (42,43). Altogether, these findings point towards a low danger of heading-related risks at this level of play. Nevertheless, children should avoid a high frequency of headers due to the currently unclear short and long-term effects (44) and the increase in heading frequency with increasing age (42,43).

Limitations

Some limitations need to be addressed. For instance, we did not take the quality of training contents as well as the quality of the coaches' instructions into account. In addition, our study is a cross-sectional study with a limited number of teams from the North-western part of Switzerland. However, we included teams from rural as well as from urban areas and teams of different performance level. It remains unclear whether our results can be generalized to other European countries or countries in other parts of the World. Furthermore, training intensity was evaluated by heart rate measurements. Additional assessment of subjective ratings of perceived exertion could have given further insight into the experienced intensity of

the training session. The assessment of duel situations was conducted by visual inspection and, thus, is prone to subjective bias.

Conclusions

In summary, our findings show that playing forms on average account for about one third of a typical training session in under-13 football with relevant differences between performance levels. Only those teams playing at a higher level achieved the recommendation of the Swiss football federation for playing forms. We also found that playing forms led to the highest cardio-circulatory intensity and, thus, are appropriately high to induce physiological adaptations. In addition, our findings show that the frequency of duels and headers is generally low.

Conflict of Interest Statement

The authors declare that they have no conflict of interest.

Author contributions

JU, RR and TB designed the study; JU was responsible for data assessments; JU and OF analyzed the data and wrote the first manuscript draft; All authors read and revised the manuscript draft and approved the final manuscript.

Acknowledgements

We would like to thank the players as well as coaches for taking part in this investigation

Funding information

No sources of funding.

Literature

1. Janssen I, LeBlanc AG. Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. 2010;16.
2. Kriemler S, Meyer U, Martin E, van Sluijs EMF, Andersen LB, Martin BW. Effect of school-based interventions on physical activity and fitness in children and adolescents: a review of reviews and systematic update. *British Journal of Sports Medicine*. 2011 Sep 1;45(11):923–30.
3. Lamprecht M, Fischer A, Wiegand D, Stamm HP. *Sport Schweiz 2014: Kinder- und Jugendbericht*. Magglingen: Bundesamt für Sport BASPO. 2015;60.
4. Nielsen G, Bugge A, Andersen LB. The influence of club football on children's daily physical activity. *Soccer & Society*. 2016 Mar 3;17(2):246–58.
5. Faude O. Back to the roots in football science. Why it might be smart to invest in the youngest players. *Science and Medicine in Football*. 2018 Jul 3;2(3):171–2.
6. O'Connor D, Larkin P, Williams AM. Observations of youth football training: How do coaches structure training sessions for player development? *Journal of Sports Sciences*. 2018 Jan 2;36(1):39–47.
7. Cushion C, Ford PR, Williams AM. Coach behaviours and practice structures in youth soccer: Implications for talent development. *Journal of Sports Sciences*. 2012 Nov;30(15):1631–41.
8. Masters RS w, Poolton JM, Maxwell JP, Raab M. Implicit Motor Learning and Complex Decision Making in Time-Constrained Environments. *Journal of Motor Behavior*. 2008 Jan 1;40(1):71–9.
9. Williams AM, Hodges NJ. *Skill Acquisition in Sport: Research, Theory and Practice*. Routledge; 2004. 462 p.
10. O'Connor D, Larkin P, Williams MA. Talent identification and selection in elite youth football: An Australian context. *European Journal of Sport Science*. 2016 Oct 2;16(7):837–44.
11. Hammami A, Randers MB, Kasmi S, Razgallah M, Tabka Z, Chamari K, et al. Effects of soccer training on health-related physical fitness measures in male adolescents. *Journal of Sport and Health Science*. 2018 Apr;7(2):169–75.
12. Krstrup P, Aagaard P, Nybo L, Petersen J, Mohr M, Bangsbo J. Recreational football as a health promoting activity: a topical review: Recreational football, health and performance. *Scandinavian Journal of Medicine & Science in Sports*. 2010 Apr 6;20:1–13.
13. Lozano-Berges G, Matute-Llorente Á, González-Agüero A, Gómez-Bruton A, Gómez-Cabello A, Vicente-Rodríguez G, et al. Soccer helps build strong bones during growth: a systematic review and meta-analysis. *Eur J Pediatr*. 2018 Mar 1;177(3):295–310.
14. Faude O, Kerper O, Multhaupt M, Winter C, Beziel K, Junge A, et al. Football to tackle overweight in children: Football in overweight children. *Scandinavian Journal of Medicine & Science in Sports*. 2010 Apr 6;20:103–10.
15. Krstrup P, Dvorak J, Bangsbo J. Small-sided football in schools and leisure-time sport clubs

- improves physical fitness, health profile, well-being and learning in children. *Br J Sports Med.* 2016 Oct;50(19):1166–7.
16. Krustup P, Dvorak J, Junge A, Bangsbo J. Executive summary: The health and fitness benefits of regular participation in small-sided football games. *Scandinavian Journal of Medicine & Science in Sports.* 2010;20(s1):132–5.
 17. Bendiksen M, Williams CA, Hornstrup T, Clausen H, Kloppenborg J, Shumikhin D, et al. Heart rate response and fitness effects of various types of physical education for 8- to 9-year-old schoolchildren. *European Journal of Sport Science.* 2014 Nov 17;14(8):861–9.
 18. Faude O, Rössler R, Junge A. Football Injuries in Children and Adolescent Players: Are There Clues for Prevention? *Sports Med.* 2013 Sep;43(9):819–37.
 19. Caine D, Maffulli N, Caine C. Epidemiology of Injury in Child and Adolescent Sports: Injury Rates, Risk Factors, and Prevention. *Clinics in Sports Medicine.* 2008 Jan 1;27(1):19–50.
 20. Emery CA, Roy T-O, Whittaker JL, Nettel-Aguirre A, van Mechelen W. Neuromuscular training injury prevention strategies in youth sport: a systematic review and meta-analysis. *Br J Sports Med.* 2015 Jul;49(13):865–70.
 21. Rössler R, Junge A, Chomiak J, Dvorak J, Faude O. Soccer Injuries in Players Aged 7 to 12 Years: A Descriptive Epidemiological Study Over 2 Seasons. *Am J Sports Med.* 2016 Feb;44(2):309–17.
 22. Chiampas GT, Kirkendall DT. Point-counterpoint: should heading be restricted in youth football? Yes, heading should be restricted in youth football. *Science and Medicine in Football.* 2018 Jan 2;2(1):80–2.
 23. Faude O, Rössler R, Junge A, Aus der Fünten K, Chomiak J, Verhagen E, et al. Head injuries in children's football-results from two prospective cohort studies in four European countries. *Scand J Med Sci Sports.* 2017 Dec;27(12):1986–92.
 24. Tarnutzer AA. Should heading be forbidden in children's football? *Science and Medicine in Football.* 2018 Jan 2;2(1):75–9.
 25. Football Federation Australia H. The national football curriculum: The roadmap to international success. Sydney, Australia: Football Federation Australia. 2013;300.
 26. Ford PR, Yates I, Williams AM. An analysis of practice activities and instructional behaviours used by youth soccer coaches during practice: Exploring the link between science and application. *Journal of Sports Sciences.* 2010 Mar;28(5):483–95.
 27. Mahon AD, Marjerrison AD, Lee JD, Woodruff ME, Hanna LE. Evaluating the Prediction of Maximal Heart Rate in Children and Adolescents. *Research Quarterly for Exercise and Sport.* 2010 Dec;81(4):466–71.
 28. Ho J, Tumkaya T, Aryal S, Choi H, Claridge-Chang A. Moving beyond P values: data analysis with estimation graphics. *Nat Methods.* 2019 Jul;16(7):565–6.

29. Faude O, Rössler R, Petushek EJ, Roth R, Zahner L, Donath L. Neuromuscular Adaptations to Multimodal Injury Prevention Programs in Youth Sports: A Systematic Review with Meta-Analysis of Randomized Controlled Trials. *Front Physiol* [Internet]. 2017 [cited 2019 Oct 7];8. Available from: <https://www.frontiersin.org/articles/10.3389/fphys.2017.00791/full>
30. Rössler R, Donath L, Verhagen E, Junge A, Schweizer T, Faude O. Exercise-Based Injury Prevention in Child and Adolescent Sport: A Systematic Review and Meta-Analysis. *Sports Med*. 2014 Dec 1;44(12):1733–48.
31. Rössler R, Junge A, Bizzini M, Verhagen E, Chomiak J, aus der Fünten K, et al. A Multinational Cluster Randomised Controlled Trial to Assess the Efficacy of ‘11+ Kids’: A Warm-Up Programme to Prevent Injuries in Children’s Football. *Sports Med*. 2018 Jun 1;48(6):1493–504.
32. Lee TD, Simon DA. Contextual interference. In: Williams AM, Hodges NJ, editors. *Skill Acquisition in Sport: Research, Theory and Practice*. New York: Routledge; 2004. p. 29–44.
33. O’Connor D. Challenges facing youth coaches. In: O’Dea J, editor. *Current issues and controversies in school and community health, sport and physical education*. New York, USA: Nova Science; 2012. p. 283–94.
34. Sperlich B, De Marées M, Koehler K, Linville J, Holmberg H-C, Mester J. Effects of 5 Weeks of High-Intensity Interval Training vs. Volume Training in 14-Year-Old Soccer Players. *The Journal of Strength & Conditioning Research*. 2011 May;25(5):1271.
35. Matos N, Winsley RJ. Trainability of Young Athletes and Overtraining. *J Sports Sci Med*. 2007 Sep 1;6(3):353–67.
36. Baquet G, Berthoin S, Dupont G, Blondel N, Fabre C, Praagh E van. Effects of High Intensity Intermittent Training on Peak V’O₂ in Prepubertal Children. *Int J Sports Med*. 2002 Aug;23(6):439–44.
37. Obert P, Mandigouts S, Nottin S, Vinet A, N’Guyen LD, Lecoq AM. Cardiovascular responses to endurance training in children: effect of gender. *Eur J Clin Invest*. 2003 Mar;33(3):199–208.
38. Virgilio TGD, Hunter A, Wilson L, Stewart W, Goodall S, Howatson G, et al. Evidence for Acute Electrophysiological and Cognitive Changes Following Routine Soccer Heading. *EBioMedicine*. 2016 Nov 1;13:66–71.
39. Zhang MR, Red SD, Lin AH, Patel SS, Sereno AB. Evidence of Cognitive Dysfunction after Soccer Playing with Ball Heading Using a Novel Tablet-Based Approach. *PLOS ONE*. 2013 Feb 27;8(2):e57364.
40. Koerte IK, Mayinger M, Muehlmann M, Kaufmann D, Lin AP, Steffinger D, et al. Cortical thinning in former professional soccer players. *Brain Imaging and Behavior*. 2016 Sep 1;10(3):792–8.
41. Mackay DF, Russell ER, Stewart K, MacLean JA, Pell JP, Stewart W. Neurodegenerative Disease Mortality among Former Professional Soccer Players. *N Engl J Med*. 2019 Oct 21;
42. Beaudouin F, Gioftsidou A, Larsen MN, Lemmink K, Drust B, Modena R, et al. The UEFA Heading Study: Heading incidence in children’s and youth’ football (soccer) in eight European

- 553 countries. Scand J Med Sci Sports. 2020 May 11;sms.13694.
- 554 43. Sandmo SB, Andersen TE, Koerte IK, Bahr R. Head impact exposure in youth football—Are
555 current interventions hitting the target? Scand J Med Sci Sports. 2020 Jan;30(1):193–8.
- 556 44. Bunc G, Ravnik J, Velnar T. May Heading in Soccer Result in Traumatic Brain Injury? A
557 Review of Literature. Med Arch. 2017 Oct;71(5):356–9.
- 558