“Known to be unhealthy”

How social epidemiology produces health differences

Ilse Dijkstra

Maastricht University, 31-07-2020

Since the 1980's, social epidemiological research has provided ample evidence of an correlation between socioeconomic disadvantage and health: in Western European societies, people with lower education, occupational status and income live unhealthier, shorter lives than those who occupy a 'higher' social position (Smith, Hill & Bambra 2016). In this research, social epidemiologists commonly record and compare the health of groups with a different socioeconomic status (SES). Its attention is particularly drawn to the health of people with a low socioeconomic status (LSES). Social epidemiological studies are not only used to better understand health inequalities, but also to design policy interventions that aim to reduce these inequalities (Berkman & Kawachi & Glymour, 2014).

While plenty of research has been done and a plethora interventions have been implemented, recent research suggests that health inequalities between high SES (HSES) and LSES populations continue to persist (Mackenbach, 2019). This has stimulated a reflection of social epidemiologists on health inequality research. Some of them discuss how to better capture SES in measurements (Grundy & Holt, 2001). Other researchers suggest that neoliberal policies prevent an adequate translation of scientific evidence in policy (Smith, Hill & Bambra, 2015). While these diagnoses may be accurate, none of them discusses the possibility that social epidemiological research itself plays a role in

producing and sustaining health inequalities. This essay aims to explore this possibility, using theory from the field of Science and Technology Studies (STS).

STS makes us aware of how scientific facts are shaped in specific contexts. Its main argument is that science does not *discover* facts, but *produces* them (Knorr-Cetina, 1999). Multiple scholars in this field problematize how categories based on social differences – such as ethnicity, class and gender – are viewed as self-evident variables in research. They consider these categories as produced in specific social and political infrastructures (Jasanoff, 2004). In other words: STS scholars hold that the social categories we use, are products of human work.

STS scholars make two main remarks on the use of social categories in health research. Firstly, social categories are not as stable and straight-forward as they might seem to be. Helberg-Proctor *et al.* (2011, p. 63) illustrate how the statistical need for large groups in result in sexuality research leads to the merging of ethnic groups. Which groups merge, however, differs across the literature. Take for example the category 'Black'. In some instances, this category consisted of people from Surinam, the Antilles, Ghana and south Saharan African countries. In other research, the 'Black' category was used synonymous with 'Creole', defined as "*a mix of African, European and other ethnic groups*". In the publication upon which the premise for the latter study was established, however, the meaning of the 'Black'-category was again different. This shows that social categories are not categories existing 'out there', but groups that are actively produced: many different forms of the same category can be found, and people can be moved from one category to another.

Second, STS scholars have provided evidence that the use of social categories might increase health inequalities. Meershoek and Krumeich (2009) describe how the categorization of patients in illness certification practices as 'migrants' becomes an actual obstacle to job return. As physicians feel unable to influence the migrants' 'alien' cultural background, the counselling process becomes less effective, leading to greater and longer sick leave among minority populations. Based on such empirical studies, Meershoek and Krumeich as well as others (Shim, 2014) articulate the concern that the unquestioned use of social categories might in fact (re)produce disparities in health.

Despite the robust scholarship with respect to the construction of social categories, the use of (L)SES remains virtually unexamined. In this essay, I question whether the concerns raised by STS scholars might be applicable to the use of LSES as social category in health inequality research. In the following, I critically explore some scientific practices related to the categorization of LSES. Then, I focus on how social epidemiology explains the relationship between LSES and ill-health. To illustrate my argument, I draw on publications of a prominent European studies on SES and health: the Dutch GLOBE study.

The GLOBE-study: understanding health inequalities

The GLOBE study (Dutch acronym for *Health and Living Conditions of the Population of Eindhoven and surroundings*) is a prospective cohort study in the Netherlands. It runs since 1991 and is conducted by a multidisciplinary team from the Department of Public Health of the Erasmus University Rotterdam, led by social epidemiologists. The study aims to understand the mechanisms causing health inequalities in the Netherlands, by assessing health problems of 18.973 residents. The GLOBE study resulted in more than hundred scientific articles in which the health and health behaviour HSES and LSES are compared. These study results are the main source of information to develop Dutch policy

measures aimed at the reduction of health inequalities in the Netherlands (van Lenthe *et al.*, 2004).

Constructing LSES as population

An analysis of who are referred to by 'LSES' in GLOBE-publications, reveals that the meaning of LSES is not self-evident. In the earliest studies, researchers indicated the SES of their respondents solely by educational level. Later, father's occupation, mother's education and household income were added as indicator for SES (Giskes *et al.*, 2005; Kamphuis *et al.*, 2009; Oude Groeninger *et al.*, 2019). As a result, various LSES-indicators are used in different publications. For instance, for Schrijvers *et al.* (1999) LSES consists of individuals with primary education only, while other authors include also those with a low net household income. The threshold of a low income changed from 1900 guilders (Giskes *et al.*, 2005) to 1200 euro (Kamphuis *et al.*, 2009) to 1000 euro (Oude Groeninger *et al.*, 2019). In yet another publication (Kamphuis *et al.*, 2007), 'being LSES' was indicated by residing in a deprived neighbourhood. As these examples show, the changing the meaning of LSES and results in a multitude of LSES groups. Crucially, these groups do not necessarily overlap: people with a low educational degree do not necessarily have a low income, or vice versa.

There may be good reasons to change SES-indicators or to use multiple indicators simultaneously. The problem lies in the fact that, while LSES appears to be multiple, it is treated by researchers as a single population, in particular when final conclusions on (L)SES and health are drawn. While authors of all publications make efforts to explicate their indicators for SES in the methodology-sections, this sensitivity is not shown in their conclusions. Instead, most authors extrapolate their findings to a generalized and ill-defined LSES population. For example, in a study on food choices, Kamphuis *et al.* (2015,

p. 772) use LSES to refer to participants with 'low education' or 'low income'. Interactions were tested between food preferences and these indicators, resulting in two main findings:

- (1) *"More highly educated participants rated a healthy, meal to be more important than did less educated participants"; and*
- (2) *"Higher-income groups rated a meal that was healthy and with a very good taste to be more important than did low-income groups"*

Yet, in the conclusion of their study, these specific categories are replaced by generic LSES group: *"[h]igher socioeconomic groups valued health more than did lower socioeconomic groups"* (p. 773). In this way, the impression is given that a homogenous 'LSES population' exists independent of study methodology. This population, however, is a theoretical construct that does not exist outside the research paper.

Constructing LSES as unhealthy population

In the GLOBE study, LSES is not treated as 'just' a category, but as one that describes an inherently problematic population with regard to health. While all publications hypothesised an inverse relationship between health and SES, the data of several studies actually indicated worse health outcomes for HSES groups. For instance, Giskes *et al.* (2005) expected a higher educational level of mothers to lead to greater nutritional skills. To their surprise, the likelihood of having a protective diet *decreased* with an increase in mothers' education. Whenever such unexpected outcomes appear, these findings are reinterpreted in a way that the hypothesis that LSES groups have worse health outcomes can still be accepted. For Giskes *et al.* (p. 878), a reinterpretation of their unexpected

findings results in a theory in which these outcomes were explained by the *“evolution of nutrition knowledge”*: the observed lack of nutritional knowledge among highly educated mothers can be explained by the rapid developments in nutrition science, and is not caused by individuals’ limited knowledge or cognitive capacities. The highly educated group is thus not held responsible for their ‘unhealthy behaviour’. Theorizing about possible reasons for unexpected findings is a common scientific practice, but I did not observe such explorative activity when the data indicated worse health outcomes for LSES groups. Apparently, worse health outcomes are assumed for this population and need no further exploration.

Constructing LSES as deviant population

When explanations for health differences are given, findings on SES and health easily overflow into the construction of a deviant LSES population. In all GLOBE publications, traits and characteristics commonly valued as negative are used to explain links between LSES and ill-health. Throughout the publications, LSES people are portrayed as *“less open to change and more conservative than high educated people”* (Kamphuis *et al.*, 2015, p. 12) and less likely to *“transcend one’s selfish concerns and promoting the welfare of others and nature”* (*ibid.*). Further, they are said to have more *“traditional beliefs about appropriate or healthy diets”* (Kamphuis *et al.* 2007, p. 494). They are *“inclined to eat traditional, heavier and cheaper foods”* (Oude Groeninger *et al.*, 2019), therefore making food choices that are characterized *“by a regime of much, fat and sweet”* (*ibid.*, p. 1044). HSES individuals, on the contrary, are represented as people *“known for their appreciation of refined and high-end foods”* (Kamphuis *et al.* 2015b, p. 773), paying *“attention to the healthiness of their nutritional patterns”* (Oude Groeninger, 2019, p. 1044) and *“making health conscious food choices”* (Oude Groeninger *et al.*, 2017, p. 5).

GLOBE researchers also structurally question the cognitive ability of LSES individuals. Giskes *et al.* (2004, p. 878) suggests that the observed socioeconomic gradients might be even higher than reported, for *“the estimates of mean intakes of the lower socioeconomic groups may not have been as reliable or valid as among the higher socioeconomic groups.”* The problem of recall bias is not imaginary, but the ascription of lesser cognitive abilities to all LSES individuals is striking: the possible re-call bias is not tested, just hypothesized, and for LSES groups only. These examples illustrate how health inequality research not only problematizes the health of LSES, but as well the traits and characteristics ascribed to ‘the’ LSES population. In this way, the cause of health inequalities becomes located in LSES individuals.

Producing health inequalities

In this essay, I explored the scientific practices related to the categorization of LSES, and analysed how a link is constructed between LSES and health inequalities. This leads to two important insights. First, social epidemiological practice allows for the categorization of a diverse range of people as LSES. At the same time, the impression is given that a homogenous LSES population exists independent of study methodology. Second, this generic LSES population comes to embody ill-health, adverse health behaviour and negative personality traits. Together, these dynamics make the ‘fact’ that LSES has worse health and health behaviour inevitable. Consequentially, research that seriously consider the structural, relational and intersectional circumstances that cause inequalities in health, is given no serious consideration. On the contrary, social epidemiology implicitly blames ‘the’ LSES population for being unhealthy, and therefore assigns responsibility for health inequalities to this population.

These observations point into two new directions for social epidemiology. First, there needs to be critical evaluation of the role that social epidemiologists play in the construction of LSES and in causal explanations of health inequalities. Since the scientific traditions that are most prominent in social epidemiological research – epidemiological and biomedical method – have not been designed to deal with such questions (Amsterdamska, 2005), an extension of social epidemiology's interdisciplinarity would be worthwhile. Social epidemiologists declared that '*the most effective theories and approaches for improving population health will arise from meaningful interdisciplinary collaborations*' (Berkman, Kawachi & Glymour, 2014, p. 385). I could not agree more. Greater interdisciplinary crosstalk of social epidemiology with, for instance, STS scholars and medical sociologists could bring the realization that the use of social categories in research shapes knowledge on health inequalities. Conforming other research that shows a solidification of social categories as they travel into the policy domain (Meershoek & Krumeich, 2009), a critical analysis of the fields interdependence with policy making processes will further enrich this reflection.

Second, a fresh look on health inequalities requires new lines of information and new forms of knowledge. The GLOBE-case points at an unspoken assumption that credible knowledge about health inequalities is provided by scientists. That is, the grounds upon which people are understood to possess knowledge is based on their education (Shim, 2002, p. 13). Indeed, any evidence from the side of LSES individuals that indicates good health or positive traits is structurally dismissed or transformed, leading to a situation in which only the findings of experts on their own constructed LSES population, becomes public. Numerous scholars have showed the value of the practical expertise and insider knowledge of non-academic individuals. The knowledge brought to the forth in these accounts are diverse and unexpected findings are not dismissed, but have let to new

understandings of health and disease. Good examples among these are Brown's (1987) work on popular epidemiology and, more recently, Janet Shim's (2014) study on the expert-lay divide in heart epidemiology. These accounts, when carefully attended to, can provide social epidemiology with a keen, fresh eye on health inequalities.

Social epidemiology presents itself as the academic field "*dedicated to the investigation and alleviation of health inequalities*" (Berkman & Kawachi & Glymour, 2014). Ironically, however, its research dynamics construct important obstacles to do so. In their aim to understand health inequalities, the field produces an inherently unhealthy and deviant LSES population. The GLOBE-case shows how this population is a category that is (co)produced and reproduced through epidemiological method. As long as LSES remains stripped of its constructed nature, social epidemiology might well be producing and reproducing what it is looking for: a LSES population 'known' to be unhealthy.

Amsterdamska, O. (2005). Demarcating epidemiology. *Science, technology, & human values*, 30(1), 17-51.

Berkman, L. F., Kawachi, I., & Glymour, M. M. (Eds.). (2014). *Social epidemiology*. Oxford University Press.

Brown, P. (1987). Popular epidemiology: Community response to toxic waste-induced disease in Woburn, Massachusetts. *Science, Technology, & Human Values*, 12(3/4), 78-85.

Garthwaite, K., Smith, K. E., Bambra, C., & Pearce, J. (2016). Desperately seeking reductions in health inequalities: perspectives of UK researchers on past, present and future directions in health inequalities research. *Sociology of Health & Illness*, 38(3), 459-478.

Giskes, K., Turrell, G., Van Lenthe, F. J., Brug, J., & Mackenbach, J. P. (2006). A multilevel study of socio-economic inequalities in food choice behaviour and dietary intake among the Dutch population: the GLOBE study. *Public health nutrition*, 9(1), 75-83.

Giskes, K., Turrell, G., Van Lenthe, F. J., Brug, J., & Mackenbach, J. P. (2006). A multilevel study of socio-economic inequalities in food choice behaviour and dietary intake among the Dutch population: the GLOBE study. *Public health nutrition*, 9(1), 75-83.

Grundy, E., & Holt, G. (2001). The socioeconomic status of older adults: How should we measure it in studies of health inequalities?. *Journal of Epidemiology & Community Health*, 55(12), 895-904.

Jasanoff, S. (Ed.). (2004). *States of knowledge: the co-production of science and the social order*. Routledge

Kamphuis, C. B., van Lenthe, F. J., Giskes, K., Brug, J., & Mackenbach, J. P. (2007). Perceived environmental determinants of physical activity and fruit and vegetable consumption

among high and low socioeconomic groups in the Netherlands. *Health & place*, 13(2), 493–503.

Kamphuis, C. B., Van Lenthe, F. J., Giskes, K., Huisman, M., Brug, J., & Mackenbach, J. P. (2009). Socioeconomic differences in lack of recreational walking among older adults: the role of neighbourhood and individual factors. *International Journal of Behavioral Nutrition and Physical Activity*, 6(1), 1.

Kamphuis, C. B., Jansen, T., Mackenbach, J. P., & van Lenthe, F. J. (2015). Bourdieu's cultural capital in relation to food choices: a systematic review of cultural capital indicators and an empirical proof of concept. *PLoS One*, 10(8), e0130695.

Knorr Cetina, K. (1999). *Epistemic Cultures. How Sciences Makes Knowledge*. Cambridge: Harvard University Press

Meershoek, A., & Krumeich, A. (2009). Multiculturalism and the construction of ethnic identities in labour and health practices: avoiding the culturalistic fallacy in applied research. *Health Care Analysis*, 17(3), 173-197.

Mackenbach, J. P. (2019). *Health inequalities: Persistence and change in modern welfare states*. Oxford University Press, USA.

Oude Groeninger, J., Kamphuis, C. B., Mackenbach, J. P., & Beenackers, M. A. (2019). Are socio-economic inequalities in diet and physical activity a matter of social distinction? A cross-sectional study. *International journal of public health*, 64(7), 1037–1047.

Proctor, A., Krumeich A. and Meershoek, A. (2011) Making a Difference: The Construction of Ethnicity in HIV and STI Epidemiological Research by the RIVM in the Netherlands. *Social Science and Medicine*, 72 (11), 1838-45.

Schrijvers, C. T., Stronks, K., van de Mheen, H. D., & Mackenbach, J. P. (1999). Explaining educational differences in mortality: the role of behavioral and material factors. *American Journal of Public Health*, 89(4), 535–540.

Shim, J. K. (2002). Understanding the routinised inclusion of race, socioeconomic status and sex in epidemiology: the utility of concepts from technoscience studies. *Sociology of health & illness*, 24(2), 129-150.

Shim, J. K. (2014). *Heart-sick: The politics of risk, inequality, and heart disease*. NYU Press.

Smith, K., Hill, S. & Bambra, C. (2015). *Health inequalities: critical perspectives*. Oxford University Press.

Van Lenthe, F. J., Schrijvers, C. T., Droomers, M., Joung, I. M., Louwman, M. J., & Mackenbach, J. P. (2004). Investigating explanations of socio-economic inequalities in health: the Dutch GLOBE study. *The European Journal of Public Health*, 14(1), 63-70