**JOINT SCIENTIFIC PROGRAM
AND ONE DAY SEMINAR ON:
ECOSYSTEM BASED
DISASTER RISK REDUCTION**

Yogyakarta, Indonesia: 8 December 2012

**Editors : Junun Sartohadi, Jiba Raj Pokarel, Udo Michael Nehren,
Guilherme Fernandez, Simone Sandholz**

ISBN: 978-602-14856-1-5

PROCEEDINGS

**MASTER PROGRAM ON PLANNING AND MANAGEMENT
OF COASTAL AREA AND WATERSHED (MPPDAS)
FACULTY OF GEOGRAPHY - UNIVERSITAS GADJAH MADA
IN COOPERATION WITH:
CENTER FOR NATURAL RESOURCES AND DEVELOPMENT (CNRD)
2013**

CNRD

**JOINT SCIENTIFIC PROGRAM
AND ONE DAY SEMINAR ON:
ECOSYSTEM BASED
DISASTER RISK REDUCTION**

Yogyakarta, Indonesia: 8 December 2012

ISBN: 978-602-14856-1-5

Editors

Prof. Dr. Junun Sartohadi, M.Sc.

Prof. Dr. Jiba Raj Pokharel

Dr. Udo Michael Nehren

Prof. Dr. Guilherme Fernandez

Dipl. Ing. Simone Sandholz M. Eng.

Master Program on Planning
and Management of Coastal Area and Watershed (MPPDAS)
Faculty of Geography - Universitas Gadjah Mada
in Cooperation with:
Center for Natural Resources and Development (CNRD)
2013

**JOINT SCIENTIFIC PROGRAM
AND ONE DAY SEMINAR ON:
ECOSYSTEM BASED
DISASTER RISK REDUCTION**

Yogyakarta, Indonesia: 8 December 2012

Editors :

**Prof. Dr. Junun Sartohadi, M.Sc. (Universitas Gadjah Mada-Indonesia)
Prof. Dr. Jiba Raj Pokharel (Tribhuvan University-Nepal)
Dr. Udo Michael Nehren (Cologne University of Applied Sciences-Germany)
Prof. Dr. Guilherme Fernandez (University of São Paulo-Brazil)
Dipl. Ing. Simone Sandholz M. Eng.(University of Innsbruck-Austria)**

Cover Photograph by:

Ahmad Cahyadi, Andung Bayu Sekaranom

Layout:

Andung Bayu Sekaranom

ISBN:

978-602-14856-1-5

Published by:

**Master Program on Planning and Management of Coastal Area
and Watershed (MPPDAS)
Faculty of Geography - Universitas Gadjah Mada
in Cooperation with:
Center for Natural Resources and Development (CNRD)
January 2013**

Foreword

In the history of the interaction between human and its environment, disaster event is considered as the most unfortunate event to the human live. Although many disaster events are well-documented, the integration into disaster risk reduction action are still insufficient. In addition to the present disaster phenomena, degraded environment can cause or exasperate higher disasters event in the future. Deforestation in the upstream can cause more flooding and landslide, while reclamation in the coastal area can worsen the flooding in the low land area. The projected future phenomena of climate change also possibly make the disaster to be even worse. The additional stress factor due to climate change is predicted to contribute to the negative impacts of water and climate related hazards. such as storms, heat waves, flood, and drought. The close linkages between environment and disasters also present an opportunity for the appropriate management of the ecosystem and environmental management. By applying appropriate ecosystem and environmental management, it can be harnessed for reducing disaster risk as well as maintain the environmental sustainability. Balanced and well-managed ecosystems, both land and aquatic ecosystem, can act as buffer and natural protection against common hazards. In this joint scientific program (JSP) and one day seminar held by Master program on Planning and Management of Coastal Area and Watershed (MPPDAS) Faculty of Geography-Universitas Gadjah Mada in collaboration with Center for Natural Resource and Management (CNRD), the issues of ecosystem based disaster risk reduction is taken into account. The collaboration of research result from Indonesia, Nepal, and Mozambique related to this topic therefore has been compiled, in which we can compare the ecosystem management related to the disaster risk reduction. We hope this proceeding will contribute to further discussions and researches in academic and institutional needs.

In Yogyakarta, December, 2012

Editors

TABLE OF CONTENTS

STUDY OF LANDSLIDE DYNAMIC WITH SPATIAL-TEMPORAL APPROACH AND ITS RELATION TO THE EXISTING ECO-DRR PROGRAM ON A PART OF DIENG AREA, INDONESIA	
Fredi Satya Candra Rosaji, Arief Darmawan, Danang Sri Hadmoko, Diana Paola Ordonez Coboz, Johannes Husener, Udo Michael Nehren, Nirmal Raj Harma, Ghanashyam Sapkota, Shreema Rana, Ajay Chandra Lal	1-12
VOLCANIC HAZARD MANAGEMENT IN DIENG PLATEAU AREA	
Henky Nugraha, Warsini Handatani, Munawaroh, Djati Mardiatno, Susanne Boerner, Corina Nienhaus, Andrea Teran Valdez, Guenther Straub, Ram Prasad Neupane, Jiba Raj Pokharel	13-20
SOIL EROSION REDUCTION: A CASE OF KEJAJAR SUB-DISTRICT, DIENG COMPLEX	
Nirjana Shrestha, Alzaena Ulya Rusdimi, Andrea Giraldo Arias, Matthias Knuver, Muhammad Rosidi, Ram Mani Ghimire, Aweta Amatya Shrestha	21-31
MANAGING SOIL EROSION THROUGH ECOSYSTEM-BASED APPROACHES: THE CASE OF URUGURU MOUNTAIN RANGES, IN MOROGORO REGION, TANZANIA	
Tumpale Sakijege	32-38
POLICIES AND CHALLENGES FOR EARTHQUAKE RISK REDUCTION IN MUNICIPALITIES OF NEPAL	
Ajay Chandra Lal.....	39-54
ENVIRONMENTAL MANAGEMENT AT GENDOL RIVER COURSE - SOUTHERN SLOPE OF MERAPI VOLCANO IN YOGYAKARTA SPECIAL REGION	
Darmakusuma Darmanto	55-72
GEOINDICATORS RELATED TO COASTAL MORPHODYNAMIC IN MAPUTO AND MACANETA BEACH, MOZAMBIQUE	
Parana Ari Santi, Aniesa Norma Dantie, Gabriel Spinola, and Wanderson Correa	73-83
INTEGRATED COASTAL ZONE MANAGEMENT PLANNING BASED ON DISASTER RISK MANAGEMENT IN MAPUTO CITY, MOZAMBIQUE	
Ajeng Larasati, Ahmad Cahyadi, Dhandhun Wacano	84-92

COMMUNITY-BASED DISASTER RISK MANAGEMENT (COMPARATIVE STUDY OF JAKARTA AND SURAKARTA CITY)	
Muh Aris Marfai, Annisa Triyanti	93-102
MANGROVE-COMMUNITY CONTRIBUTION ON DISASTER RISK REDUCTION DUE TO COASTAL FLOOD (A CASE STUDY IN LAWANGREJO VILLAGE, PEMALANG REGENCY)	
Anang Widhi Nirwansyah	103-119
PERCEPTION AND RESPONSE TO TIDAL FLOOD INUNDATION (CASE STUDY: TEGAL MUNICIPALITY)	
Riswan Septriayadi, Muh Aris Marfai, Johannes Hamhaber	119-134
BIODEGRADATION OF SEAGRASS ECOSYSTEM AND ITS IMPLICATION ON COASTAL RESOURCES IN MARATUA ISLAND, EAST KALIMANTAN – INDONESIA	
Bachtiar Wahyu Mutaqin, Fitriyani Nur Rohmah	135-146
IS VULNERABILITY 'A MERE MATTER OF SOCIAL-PHYSICAL PROBLEM' IN URBANAREAS? A CASE STUDY IN BANTUL DISTRICT – INDONESIA	
Dyah Rahmawati Hizbaron, Martin Coy, Mohamad Baiquni, Junun Sartohadi, Raden Rijanta	147-160
AGROCLIMATE CROPPING PATTERN FOR HARVEST FAILURE MITIGATION (CASE STUDY: TINALAH WATERSHED, YOGYAKARTA SPECIAL PROVINCE)	
Fitria Nucifera, Sari Utami	162-169
QUANTIFYING THE POTENTIAL CLIMATE CHANGE DRIVEN HAZARD IN A WATERSHED: CASE STUDY OF UPPER OPAK CATCHMENT AREA	
Andung Bayu Sekaranom	170-179
RIVER MORPHOLOGICAL CHANGE DUE TO PYROCLASTIC FLOW AND LAHAR FROM MERAPI ERUPTION 2010 IN KALI GENDOL, SLEMAN, YOGYAKARTA	
Gilang Arya Dipayana, Aries Dwi Wahyu Rahmadana, Fardyansari Cahyaningtyas, Dhandhun Wacano, Danang Sri Hadmoko	180-191
GEOMORPHOLOGICAL APPROACH FOR THE DISTRIBUTION OF DAMAGE ASSESSMENT OF INFRASTRUCTURE, SETTLEMENT, AND AGRICULTURAL LAND CAUSED BY LAHAR IN 2012-2011 CASE: KALI PUTIH, MAGELANG DISTRICT, CENTRAL JAVA	
Munawaroh, Widiyanto	192-199

RETENTION CAPACITY CHANGES IN OPAK SUB WATERSHED POST-MERAPI VOLCANO ERUPTION 2010	
Ahmad Cahyadi, Anggit Priadmodjo.....	200-206
ANALYSIS OF WATER RESOURCES PROBLEM FOR MERAPI ERUPTION 2010 REFUGESS IN TEMPORARY AND PERMANENT SHELTER (CASE STUDY OF CANGKRINGAN SUB-DISTRICT)	
Muhammad Bayu Hartono, Fitriyani Nur Rohmah, Parana Ari Santi, Olivia Elfatma ...	207-216
LAND DEGRADATION SYMPTOMS IN THE UPPER PART OF SERAYU WATERSHED SOLUTION BASED ON THE LOCAL WISDOM PERSPECTIVE	
Alzaena Ulya Rusdimi, Muhammad Rosidi, Muhammad Anggri Setiawan	217-232
REVEALING THE SOIL EROSION RISK MANAGEMENT IN INDONESIA	
Muhammad Anggri Setiawan, Junun Sartohadi, Djati Mardiatno, Muh Aris Marfai, Danang Sri Hadmoko	233-244
PRELIMINARY STUDY ON FLOOD RISK REDUCTION THROUGH ECO-POLDER SYSTEM MANAGEMENT	
Muh Aris Marfai	245-252

INTEGRATED COASTAL ZONE MANAGEMENT PLANNING BASED ON DISASTER RISK REDUCTION IN MAPUTO CITY, MOZAMBIQUE

Ajeng Larasati¹, Ahmad Cahyadi¹ and Dhandhun Wacano¹

¹Magister Program on Planning and Management of Coastal Area and Watershed,
Faculty of Geography, Universitas Gadjah Mada, Yogyakarta, Indonesia
Email: mslarasati.ajeng@gmail.com, ahmadcahyadi@geo.ugm.ac.id, dhancano@gmail.com

Abstract

This research was conducted in Maputo City, the capital city of Mozambique, as one of developing cities which in the needs to support its urban physical features. It aimed to (1) identify environmental problems in the coastal zone of Maputo, (2) identify the existing Integrated Coastal Zone Management (ICZM) in the coastal zone of Maputo, and (3) formulate a plan of ICZM in Maputo. It was conducted by field observation on several points following the literature study. Points were chosen according to difference in physical coastal appearance such as the presence of berms, frontal dunes, artificial barriers, and coastal structures. Results showed that the coastal area in Maputo City experiences three environmental problems i.e. coastal abrasion, improper land use to its conservation concept, and poor waste management. There is already structural mitigation in the area which is in the form of jetties and seawalls. However, it only attempts to solve problems technically. ICZM which bases on coastal zone's potential risk, then, becomes handy in solving the problems related to people awareness in improving the effectiveness of waste management as well as the properness of land utilization in the study area.

Keywords: Integrated Coastal Zone Management (ICZM), disaster risk reduction, coastal problems

I. Introduction

Interaction occurred in coastal zone, as an interface between land and sea ecosystem, bears a unique nature which is rich in living and non-living resources (Delinom 2007). Thus, it becomes a strategic and vital multi-purpose area (Aerts et al. 2009). However, it has been experiencing damages due to overexploitation (Hehanussa and Bakti 2004). In the other hand, it is already susceptible to disaster (Marfai and King 2008a; 2008b; Sartohadi et al. 2009) so that its industrial, cultural, and touristic uses, and also its function as settlement area, are at high risk of it (Marfai and King 2008c).

Intensive land utilization, interaction between ecosystems and land-sea interrelated process in the coastal area make comprehensive coastal management becomes necessary (Christanto 2010; Tuwo 2011). It supposedly includes each interacted system as well as related parties; henceforth, it is called as Integrated Coastal Zone Management (ICZM). According to Cincin-Sain and Knecht (1998), it is defined as follows:

“a continuous and dynamic process which unifies/harmonizes the needs from different stakeholders (government, private parties, local people, and NGO); and acknowledges scientific need in development management in order to arrange and implement an integrated plan in building (utilizing) and protecting coastal ecosystem as well as its natural resources, for the sustainable prosperity/welfare of people”

Figure 1. Maputo, as the research area, in Mozambique

ICZM is expected to provide usefulness and improve people's welfare (Christanto 2010). This is due to its capability in acquiring higher economic function followed by multiple effect i.e. several augmented activities with direct or indirect relation with the main economic activities (Gunawan et al. 2005). Besides, it is able to guarantee the sustainability of development and environmental preservation (Supriharyono 2009).

Maputo, as seen in Figure 1, is the capital city of Mozambique whose vision is to become a waterfront city. Waterfront city acknowledges the advantage of land-water interface, which in this case is sea as the border of a certain zone, so that it can create an opportunity to fulfill the need of public place (Wrenn 1983). Regarding the physical nature of Maputo as a capital city, a concept of waterfront city, then, is crucial in supporting its urban function. This certain condition results in various land uses in the coastal zone of Maputo. Consequently, a naturally risky coastal zone becomes riskier and is in the need of risk reduction. This attempt is achieved through ICZM until the negative impact of optimum exploitation is overcome through suitable management and environmental damage is evaded.

II. Objectives

This research aimed to (1) identify environmental problems in the coastal zone of Maputo, (2) identify the existing ICZM in the coastal zone of Maputo, and (3) formulate a plan of ICZM in Maputo. This research is expected to provide suggestion for local government in ICZM. Besides, coastal management learning in developing countries is hopefully achieved from this research.

III. Methodology

This research was conducted by field observation on environmental condition in the coastal area of Maputo City following literature study on related issues. Maputo was chosen as it is now a waterfront city with increasing physical feature change on the city both naturally and artificially. Observation was conducted in several points under the consideration of different physical condition such as the presence of berms, artificial barriers, coastal structures and frontal dunes. Figure 2 shows examples of sea-adjacent road, vegetated berms, and artificially structured coast i.e. jetty.

(a)

(b)

(c)

Figure 2. Different appearances along the coast of Maputo City (a. sea-adjacent road, b. vegetated berms, and c. artificially structured coast)

IV. Results and Discussion

4.1. Environmental Problems in the Coastal Zone of Maputo City

Main environmental problems found in Maputo involve (1) coastal erosion, (2) improper land use to conservation concept, and (3) poor coastal waste management. Coastal erosion is indicated by damaged buildings (Figure 3) and seawalls (Figure 4) and root exposure in vegetation. Therefore, damaged structures in coastal area such as roads and passage ways become foreseeable problems.

Improper land use to conservation concept becomes an urgent environmental problem to solve. A concept of waterfront city in the study area led to sudden increase in supporting physical structures such as roads, buildings, settlement, and other facilities. Most berms in the coast are adjacent to physical barrier i.e. hills with steep to very steep slope. However, it doesn't necessarily mean barrier in land utilization. Settlements, office buildings, and some economic activities are centered and dominated in this area (Figure 5).

Figure 3. The appearance of coastal erosion impact on building in the study area

Figure 4. Damaged seawalls which used to protect the sea-adjacent buildings

Figure 5. Land use on the adjacent hills to the coastal area

Another problem found in coastal area in Maputo is the poor waste management (Figure 6a). This problem mostly occurs due to citizen less awareness in environment sustainability. Local government has tried to facilitate an attempt to increase the cleanliness in the coastal area by providing recycle bin and related facilities (Figure 6b). However, this attempt is not companied by environmental enforcement on waste management landward since coastal is an interfacial zone between land and sea. Regarding this issue, environmental condition in the upper river which flows to the sea, as well as its surrounding area, needs much more attention.

Figure 6. Solid waste swashed back into the coast (a) and cleanliness facilities provided by local government in the study area (b)

4.2. Existing ICZM in Maputo

Coastal area in Maputo experiences dynamic process i.e. abrasion and sedimentation. However, the most dominant process is the abrasion. Not only did field observation result in abrasion-impacted buildings and structures, but it also provided information of structural mitigation efforts applied by the local government. It is applied in the form of jetties as wave breaker in the area (Figure 7) and seawalls (Figure 8).

Figure 7. Jetties in Maputo City

Figure 8. Seawalls, which is built to protect the adjacent road, along Maputo City need intensive care

Jetties are built under the consideration of ocean hydro-geomorphological condition such as climate, waves, tides, sea current, and the characteristics of material composing the coasts. The type of these jetties is the type of rubble mound wall (Figure 9). However, this classification is based on the arrangement of Public Service in Indonesia. The main advantageous of this structure is that its construction flexibility adjusting to the shape of down-lifted foundation due to the consolidated basic material of the structure or erosion. The foundation is easier to repair. Furthermore, due to its relatively larger porosity and rough surface, it is able to absorb and break the energy of coming waves without reflecting them.

Figure 9. Rubble mound wall, armored jetty from cleavage stone (Department of Settlement and Regional Facilities 2004)

However, it is necessary to consider that despite the relatively cheaper material used in building this structure, the material volume needed is enormous so that the construction costs a lot. On the other hand, due to its larger porosity, wave energy is possibly transmitted through the pores. This may lead to fine material leaching on the underwater structure and consequently destruct it.

4.3. ICZM Suggestion Based on Disaster Risk Reduction in Maputo City

The building of wave breaker in the form of jetties is proven to provide more advantageous instead of its weakness. Regarding the concept of structural mitigation, jetties tend to solve coastal environmental problems technically. This effort may preserve as long as it is synchronized with related coastal characteristics.

There are significant direct impacts of jetties in Maputo City. Firstly, the presence of intensive abrasion on the part of jetties which faces the coming angle of sea waves and currents, while sedimentation on the other side. This simply indicates the partial process happening on the coast i.e. erosion on one part and sedimentation on the other part. Thus, an approach of sustainable mitigation, namely jetties, doesn't have significant relationship with highly dynamic coastal processes. This is worsened as waste tends to be transported into the area of sedimentation.

Thus, ICZM needs to include disaster risk reduction in the coastal area as well as activities happening in land which potentially influences the risk of coastal area to any disasters. It has to be able to synchronize the concept introduced by local government and related institutions as well as its implementation and enforcement in local community. This attempt can be started by mapping potential coastal resources as well as its potential risk so that zoning of utilization and conservation can be conducted. Consequently, jetties and other coastal structures are built in accordance with it. Further step in implementing ICZM involves the role of citizen as in increasing the capacity of citizen to sustain potential coastal resources, for instance, as a tourism object.

V. Conclusion

Maputo City, as a waterfront city, needs to support its urban appearance in the form of adjusting land use in the coastal area. Naturally, the study area experiences highly dynamic coastal process i.e. abrasion which significantly damages buildings and coastal structures. Higher risk exposure on disaster is introduced by intensive land use change and poor waste management, as classic environmental problem in developing city. Local government has tried to provide structural mitigation in the form of jetties. However, due to the fact that coastal area is an interfacial area between land and sea, there is still a few of congruence in the management. Therefore, an integrated management, which involves not only natural but also artificial appearances in the coastal area as well as conjoins related institutions, becomes necessary.

VI. Acknowledgement

This research is a part of Joint Student Project conducted in Maputo and Macaneta, Mozambique on October 2012. This project was held by Center for Natural Resources and Development (CNRD). Thus, writers would like to express their gratitude to CNRD and other involved parties as well as participants and supervisors from Universidade Eduardo Mondlane Mozambique, Universidade Federal Fluminense Brazil, and Universitas Gadjah Mada Indonesia,

VII. References

- Aerts J, Bowman M, Dircke P, Major D, and Marfai MA (2009) Connecting Delta Cities, About Global Coastal Cities and Future Chalanges. VU University Press, Amsterdam, The Netherlands
- Cincin-Sain B and Knecht RW (1998). Integrated Coastal and Ocean Management: Concepts and Practices. Island Press, Washington DC
- Christanto J (2010) Pengantar Pengelolaan Berkelanjutan Sumberdaya Wilayah Pesisir dan Pulau-Pulau Kecil. Deepublish, Yogyakarta, Indonesia
- Delinom RM (2007) Sumber Daya Air di Wilayah Pesisir dan Pulau-Pulau Kecil di Indonesia. LIPI Press, Bandung, Indonesia
- Departemen Permukiman dan Prasarana Wilayah (2004) Pedoman Konstruksi dan Bangunan: Perbaikan Muara Sungai dengan Jeti. Keputusan Menteri Permukiman dan Prasarana Wilayah Nomor: 360/KPTS/M/2004 Tanggal 1 Oktober 2004
- Gunawan T, Santosa LW, Muta'ali L, and Santosa SHMB (2005) Pedoman Survei Cepat Terintegrasi Wilayah Kepesisiran. Badan Penerbit dan Percetakan Fakultas Geografi (BPFG), Yogyakarta, Indonesia
- Hehanusa PE and Bakti H (2005) Sumber Daya Air di Pulau Kecil. Bandung: LIPI Press.
- Marfai MA and King L (2008a) Potential Vulnerability Implications of Coastal Inundation Due to Sea Level Rise for The Coastal Zone of Semarang City, Indonesia. *Environmental Geology* 54:1235-1245.
- Marfai MA and King L (2008b) Tidal Inundation Mapping Under Enhanced Land Subsidence in Semarang, Central Java Indonesia. *Natural Hazards* 44: 93-109.
- Marfai MA and King L (2008c) Coastal flood management in Semarang, Indonesia. *Environmental Geology*. 55: 1507-1518.
- Sartohadi J, Marfai MA, and Mardiatno D (2009) Coastal Zone Management Due to Abrasion Along The Coastal Area of Tegal, Central Java Indonesia. *Proceeding International Coastal Conference*, Nagoya Japan, 23-25 February 2009. pp: 37-44.

- Supriharyono (2009) Konservasi Ekosistem Sumberdaya Hayati di Wilayah Pesisir dan Laut Tropis. Pustaka Pelajar, Yogyakarta, Indonesia
- Tuwo A (2011) Pengelolaan Ekowisata Pesisir dan Laut: Pendekatan Ekologi, Sosial-Ekonomi, Kelembagaan, dan Sarana Wilayah. Brilian Internasional, Surabaya, Indonesia
- Wrenn DM (1983) Urban Waterfront Development. Urban Land Institute, Washington DC