**Socioeconomic variation in the relationship between neighbourhoods' built environments
and the spread of COVID-19 in Toronto, Canada**

Kate H. Choi*
Department of Sociology
University of Western Ontario

Patrick A. Denice
Department of Sociology
University of Western Ontario

Running title: **Neighborhood SES and COVID-19**
September 5, 2022

*Equal contribution

A version of this paper was published in the Canadian Studies in Population

<https://doi.org/10.1007/s42650-022-00070-6>

Keywords: COVID-19; neighborhood contexts; health inequality

Abstract

The novel coronavirus disease 2019 (COVID-19) pandemic underscores the importance of place of residence as a determinant of health. Prior work has primarily examined the relationship between neighbourhoods' sociodemographic traits and COVID-19 infection rates. Using data from the city of Toronto, Canada, we assess how the built environments of neighbourhoods, in conjunction with their sociodemographic profiles, shape the pattern of spread of COVID-19 in low-, middle-, and high-income neighbourhoods. Our results show that COVID-19 spread faster in neighbourhoods with a higher share of overcrowded households, large commercial areas, and poor walkability. The extent to which neighbourhood walkability is associated with a slower increase in COVID-19 infections varied by neighbourhood income level, with a stronger negative association in low-income neighbourhoods. Net of the share of overcrowded households, population density is associated with a faster increase in COVID-19 infections in low-income neighbourhoods, but slower spread in high-income neighbourhoods. More green space is associated with a slower increase in COVID-19 infections in low-income, but not higher-income, neighbourhoods. Overall, our findings suggest that post-pandemic urban planning efforts cannot adopt a one-size-fits-all policy when reconstructing neighbourhoods in ways that promote health and reduce their vulnerability to infectious diseases. Instead, they should tailor the rebuilding process in ways that address the diverse needs of residents in low-, middle-, and high-income neighbourhoods.

Socioeconomic variation in the relationship between neighbourhoods' built environments and the spread of COVID-19 in Toronto, Canada

Introduction

Health inequalities by place are profound and enduring. Morbidity and mortality patterns vary systematically by neighbourhood socioeconomic status (SES) (Alvarado, 2019; Bosma et al., 2001; Oakes et al., 2015; Sampson, 2003). Even after controlling for individual characteristics, living in socioeconomically disadvantaged neighbourhoods is associated with higher rates of age-specific mortality, communicable diseases, cardiovascular disease, obesity, mental health problems, and poorer self-rated health (Boylan and Robert, 2017; Browning and Cagney, 2003; O'Campo et al., 2015; Phelan, Link, and Tehranifar, 2010).

The novel coronavirus disease 2019 (COVID-19) pandemic further highlights the importance of one's neighbourhood as a determinant of their health. Low-income neighbourhoods with high shares of racial minority and foreign-born residents have had disproportionately high COVID-19 infection and fatality rates (Choi et al., 2021; Mein, 2020; Patel et al., 2020; Rollston and Galea, 2020). Furthermore, many public health measures designed to curb the spread of the virus depend on the availability and usage of neighbourhoods' built environments.¹ Low-income communities may have borne the brunt of the COVID-19 pandemic in part because they lack the physical infrastructure and amenities that promote residents' health and facilitate residents' ability to adhere to public health guidelines.

¹ We use the term "built environment" to refer to the human-made environment such as homes, buildings, parks, streets, and other features that provide settings in which people live and work on a day-to-day basis. The built environment is alternatively referred to as the physical environment or infrastructure, neighbourhood amenities, and built world in other work. We chose "built environment" because it is the term used in Healthy People 2030, an initiative in the U.S. that seeks to improve health and well-being, including better understanding how neighbourhoods shape residents' health (Office of Disease Prevention and Health Promotion, n.d.).

Several studies have applied the place perspective and documented the uneven spatial and demographic distribution of COVID-19 infections and deaths. This research primarily describes the distribution of COVID-19 across relatively large and socially heterogeneous administrative areas such as counties in the U.S. (Abedi et al., 2020; Finch and Hernández Finch, 2020) or health regions in Canada (Denice et al., 2020). Such analyses belie the substantial spatial variation at more localized scales (e.g., neighbourhoods) in how individuals identify with a sense of place, individuals' exposure to infectious diseases, and the pace at which diseases like COVID-19 spread (Riley, 2007; Thomas et al., 2020; Wang et al. 2018). The reliance of existing work on census and survey data has also meant a focus on the sociodemographic correlates of infection (Borjas, 2020; Denice et al., 2020). To our knowledge, few studies have so far examined how the built environments of neighbourhoods have contributed to the disparities in COVID-19 infection trajectories by neighbourhood socioeconomic status (for an exception, see Oishi, Cha, Schimmack, 2021). This gap exists even though the built environment of a neighbourhood can shape its residents' ability to follow public health guidelines and the amenities on which they can draw to avoid infection or once they or others in their social circles become infected (Frumkin, 2021; Hassan, 2021; Lai et al., 2020; Sarkar and Weber, 2017). Finally, the few studies that address this issue have not examined whether the relationship between built environments and COVID-19 infection trajectories varies according to neighbourhood socioeconomic status. This is an important oversight since residents of lower-income neighbourhoods may depend differently, and perhaps more, on community resources because they have fewer personal resources at their disposal.

In this article, we examine the relationship between neighbourhoods' social contexts—that is, their built environments and sociodemographic composition—and the spread of COVID-

19 across the 140 neighbourhoods in the City of Toronto, Ontario, Canada. Using two-level growth curve models, we first examine how the built environments and sociodemographic traits of neighbourhoods shape the COVID-19 infection trajectories over time. Then, we assess whether the association between neighbourhood social contexts and the COVID-19 infection trajectories varies across low-, middle-, and high-income neighbourhoods.

The City of Toronto is a useful context for our study of the spread of COVID-19 for several reasons. First, City of Toronto is frequently described as the “city of neighbourhoods.” The City of Toronto delineates 140 neighbourhoods with recognizable physical boundaries like rivers, roads, and railroads. They are often used as planning areas for the municipal governments, actual neighbourhoods by its residents, and service areas for businesses (City of Toronto, 2014, 2015). These neighbourhoods are also distinctive in terms of the physical, economic, and social attributes (Hulchanski et al., 2006). Second, Toronto emerged as one of the epicentres of the pandemic in Canada. Third, the municipal government reported and made publicly available *neighbourhood-specific* COVID-19 infection rates. Finally, unlike other municipalities and provinces, the municipal government has also released rich administrative data on its 140 neighbourhoods, including their sociodemographic composition and several dimensions of their built environments.

This study makes several contributions to the literature on the neighbourhood context of health. First, our study captures neighbourhoods’ social contexts by examining *both* their sociodemographic composition and their built environments. This aligns with calls to examine the linkages between the built environment of neighbourhoods and the health outcomes of their residents (Sampson 2003). Second, our study examines *multiple* dimensions of the built environments of neighbourhoods. Prior work tends to focus on a *single* dimension or amenity

even though people's health outcomes, including their vulnerability to COVID-19, is shaped by multiple facets of their neighbourhoods' built environment (Anderson, 2017; Diez Roux & Mair, 2010; Marwell & Gullickson, 2013). Third, we examine the spread of COVID-19 infections across relatively small and socially meaningful geographic areas (i.e., neighbourhoods). Prior work on neighbourhood effects has been criticized due to its overreliance on large and arbitrary geographic units (Sampson, 2003). Finally, our study considers whether the relationship between neighbourhood social contexts and the spread of COVID-19 varies by neighbourhood income levels. Most prior work has identified the *average* contextual risk factors for COVID-19 for all geographic areas; however, the degree of reliance on community resources and the quality of those amenities may vary for residents of low-, middle-, and high-income neighbourhoods. This is especially important for our analyses given reports that neighbourhoods in Toronto have become increasingly polarized by and divided along income lines (Hulchanski, 2010). Taken together, these findings provide insights for ongoing discussions about how to transform urban spaces in ways that promote health.

Background

Neighbourhood social context as a key social determinant of health

One's place of residence has implications for nearly every dimension of their personal and social lives (Massey, 1996; Sampson, 2003; Sharkey & Faber, 2014). Neighbourhoods influence one's educational opportunities (Owens, 2010), social capital and networks (Leyden, 2003; Lochner et al., 2003), proximity to employment (Hellerstein et al. 2008; Kain 1992), and exposure to crime (Browning & Jackson, 2013). They also shape our health (Hystad, 2014; Sampson, 2003). Research has consistently shown that individual traits alone cannot fully

explain health disparities (Robert 1999; Sampson 2003). Rather, neighbourhood social contexts affect individual health and contribute to health inequalities independent of individual traits (e.g., Brazil & Clark, 2017; Haan, Kaplan, & Camacho, 1987; Sheehan et al., 2017; Yang & South, 2020).

Two interrelated explanations are used to explain place-based disparities in health. The *compositional hypothesis* focuses on the sociodemographic composition of neighbourhoods (see reviews by Diez Roux & Mair, 2010; Pickett & Pearl, 2001; Riva, Gauvin, & Barnett, 2007). Independent of personal socioeconomic characteristics, residents of socioeconomically disadvantaged neighbourhoods have poorer health than those of more affluent neighbourhoods due to the socioeconomically disadvantaged position of their neighbors and the resulting scarcity of communal resources and information (Ross & Mirowsky, 2008; Sampson, 2003; Wilson, 1987). Living in socioeconomically disadvantaged neighbourhoods is associated with poorer self-rated health, higher rates of cardiovascular disease, and a higher incidence of depressive symptoms (Boylan & Robert, 2017; Browning & Cagney, 2003; Hale et al., 2013).

The *contextual explanation* underscores the importance of neighbourhoods' built environments for residents' health (Browning & Cagney, 2003; Ellen, Mijanovich, & Dillman, 2001; Fitzpatrick & LaGory, 2003; Hystad et al., 2014; Sampson, 2003; Spring, 2018). For example, neighbourhood walkability is associated with healthier behaviors, lower prevalence of obesity, and lower prevalence of COVID-19 infections and deaths (Creatore et al., 2016; King et al., 2011; Oishi, Chae, & Schimmack, 2021; Sallis et al., 2008; Winters et al., 2015). Proximity to supermarkets with fresh produce is associated with healthier eating habits and lower levels of obesity (de Souza et al., 2018; Perrotta et al., 2012; Renalds et al., 2010; Villeneuve et al., 2012). The presence of green space contributes to reduced levels of perceived stress (Awuor & Melles,

2019; Hordyk, Hanley, & Richard, 2015). Conversely, living in a poorly maintained neighbourhood is related to higher rates of depression (Galea et al., 2005). Residents of low-income neighbourhoods may be unhealthier than residents of wealthier neighbourhoods because they have greater exposure to health deterrents and limited access to health-promoting facilities (Browning & Cagney, 2003).

These explanations are complementary because socioeconomically advantaged individuals tend to reside in neighbourhoods with better access to infrastructure and services that promote human development, gainful and secure employment, and health (Doubeni et al., 2011; Anderson, 2017; Kawachi & Berkman, 2003; Sampson, 2003; Tunstall, 2005). By contrast, the disadvantaged are segregated into areas with more undesirable and fewer health-promoting amenities (Luo et al., 2010; Massey & Denton, 1993; South et al., 2016; Wilson, 1987).

Empirical work on the link between neighbourhoods and residents' health has focused on the neighbourhood composition argument in large part due to its reliance on census and survey data, which generally includes social, demographic, and economic indicators of local populations at the exclusion of the built environments of neighbourhoods (O'Campo et al., 2015; Ross & Mirowsky, 2008; Sampson, 2003). Furthermore, even when prior work examines the relationship between neighbourhoods' built environments and residents' health, they tend to either focus on a *single* dimension or rely on a *composite index* (Pearce et al., 2007). However, focusing on a single dimension is at odds with how residents' health is shaped by multiple facets of their neighbourhoods' built environment (Anderson, 2017; Diez Roux & Mair, 2010; Marwell & Gullickson, 2013). And while composite indices provide a more comprehensive picture of built environments overall, they are ill-suited for identifying the specific risk and protective factors that shape health outcomes. This study addresses calls for research to simultaneously consider

the role of neighbourhoods' sociodemographic profiles and multiple facets of their built environments in generating health outcomes and health inequalities.

The role of neighbourhoods in the COVID-19 pandemic

COVID-19 infections and deaths are clustered in socioeconomically disadvantaged and predominantly minority communities (Abedi et al. 2020; Borjas 2020; Cordes and Castro 2020; Denice et al. 2020). To provide insights into policies aimed at curbing the spread of the virus, an emerging body of work has sought to identify the neighbourhood risk factors of COVID-19. These studies point to a number of environmental factors that could render residents of low-income neighbourhoods more vulnerable to infection and death.

Residents of lower-income neighbourhoods are more likely to work in occupations with greater exposure to the COVID-19 virus (Blundell et al., 2020; St-Denis, 2020). During the pandemic's economic lockdowns, frontline workers still had to go into their workplaces, increasing their exposure to COVID-19. Even if they are not frontline workers themselves, residents of lower-income neighbourhoods are less likely to be able to work remotely (Blundell et al., 2020; Gould & Shierholz, 2020). According to a 2017-2018 report from the U.S. Bureau of Labor Statistics, 90% of jobs with earnings in the bottom quartile could not be performed remotely (Gould & Shierholz, 2020).

Furthermore, due to barriers to primary care, residents of lower-income neighbourhoods have more unmet healthcare needs (Diamant et al., 2004; Spring, 2018). Relative to their peers in more advantaged neighbourhoods, they tend to get medical care at more advanced stages of an illness and rely heavily on emergency care centers with long wait times and limited resources. Their unmet healthcare needs increase the prevalence of pre-existing conditions, putting them at

greater risk for more severe COVID-19 infections (Ssentongo et al., 2020; Wiemers et al., 2020; Verhagen et al., 2020).

Low-income neighbourhoods also have fewer health-promoting amenities such as grocery stores with fresh produce relative to more affluent neighbourhoods (Gordon et al., 2011). The sidewalks in low-income neighbourhoods also tend to not be as well-maintained as those in higher-income neighbourhoods (Thornton et al., 2016). Indeed, the protection against the spread of COVID-19 provided by a neighbourhood's walkability has been found to be especially prevalent in wealthier neighbourhoods, where residents were better able to limit their geographical mobility than residents in poorer and Black- and Hispanic-dominant neighbourhoods (Oishi et al., 2021). Residents in the latter neighbourhoods are less likely to own cars, less likely to be able to afford to have groceries and other necessities delivered, more likely to have to travel longer distances to obtain goods and services, and more likely to work in essential occupations where telework is not possible. This illustrates a "double-edged sword" of walkable neighbourhoods: while they can help residents engage in healthy behaviors, they also tend to be more densely populated (Smith et al., 2008) and thereby conducive to the spread of contagious diseases like COVID-19 (Lima et al., 2021).

Overcrowded households and high population density are other factors increasing the rate of COVID-19 spread in lower-income neighbourhoods. Overcrowded households consist of many members interacting with vastly different social milieus and sources of exposure to the virus, do not allow for adequate physical distancing within the home, and do not offer the necessary space for self-isolation in the event of an infection (Shrimali & Hwang, 2020). Similarly, high population density could also preclude the space necessary to practice proper physical distancing outside of one's home (Brandén et al., 2020; Kamis et al., 2020).

Residents of low-income neighbourhoods are also significantly more likely to live in inadequate housing requiring major repairs. Bad plumbing could mean inadequate access to clean running water, making it difficult for household members to wash their hands and increasing their risk of contracting COVID-19 from surface contamination (Deitz & Meehan, 2019; Gormley et al., 2020). Low or poor airflow due to inadequate heating, air-conditioning, or ventilation systems may also mean ineffective indoor air circulation and greater difficulty for household members to adhere to stay-at-home policies.

Access to green spaces may be especially important for residents in densely populated urban areas. Researchers in Oslo, Norway, for example, found a nearly 300% increase in outdoor recreational activity in urban green spaces during the country's first lockdown (March 12-31, 2020) relative to the same period during the prior three years (Venter et al., 2020). Such findings highlight the importance of access to green open spaces in urban settings for facilitating physical distancing and helping mitigate the spread of COVID-19.

Researchers have underscored the need to design sustainable urban spaces that include built environments that promote health (e.g., Frumkin, 2021). Yet, researchers seldom examine how the built environments of neighbourhoods shape the spread of COVID-19. The few studies that do focus on a *single* dimension of the built environment of neighbourhoods (e.g., density or crowding, air pollution, green space), even though people's risk of contracting a COVID-19 infection is shaped by multiple facets of their neighbourhoods' built environments (Ali and Islam, 2020; Kamis et al., 2020; Venter et al., 2020).

Socioeconomic variation in the health impacts of neighbourhoods' built environments

The extant literature suggests that neighbourhoods' social contexts likely matter differently for residents of neighbourhoods with varying socioeconomic composition. Even if the

same types of amenities are present, residents of low-income neighbourhoods may rely more or differently on these community resources because they have fewer individual resources at their own disposal. For instance, those in lower-income neighbourhoods may rely more heavily on public transportation because they are less likely to own cars. As such, accessibility of public transportation and the walkability of neighbourhoods may be more important for residents of lower-income neighbourhoods. Similarly, the existence of green space may be particularly important for the health of residents of lower-income neighbourhoods as they are more likely to reside in crowded households with limited space and inadequate air supply.

Furthermore, prior work has established that neighbourhood amenities in lower-income neighbourhoods are generally of lower quality than those in higher-income neighbourhoods (Algert et al., 2006; Thornton et al., 2016; Vaughan et al., 2013). Sidewalks in low-income neighbourhoods, for example, have poorer aesthetics due to graffiti and litter (Howell, 2019). As a result, residents of lower-income neighbourhoods gain fewer physical or mental health benefits from walking these poorly maintained sidewalks (Howell, 2019; Thornton et al., 2016).

To our knowledge, prior work has not examined whether the relationship between the built environments of neighbourhoods and the spread of COVID-19 varies by neighbourhood socioeconomic status. Such insights are crucial when reimagining urban spaces in ways that reduce the vulnerability of marginalized populations to infectious diseases. Considering health differentials by *neighbourhood income levels* will be particularly important in Toronto in view of the income polarization over the past few decades (Hulchanski, 2006).

Context: The City of Toronto during the COVID-19 pandemic

Canada ranks near the middle among countries in terms of COVID-19 infection and death rates: it is 112th in terms of infection rates and 93rd in terms of death rates (CNN Health

Dashboard, 2022). And as in other high-income countries, urban centers in Canada were hit hard by the pandemic. The City of Toronto has emerged as an epicenter, trailing only the infection and death rates of Montreal in Canada. With a population of nearly 3 million, Toronto has traditionally served as a gateway for immigrants and has an ethnically and socioeconomically diverse population. In fact, researchers argue that there are three cities within the City of Toronto, defined by changes in neighbourhood income levels over time (Hulchanski, 2010). By late December 2021, there have been over 222,247 confirmed cases and 3,740 COVID-19-related deaths in the city, which many perceive to be undercounts. Toronto has faced five waves of the pandemic. Our focus in this article is on the initial two waves of the pandemic—from late January to late November 2020. Following this period, the pandemic’s trajectory and correlates shapeshifted as it dragged on, as vaccines became more readily available, and as outbreaks moved into the workplace (Institute for Work & Health, 2021). Our observation window thereby focuses our attention on a period characterized by community transmission (that is, within neighbourhoods) during the earlier stages of the pandemic and policymakers’ response to it.

Data availability is another feature that makes Toronto a useful case for our analysis. The City of Toronto offered daily reports of COVID-19 infection, hospitalization, and fatality counts for each of its 140 neighbourhoods (average population size: 20,000; each comprised of 2-5 census tracts). This is in contrast to most of Canada, which offers aggregate COVID-19 infection and death counts for health regions—large and heterogeneous geographic units responsible for addressing the health care needs of 415,000 people (Denice et al., 2020). Even in the United States, most COVID-19 data are available at a county level (Abedi et al., 2020; Finch & Hernández Finch, 2020; for exceptions, see Thomas et al., 2020; Oishi et al., 2021). When combined with rich data about neighbourhoods’ built environments and sociodemographic

compositions, infection data at the neighbourhood level allow us to more directly test how neighbourhood contexts are associated with the spread of COVID-19.

Data and Methods

Data

Data were pooled from two sources: First, *the City of Toronto's Open Data Catalogue* reports (a) the daily counts of confirmed COVID-19 cases reported to Toronto Public Health,² (b) the sociodemographic profile of neighbourhoods estimated by the City government using the 2016 Canadian Census, and (c) the built environments of each neighbourhood obtained from the City's administrative records.³ Second, this information is supplemented with data from *Walk Score*[®], capturing neighbourhoods' walkability and public transport accessibility level.⁴ Walk scores measure the ease with which people can reach neighbourhood amenities from a specific longitude/latitude coordinate, and transit scores similarly measure the ease with which people can get around via public transit from a particular location.

Measures

Dependent variable

Our dependent variable measures the *cumulative COVID-19 infection rate* per 100,000 residents for each neighbourhood over time. To compute this rate, we divide the total number of confirmed COVID-19 cases reported for each neighbourhood at five specific time points between January 21 and November 24, 2020, by the number of residents in each neighbourhood, and multiply by 100,000. The five time points we consider correspond to the onset of the

² <https://www.toronto.ca/home/covid-19/covid-19-latest-city-of-toronto-news/covid-19-status-of-cases-in-toronto>

³ <https://www.toronto.ca/city-government/data-research-maps/open-data/open-data-catalogue>

⁴ Data was provided by Redfin Real Estate (see: <https://www.walkscore.com/CA-ON/Toronto>)

pandemic (March 10), the officially designated peak of the first wave (April 15), the partial reopening of the City's economy (June 24), partial lockdown (October 10), and full reclosure of the City's economy during second wave of the pandemic (November 24).⁵ We exclude 1,652 (1.6%) COVID-19 cases without neighbourhood identifiers and 3,543 (3.3%) unconfirmed COVID-19 cases. Figure A1 in the *Appendix* illustrates the number of daily COVID-19 infections in Toronto across this period.

Independent variables

The built environments of neighbourhoods were assessed with six variables: their walkability, ease of access to public transit, population density, percentage of overcrowded private households (i.e., dwellings without enough bedrooms, given the number of household members), the percentage of land covered by open green space, and the percentage of the neighbourhood zoned by the municipal government as a commercial area. Commercial area functions as another measure of population density, to the extent that firms display a preference for locating near population centers, availability of workspaces in high-rise buildings, and access to crowded transit lines (Rosenthal et al. 2021)—all risk factors for the spread of contagious diseases like COVID-19. Walk Scores® measure the ease with which people can reach everyday amenities and range from 0 (nothing to walk to) to 100 (most daily errands can be fulfilled by walking). Transit Scores® are computed analogously, capturing an area's accessibility via public transportation. Because walk and transit scores are measured for specific latitude/longitude points, we account for within-neighbourhood variation by computing the mean scores for 10 randomly sampled locations in each neighbourhood. This approach is similar to other studies that

⁵ The Ontario government adopted a province-wide graduated framework for locking down and reopening the economy (see: <https://www.ontario.ca/page/reopening-ontario>). Our results are robust to the specific choice of these five time points.

have used these measures, including a study that averages city-level walk scores to measure walkability at the county-level in the U.S. (Lima et al. 2021).

We capture *neighbourhoods' sociodemographic composition* using neighbourhood income level (low, middle, and high), the percentage racial minority, the percentage foreign-born, the employment rate of residents between the ages of 25 and 64, the percentage of workers in frontline occupations (e.g., health, sales, manufacturing, and education), and the percentage aged 80 years and older. Neighbourhood income level is our measure of its socioeconomic status. Neighbourhoods are classified into three groups—low-, middle-, and high-income—depending on the share of residents whose after-tax income falls below Statistics Canada's low-income cut-off (LICO). Low-income neighbourhoods are those in which the share of residents with incomes below the LICO falls in the top tercile (i.e., 19.1% or above). Middle-income neighbourhoods are those whose share of residents with incomes below the LICO falls in the middle tercile (i.e., greater than or equal to 13.8% and less than 19.1%). High-income neighbourhoods are those in which the share of residents with incomes below LICO falls in the bottom tercile (i.e., less than 13.8%). Figure A2 in the Appendix maps Toronto's neighbourhoods by their income level. To account for differences in distribution of covariates, we standardize all continuous independent variables so that each variable has a mean of 0 and a standard deviation of one.

Spatial autocorrelation

When spatial data are examined, researchers must take into account the potential effects of spatial autocorrelation (Anselin 1988). We calculated a global measure of spatial autocorrelation (Moran's I) for the cumulative number of COVID-19 infections for each of the five time periods: 0.03 in early March, 0.07 in mid-April, 0.50 in late June, 0.62 in early

October, and 0.66 in late November of 2020.⁶ While all but the first two values are statistically significant ($p < .05$), these values suggest initially low and then increasing levels of spatial autocorrelation. The increasing and higher values later in the pandemic (beginning in late June 2020) are not surprising, and likely reflect the increasing ubiquity of COVID-19 infections across the city. Indeed, the trends in Figure 1 highlight how all neighbourhoods saw their infection rates increase as the pandemic neared the one-year mark, despite persistent and growing gaps by socioeconomic status. Additionally, local indicators of spatial association (LISA; see Figure A3 in the Appendix) indicate a particular cluster of neighbourhoods with high numbers of COVID-19 infections in the northwestern part of the city (where there is also a cluster of lower-income neighbourhoods) throughout the pandemic, smaller clusters of neighbourhoods with lower COVID-19 counts in higher-income areas of the city, and fewer clusters elsewhere.

We control for the effects of spatial autocorrelation in our models by including spatially lagged cumulative COVID-19 infection rates. A spatially lagged infection rate represents the average level of infection in adjacent neighbourhoods. We calculate spatial lags for each neighbourhood and for each of our five time points. The inclusion of a spatial lag as a covariate accounts for the level of COVID-19 infections in surrounding neighbourhoods, which in effect captures the spatial interaction of the spread of COVID-19 across neighbourhoods. While the effects of COVID-19 in adjacent neighbourhoods on the level of COVID-19 in each neighbourhood are of substantive interest in and of themselves, the inclusion of spatially lagged infection variables is also statistically useful, as it increases the precision of our variables measuring neighbourhoods' sociodemographic composition and built environments. Our

⁶ Spatial autocorrelation is examined in the R environment.

approach follows prior work that examines, for instance, the growth of crime (Kikuchiu & Desmond, 2010; Kubrin & Herting, 2003) as well as the spread of COVID-19 (Guliyev, 2020).

Models

We estimate two-level growth curve models to examine how neighbourhoods' sociodemographic composition and built environments contribute to the spread of COVID-19 across the City of Toronto's 140 neighbourhoods.⁷ Growth-curve models serve both conceptual and methodological purposes for our study. Conceptually, this approach allows us to focus on neighbourhood COVID-19 infection trajectories and to examine variation in these trajectories. This is especially useful for the spread of contagious diseases like COVID-19 that have affected areas and communities differently. Methodologically, growth-curve models allow us to describe the full temporal sequence of the COVID-19 pandemic during our observation window—including both differences in infection rates at the beginning of the pandemic and the pace of spread across distinct time points during its first year (Curran et al., 2010)—instead of examining a single difference between two points in time or a set of differences between pairs of time points. In these ways, we think that growth-curve models enable a richer understanding of change in the spread of COVID-19 infections across Toronto's neighbourhoods and help us determine the community characteristics associated with infection levels and changes in infections.

The level-1 equation in our study's growth curve models describes the within-neighbourhood changes in cumulative infection counts (n) over time (t), and can be represented as follows:

$$y_{nt} = \alpha_n + \beta_{nt} \cdot t + \varepsilon_{nt} \quad (1)$$

⁷ Growth curve models are estimated in Stata, version 17, using the *xtmixed* command.

Cumulative COVID-19 rates (y_{nt}) are characterized by a unique intercept (α_n) and a time-dependent slope (β_{nt}). Time (t) is added as a series of four dichotomous variables for the days on which the cumulative COVID-19 infection rates were measured (April 15, June 24, October 10, and November 24; the referent is the first time point, March 10) to capture potential nonlinearities in COVID-19 trajectories. The level-2 equation models the variation in cumulative COVID-19 infections among low-, middle-, and high-income neighbourhoods (i.e., between-neighbourhood effects). Formally, level-2 relationships can be represented as follows:

$$\alpha_n = \alpha_0 + \alpha_1 x_{n1} + \alpha_2 x_{n2} + \dots + \alpha_k x_{nk} + u_n \quad (2)$$

$$\beta_n = \beta_0 + \beta_1 x_{n1} + \beta_2 x_{n2} + \dots + \beta_k x_{nk} + v_n \quad (3)$$

These equations indicate that the random intercepts (α_n) and slopes (β_n) are a function of the covariates (x_{nk}) and error terms (u_{nt} , v_{nt}), respectively. We first estimate a growth curve model for a pooled sample of 140 neighbourhoods to identify overall contextual risk and protective factors for the spread of COVID-19. We then disaggregate by neighbourhood income level, and we estimate separate models for low-, middle-, and high-income neighbourhoods. The latter models allow us to determine whether the relationship between neighbourhood social contexts and the spread of COVID-19 varies by neighbourhood income.

Several other analytical decisions deserve mention. First, we considered other dimensions of neighbourhoods' built environments and sociodemographic composition, but we could not include all of these due to multicollinearity issues ($VIF > 10$). We contend that the explanatory variables in our models capture a wide-ranging and robust set of neighbourhood characteristics. We estimated alternate models predicting spread of COVID-19 using other covariates; these results are available upon request.⁸ Second, we chose to focus on the spread of the COVID-19

⁸ We applied two criteria in the selection of covariates: the selected combination of variables should (a) align with prior empirical work, and (b) balance the inclusion of essential covariates while avoiding multicollinearity issues.

pandemic between January and November 2020. We chose this period because supplementary analyses revealed that the social determinants of COVID-19 in Toronto have changed over time. Starting in late November, Ontario saw more outbreaks in the workplace (Institute of Work & Health, 2021) and employment and occupational status played a larger role as a determinant of COVID-19.⁹ Third, we are conducting our analyses using the *census* of neighbourhoods in the City of Toronto. Statistical tests are useful when making inferences about a population from sample data (Cowager, 1984; Treiman, 2009). Because we analyze population data, our interpretations do not rely on statistical significance (though we do report it in our tables). Instead, we interpret our findings based on the direction and size of the coefficients and their substantive importance.

Results

Descriptive results

Built environment and sociodemographic profiles of neighbourhoods

Table 1 presents summary statistics of neighbourhoods' built environments and sociodemographic profiles. Toronto is a generally walkable city with an accessible public transportation system. As is the case for most urban metropolises, it has high population density and relatively little green space. One-in-eight people reside in unsuitable and overcrowded housing. The city also has a diverse population. Just under half of the residents in Toronto are

Other dimensions of neighbourhoods' built environment we considered include the number of bars, transit hubs, inadequate or unaffordable housing, and grocery scores. We also considered additional measures of neighbourhoods' sociodemographic composition, such as the percentage of immigrants without English/French proficiency, an ethnic diversity index, the percentage of adults 65 years and older, the percentage of Black, East Asian, or Latinx residents, and the share of health workers). Please see Table A1 for the distribution of these covariates. Results from growth curve models incorporating these measures are generally similar to those we present here, and are available upon request.

⁹ In earlier versions of the paper, we tried alternative time points during the early stages of the pandemic and obtained substantively similar results.

visible minorities and foreign-born. Nearly 50 percent of workers in Toronto are employed in frontline occupations.

Table 1 goes here.

The built environments and sociodemographic profiles vary by neighbourhood income level, which suggests that the ways in which these factors relate to the spread of COVID-19 across neighbourhoods may vary as well. Population density is highest in low-income neighbourhoods and lowest in high-income neighbourhoods. In a similar way, a higher share of housing is overcrowded in low-income neighbourhoods as compared to middle and high-income areas. Relative to other neighbourhoods, a higher share of middle-income neighbourhoods has been zoned as a commercial area: 5% of middle-income versus 2-3% of other neighbourhoods. Lower-income neighbourhoods are also more ethnically diverse than higher-income neighbourhoods. Just under two-thirds of the residents in low-income neighbourhoods are visible minorities, compared to 46% of residents in middle-income and 30% of residents in high-income neighbourhoods. A similar pattern obtains for the share of foreign-born residents. Frontline workers are also overrepresented in lower-income neighbourhoods.

COVID-19 trajectories among neighbourhoods in the City of Toronto

Figure 1 illustrates the cumulative COVID-19 infection trajectories across Toronto's neighbourhoods by their income level. Across the city, COVID-19 infection rates remained flat between January and March, rose rapidly between March and June, and plateaued in late June 2020. The pace of growth slowed down during the summer and early fall of 2020, only to surge again beginning in October 2020. During the onset of COVID-19 until mid-April, there were virtually no differences in cumulative COVID-19 infection rates across low-, middle-, and high-income neighbourhoods. However, as the pandemic progressed, differences between the

COVID-19 trajectories in lower- and higher-income neighbourhoods emerged and grew. By the peak of the first wave in early summer 2020, we can see widening gaps in the cumulative COVID-19 rates between low- and higher-income neighbourhoods. By November 2020, the gap between low- and high-income neighbourhoods increased further and a gap between middle- and high-income neighbourhoods also emerged.

Figure 1 goes here.

Results from growth curve models

Contextual risk factors

Table 2 presents the results from growth curve models predicting the COVID-19 infection trajectories for the 140 neighbourhoods in Toronto. The main effects (α) capture the differences in cumulative COVID-19 rates at the onset of the pandemic, and the slopes (β) capture the differences in growth rates by neighbourhood income across the time points. At the onset of the pandemic, there were virtually no contextual differences in cumulative COVID-19 rates. After this initial phase, neighbourhoods with a higher share of overcrowded households and larger commercial spaces experienced a much *faster* spread of COVID-19. For example, net of controls, a one standard deviation increase in the percentage of overcrowded households is associated with an additional 377 COVID-19 cases per 100,000 residents between the onset of the pandemic in March 2020 and reclosure of the economy in November 2020. By contrast, COVID-19 grew at a *slower* pace in highly walkable neighbourhoods. A one standard deviation increase in walkability score is associated with 154 fewer COVID-19 cases per 100,000 residents between the onset of the pandemic in March 2020 and partial closure of the economy in October 2020.

Table 2 goes here.

Low-income neighbourhoods experienced a *faster* spread of COVID-19 than higher-income neighbourhoods. For example, between March and June 2020, low-income neighbourhoods saw 129 additional COVID-19 infections per 100,000 residents than high-income neighbourhoods. COVID-19 also spread *faster* in neighbourhoods with a higher share of visible minorities, higher rates of employment, a higher share of front-line workers, and a higher share of residents who are 80 years and older. For example, a one standard deviation increase in the percentage of residents who are visible minorities is associated with an additional 164 COVID-19 cases per 100,000 residents between the March and November 2020. By contrast, COVID-19 spread at a *slower* pace in neighbourhoods with a higher share of foreign-born residents. A one standard deviation increase in the percentage of foreign-born residents is associated with 114 fewer COVID-19 cases per 100,000 residents between March and June 2020. Generally positive coefficients on the spatial lag variable indicate that the prevalence of COVID-19 infections in surrounding neighbourhoods increases the infection rate in a given neighbourhood, as we would expect.

The availability and quality of neighbourhoods' physical infrastructure may vary by their socioeconomic composition. In addition, residents of low-income neighbourhoods may rely more or differently on community resources than residents of higher-income neighbourhoods because they have fewer individual resources at their disposal. As such, the relationship between neighbourhoods' social contexts and the spread of COVID-19 may vary across low-, middle-, and high-income areas. In the section that follows, we present the results of our analyses stratified by neighbourhood income level.

Socioeconomic variation in the relationship between neighbourhood social context and the spread of COVID-19

Table 3 presents the results from the growth curve models predicting cumulative COVID-19 rates, separately by neighbourhood income level. COVID-19 grew *faster* across all neighbourhoods with a poorer walkability, a higher share of overcrowded households, larger commercial areas, and a higher share of frontline workers, irrespective of their income levels. However, the extent to which these dimensions of neighbourhood social contexts are associated with the spread of COVID-19 differs according to their income levels. Neighbourhood walkability is associated with a *slower* surge in COVID-19 infections across all neighbourhoods, but the negative association is much larger in low-income than in middle- or high-income neighbourhoods during the middle portion of our observation period (March through October). For example, in low-income neighbourhoods, a one standard deviation increase in the walk score is associated with 140 fewer COVID-19 cases per 100,000 residents between March and October 2020. By contrast, in high-income neighbourhoods, the corresponding increase is associated with 75 fewer cases in high-income neighbourhoods during the same period. A higher share of frontline workers is associated with a *faster* increase in COVID-19 infections in all neighbourhoods, but this positive association is much smaller in high-income than in low- or middle-income neighbourhoods.

Table 3 goes here.

Some dimensions of the neighbourhood social contexts shape the spread of COVID-19 differently depending on their income levels. Net of the share of overcrowded households, a higher population density is associated with a *slower* increase in COVID-19 infections in high-income neighbourhoods, but a *faster* surge in low- and middle-income neighbourhoods. In high-

income neighbourhoods, a one unit increase in population density is associated with 221 *fewer* COVID-19 cases per 100,000 residents between March and June 2020. In low-income neighbourhoods, the corresponding increase is associated with 36 *more* COVID-19 cases during the same period. By contrast, a higher share of visible minority residents is associated with a *slower* surge in COVID-19 infections in low-income neighbourhoods, but a *faster* surge in high-income neighbourhoods. For example, in low-income neighbourhoods, a one standard deviation increase in the percentage of visible minority residents is associated with 83 *fewer* COVID-19 cases per 100,000 residents between the onset of the pandemic in March 2020 and partial lockdown in October 2020. In high-income neighbourhoods, the corresponding increase is associated with 325 *more* COVID-19 cases per 100,000 residents during the same time. The opposite pattern obtains for the share of foreign-born residents: a higher share of non-Canadian born residents is associated with a faster spread of COVID-19 in low-income neighbourhoods but a slower spread in higher-income areas.

Conclusion

The COVID-19 pandemic has underscored the importance of neighbourhood contexts for residents' health. Reliance on census and survey data has meant that much of the extant research has focused primarily on the sociodemographic correlates of COVID-19 infection and death rates but has paid less attention to how neighbourhoods' built environments influence the spread of COVID-19. We fill this gap in the literature by comparing the COVID-19 trajectories of neighbourhoods of varying socioeconomic statuses and assessing whether and how their sociodemographic composition and built environments contribute to the spread of COVID-19. Our study yields several noteworthy findings, which are summarized in Table 4.

Table 4 goes here.

We find that the built environment has shaped the *pace* of COVID-19's spread across the City of Toronto's 140 neighbourhoods. Irrespective of a neighbourhood's socioeconomic status, COVID-19 increased faster in neighbourhoods with a high share of overcrowded households and larger commercial areas. More household members sharing smaller spaces means that residents encounter multiple sources of exposure and lack the space necessary for self-isolation if they are infected with COVID-19 (Kamis et al., 2020). Commercial zones are generally more crowded and are more likely to include facilities with high predicted transmission rates (e.g., stores, restaurants, and stadiums) than residential areas, increasing residents' risk of exposure to the COVID-19 virus and COVID-19 infections (Chang et al., 2021). These findings suggest that post-pandemic urban planning efforts could entail increasing the supply of housing with enough space for all household members and reducing urban density.

We also show that COVID-19 infections spread at a slower pace in highly walkable neighbourhoods. Residents' ability to run errands quickly and easily may mean fewer points of exposure to the COVID-19 virus, which in turn would reduce people's risk of COVID-19 infections (Wali & Frank, 2021). Our findings, however, suggest that neighbourhood walkability *mitigates* the spread of COVID-19 *more* in low-income than in middle- or high-income neighbourhoods, at least through the partial lockdown in October 2020. When stores, restaurants, and other establishments were still allowed to operate largely as before, the ability to run errands on foot with ease reduces urban dwellers' vulnerability to infectious diseases, but it has a larger impact on residents of low-income neighbourhoods. Living in a walkable neighbourhood and shortening travel times may be particularly important for residents of low-income neighbourhoods with lower propensity to own cars, greater reliance on public transit when

running errands, and greater exposure to poorly maintained sidewalks. Post-pandemic urban planning efforts should strive to design more walkable urban neighbourhoods, and to prioritize lower-income neighbourhoods when doing so.

Our results further reveal that other dimensions of the built environments shape the spread of COVID-19 infections differently depending on a neighbourhood's income level. For example, net of the share of overcrowded households, population density is associated with a smaller surge in COVID-19 infection rates in high-income neighbourhoods, but a larger surge in low-income neighbourhoods. In high-income neighbourhoods, high-density apartment buildings come with amenities, like better ventilation systems and additional staff to properly sanitize common areas. In low-income neighbourhoods, similarly dense buildings may be inadequately maintained and lack such amenities. The former likely offers residents of highly dense, high-income neighbourhoods another layer of protection against the COVID-19 virus. The latter enhances the risk of COVID-19 infection among residents of highly dense, low-income neighbourhoods.

Similarly, the association between the sociodemographic profiles of neighbourhoods and the spread of COVID-19 infections may also vary by neighbourhood income levels. A higher share of frontline workers was associated with a larger increase in COVID-19 infection rates across all neighbourhoods. Although this pattern held across neighbourhood with varying socioeconomic status, it had a generally smaller impact in high-income neighbourhoods. Frontline workers (e.g., those in healthcare) tend to have higher exposure to the COVID-19 virus in their workplace (Blundell et al., 2020). Relative to their socioeconomically disadvantaged peers, advantaged frontline workers are more likely to have greater access adequate personal protective equipment (Nguyen et al., 2020; St-Denis, 2020).

Additionally, a higher percentage of foreign-born residents was associated with a *slower* pace of spread of COVID-19 in middle and high-income neighbourhoods and a faster spread in low-income neighborhoods. Due to their sustained close contact with their country of origin, some of these immigrants may have been aware of the public health mandates used in countries that were more successful at containing COVID-19 (Choi et al., 2021). They may have adopted some of those preventive measures at the onset of the pandemic, which helped curb the spread of COVID-19 in their neighbourhoods (e.g., East Asian immigrants wore masks at higher rates earlier in the pandemic). Foreign-born individuals living in high-income neighbourhoods are disproportionately more likely than their peers in lower-income neighbourhoods to be high-skilled, economic immigrants. They are a positively selected group disproportionately represented in industries such as international banking or international trade that almost fully transitioned to telecommuting during the pandemic (Papanikolaou & Schmidt, 2020).

Finally, COVID-19 spread faster in high-income neighbourhoods with higher percentages of racial minorities—contrary to what we observe in low-income neighbourhoods. This difference likely reflects the residential settlement patterns of high-income racial minorities. As in many other global cities, socioeconomically advantaged racial minorities in the City of Toronto generally settle in affluent neighbourhoods with higher percentages of co-ethnics (Clark & Fossett, 2008; Walks & Bourne, 2006). Partially due to residential segregation by race, these neighbourhoods are also located near lower-income neighbourhoods with high percentages of racial minorities who have been disproportionately affected by COVID-19 (see Figure A3).

Our study is not without its limitations. First, while Toronto is a useful case study (given that it is sociodemographically diverse and has been an urban epicenter of the COVID-19 pandemic), future studies should examine the relationship between the built environment and the

spread of infectious diseases across different urban settings. Second, we considered but were unable to include several other indicators of a neighbourhood's social context due to a high degree of collinearity. We chose to focus on features that seem to be central to the literature, and in supplementary analyses that included other bundles of neighbourhood amenities and composition measures (available upon request), our results were robust. Nonetheless, our models may have missed some important dimensions of a neighbourhood's social context. Third, we would have liked to capture variation in the *quality* and *usage* of neighbourhoods' physical infrastructure. Such information is seldom available, including in the otherwise rich administrative datasets provided by the City of Toronto. Fourth, we rely on cross-sectional sociodemographic and contextual data, and our aim is to *describe* how these may be related to the spread of infectious diseases such as COVID-19. Future studies could make greater efforts to establish the *causal* links between neighbourhood social contexts and the spread of COVID-19. Finally, it is likely that there has been systematic underreporting of COVID-19 infections and mortality, which in turn poses a challenge to researchers seeking to understand the extent of the pandemic and its social and epidemiological drivers (see, e.g., Albani et al. 2021; Whittaker et al. 2021). At the same time, we contend that the issue is somewhat mitigated by our focus on a single city with more consistent reporting than, say, a province, country, or several countries in a comparative context. If anything, we likely *underestimate* differences across neighbourhoods by income level, as errors in reporting are more likely in places where residents have less reliable access to health care.

Notwithstanding these limitations, our study makes important contributions by illustrating the importance of neighbourhoods' built environments in generating health inequalities. COVID-19 spreads more quickly in low-income neighbourhoods, in part because

higher shares of their private households are overcrowded and more of their residents' work in frontline occupations with a greater risk of exposure to COVID-19. In addition to underscoring the importance for future scholarship on neighbourhood effects to explicitly consider the built environment, our findings suggest that introducing and upgrading built environments (e.g., reducing overcrowding, increasing neighbourhoods' walkability, and building more open green spaces) could provide a way for policymakers to design health-promoting urban centers. Finally, we show that the same dimensions of a neighbourhood's social context are differentially associated with the spread of infectious diseases in low-, middle-, and high-income neighbourhoods. This suggests that urban planning efforts should not adopt a one-size-fits-all strategy when reimagining cities for a post-pandemic world and be conscientious about the varying needs of residents in low-, middle-, and high-income neighbourhoods to reduce the vulnerability of marginalized communities to infectious diseases.

References

- Albani V, Loria J, Massad E, Zubelli J. COVID-19 underreporting and its impact on vaccination strategies. *BMC Infect Dis*. 2021 Oct 28;21(1):1111. doi: 10.1186/s12879-021-06780-7.
- Abedi, Vida, Olulana, Venkatesh Avula, Durgesh Chaudhary, Ayesha Khan, Shima Shahjouei, Jiang Li, & Ramin Zand. (2020). Racial, Economic, and Health Inequality and COVID-19 Infection in the United States. *Journal of Racial and Ethnic Health Disparities*. doi: 10.1007/s40615-020-00833-4.
- Algert, Susan J., Aditya Agrawal, & Douglas S. Lewis. (2006). Disparities in Access to Fresh Produce in Low-Income Neighbourhoods in Los Angeles. *American Journal of Preventive Medicine* 30(5):365–70. doi: 10.1016/j.amepre.2006.01.009.
- Ali, N. & F. Islam. (2020). The Effects of Air Pollution on COVID-19 Infection and Mortality—A Review on Recent Evidence. *Frontiers in Public Health*, 8: 1-7.
<https://dx.doi.org/10.3389%2Ffpubh.2020.580057>
- Alvarado, Steven Elías. (2019). The Indelible Weight of Place: Childhood Neighbourhood Disadvantage, Timing of Exposure, and Obesity across Adulthood. *Health & Place*, 58:102159. doi: 10.1016/j.healthplace.2019.102159.
- Anderson, Kathryn F. (2017). Racial Residential Segregation and the Distribution of Health-Related Organizations in Urban Neighbourhoods. *Social Problems* 64(2), 256–76. doi: 10.1093/socpro/spw058.
- Anselin, Luc. (1988). *Spatial Econometrics, Methods and Models*. Dordrecht, the Netherlands: Kluwer Academic.

- Awuor, Luckrezia, & Stephanie Melles. (2019). The Influence of Environmental and Health Indicators on Premature Mortality: An Empirical Analysis of the City of Toronto's 140 Neighbourhoods. *Health & Place*, 58, 102-155. doi: 10.1016/j.healthplace.2019.102155.
- Bejan, Raluca, and Kristina Nikolova. (2020). How Canada Compares to Other Countries on COVID-19 Cases and Deaths. *The Conversation*. Retrieved October 26, 2020 (<http://theconversation.com/how-canada-compares-to-other-countries-on-covid-19-cases-and-deaths-142632>).
- Blundell, Richard, Monica Costa Dias, Robert Joyce, & Xiaowei Xu. (2020). COVID-19 and Inequalities*. *Fiscal Studies*, 41, 2, 291–319. doi: 10.1111/1475-5890.12232.
- Borjas, G. 2020. *Demographic Determinants of Testing Incidence and COVID-19 Infections in New York City Neighbourhoods*. Working Paper No. 26952. Cambridge, MA: National Bureau of Economic Research.
- Bosma, Hans, H. Dike van de Mheen, Gerard J. J. M. Borsboom, & Johan P. Mackenbach. (2001). Neighbourhood Socioeconomic Status and All-Cause Mortality. *American Journal of Epidemiology*, 153, 4, 363–71. doi: 10.1093/aje/153.4.363.
- Boylan, Jennifer Morozink, & Stephanie A. Robert. (2017). Neighbourhood SES Is Particularly Important to the Cardiovascular Health of Low SES Individuals. *Social Science & Medicine*, 188, 60–68. doi: 10.1016/j.socscimed.2017.07.005.
- Brandén, Maria, Siddhartha Aradhya, Martin Kolk, Juho Härkönen, Sven Drefahl, Bo Malmberg, Mikael Rostila, Agneta Cederström, Gunnar Andersson, & Eleonora Mussino. (2020). Residential Context and COVID-19 Mortality among Adults Aged 70 Years and Older in Stockholm: A Population-Based, Observational Study Using Individual-Level Data. *The Lancet Healthy Longevity* 1, 2, e80–88. doi: 10.1016/S2666-7568(20)30016-7.

- Brazil, Noli, and William A. V. Clark. (2017). Individual Mental Health, Life Course Events and Dynamic Neighbourhood Change during the Transition to Adulthood. *Health & Place*, 45, 99–109. doi: 10.1016/j.healthplace.2017.03.007.
- Browning, Christopher R., & Kathleen A. Cagney. (2003). Moving beyond Poverty: Neighbourhood Structure, Social Processes, and Health. *Journal of Health and Social Behavior* 44, 4, 552–71. doi: 10.2307/1519799.
- Browning, Christopher R., and Aubrey L. Jackson. (2013). The Social Ecology of Public Space: Active Streets and Violent Crime in Urban Neighbourhoods. *Criminology*, 51, 4, 1009–43. doi: 10.1111/1745-9125.12026.
- Chang, Serina, Emma Pierson, Pang Wei Koh, Jaline Gerardin, Beth Redbird, David Grusky, and Jure Leskovec. (2021). Mobility network models of COVID-19 explain inequities and inform reopening. *Nature*, 589, 82–87. <https://doi.org/10.1038/s41586-020-2923-3>.
- Choi, Kate H., Patrick Denice, Michael Haan, & Anna Zajacova. (2021). Studying the Social Determinants of COVID-19 in a Data Vacuum. *Canadian Review of Sociology* 58, 2, 146-164.
- Choi, Kate H., Patrick Denice, & Sagi Ramaj. (2021). Vaccine and COVID-19 Trajectories. *Socius: Sociological Research for a Dynamic World*, 7, 1-11.
- City of Toronto. (2014). *TSNS 2020 Neighbourhood Equity Index: Methodological Documentation*. Social Policy Analysis and Research, City of Toronto.
- City of Toronto. (2015). *Toronto Strong Neighbourhoods Strategy 2020*. City of Toronto.
- Clark, William A. V., and Mark Fossett. (2008). Understanding the Social Context of the Schelling Segregation Model. *Proceedings of the National Academy of Sciences* 105(11):4109–14. doi: 10.1073/pnas.0708155105.

- Cordes, Jack, and Marcia C. Castro. (2020). Spatial Analysis of COVID-19 Clusters and Contextual Factors in New York City. *Spatial and Spatio-Temporal Epidemiology* 34:100355. doi: 10.1016/j.sste.2020.100355.
- Cowger, C. D. (1984). Statistical Significance Tests: Scientific Ritualism or Scientific Method? *Social Service Review*, 58(3), 358–372. <http://www.jstor.org/stable/30011734>
- Creatore, Maria I., Richard H. Glazier, Rahim Moineddin, Ghazal S. Fazli, Ashley Johns, Peter Gozdyra, Flora I. Matheson, Vered Kaufman-Shriqui, Laura C. Rosella, Doug G. Manuel, and Gillian L. Booth. (2016). Association of Neighbourhood Walkability With Change in Overweight, Obesity, and Diabetes. *JAMA* 315, 20, 2211. doi: 10.1001/jama.2016.5898.
- Curran, P., K. Obeidat, and D. Losardo. (2010). Twelve Frequently Asked Questions About Growth Curve Modeling. *Journal of Cognitive Development* 11, 2, 121-136.
- Denice, Patrick, Kate H. Choi, Michael Haan, and Anna Zajacova. (2020). Visualizing the Geographic and Demographic Distribution of COVID-19. *Socius* 6, 2378023120948715. doi: 10.1177/2378023120948715.
- Deitz, S. and K. Meehan.(2019). Plumbing Poverty: Mapping Hot Spots of Racial and Geographic Inequality in U.S. Household Water Insecurity. *Annals of the American Association of Geographers*, 109:(4):1092-1109. doi: 10.1080/24694452.2018.1530587
- Diamant, Allison L., Ron D. Hays, Leo S. Morales, Wesley Ford, Daphne Calmes, Steven Asch, Naihua Duan, Eve Fielder, Sehyun Kim, Jonathan Fielding, Gerald Sumner, Martin F. Shapiro, David Hayes-Bautista, and Lillian Gelberg. 2004. “Delays and Unmet Need for Health Care Among Adult Primary Care Patients in a Restructured Urban Public Health System.” *American Journal of Public Health* 94(5):783–89.

- Diez Roux, Ana V., and Christina Mair. (2010). Neighbourhoods and Health: Neighbourhoods and Health. *Annals of the New York Academy of Sciences* 1186(1):125–45. doi: 10.1111/j.1749-6632.2009.05333.x.
- Doubeni, Chyke A., Mario Schootman, Jacqueline M. Major, Rosalie A. Torres Stone, Adeyinka O. Laiyemo, Yikyung Park, Min Lian, Lynne Messer, Barry I. Graubard, Rashmi Sinha, Albert R. Hollenbeck, and Arthur Schatzkin. (2011). Health Status, Neighbourhood Socioeconomic Context, and Premature Mortality in the United States: The National Institutes of Health–AARP Diet and Health Study. *American Journal of Public Health* 102(4):680–88. doi: 10.2105/AJPH.2011.300158.
- Ellen, Ingrid Gould, Tod Mijanovich, and Keri-Nicole Dillman. (2001). Neighbourhood Effects on Health: Exploring the Links and Assessing the Evidence. *Journal of Urban Affairs* 23(3–4):391–408. doi: 10.1111/0735-2166.00096.
- Finch, W. Holmes, and Maria E. Hernández Finch. 2020. Poverty and Covid-19: Rates of Incidence and Deaths in the United States During the First 10 Weeks of the Pandemic. *Frontiers in Sociology* 5. doi: 10.3389/fsoc.2020.00047.
- Fitzpatrick, Kevin M., and Mark LaGory. (2003). 'Placing' Health in an Urban Sociology: Cities as Mosaics of Risk and Protection. *City & Community* 2(1):33–46. doi: 10.1111/1540-6040.00037.
- Frumkin, H. (2021). COVID-19, the Built Environment, and Health. *Environmental Health Perspectives* 129(7): 1-14.
- Galea, Sandro, Jennifer Ahern, Sasha Rudenstine, Zachary Wallace, and David Vlahov. (2005). Urban Built Environment and Depression: A Multilevel Analysis. *Journal of Epidemiology & Community Health* 59(10):822–27. doi: 10.1136/jech.2005.033084.

- Gordon, Cynthia, Marnie Purciel-Hill, Nirupa R. Ghai, Leslie Kaufman, Regina Graham, and Gretchen Van Wye. (2011). Measuring Food Deserts in New York City's Low-Income Neighbourhoods. *Health & Place* 17(2):696–700. doi: 10.1016/j.healthplace.2010.12.012.
- Gould, Elise, and Heidi Shierholz. (2020). Not Everybody Can Work from Home: Black and Hispanic Workers Are Much Less Likely to Be Able to Telework. *Economic Policy Institute*. Retrieved November 9, 2020 (<https://www.epi.org/blog/black-and-hispanic-workers-are-much-less-likely-to-be-able-to-work-from-home/>).
- Grafova, Irina B. (2008). Overweight Children: Assessing the Contribution of the Built Environment. *Preventive Medicine* 47(3):304–8. doi: 10.1016/j.ypmed.2008.04.012.
- Guliyev, Hasraddin. (2020). Determining the spatial effects of COVID-19 using the spatial panel data model. *Spatial Statistics* 38: 100443.
- Haan, Mary, George A. Kaplan, and Terry Camacho. (1987). POVERTY AND HEALTH PROSPECTIVE EVIDENCE FROM THE ALAMEDA COUNTY STUDY. *American Journal of Epidemiology* 125(6):989–98. doi: 10.1093/oxfordjournals.aje.a114637.
- Hale, Lauren, Terrence D. Hill, Elliot Friedman, F. Javier Nieto, Loren W. Galvao, Corinne D. Engelman, Kristen M. C. Malecki, and Paul E. Peppard. (2013). Perceived Neighbourhood Quality, Sleep Quality, and Health Status: Evidence from the Survey of the Health of Wisconsin. *Social Science & Medicine* 79:16–22. doi: 10.1016/j.socscimed.2012.07.021.
- Hellerstein, Judith K., David Neumark, and Melissa McInerney. (2008). Spatial Mismatch or Racial Mismatch? *Journal of Urban Economics* 64(2):464–79. doi: 10.1016/j.jue.2008.04.003.

- Hordyk, Shawn Renee, Jill Hanley, and Éric Richard. 2015. 'Nature Is There; Its Free': Urban Greenspace and the Social Determinants of Health of Immigrant Families. *Health & Place*, 34:74–82. doi: 10.1016/j.healthplace.2015.03.016.
- Howell, Nicholas A. (2019). Interaction between Neighbourhood Walkability and Traffic-Related Air Pollution on Hypertension and Diabetes: The CANHEART Cohort. *Environment International* 7.
- Hulchanski, D. (2006). What Factors Shape Canadian Housing Policy? The Intergovernmental Role in Canada's Housing System in Canada. In R. Young and C. Leuprecht (Editors). State of the Federation 2004: Municipal - Federal - Provincial Relations (Volume 10, pp. 221-247). Queen's University Press.
- Hulchanski, D. (2010). *The Three Cities Within Toronto: Income Polarization among Toronto's Neighbourhoods, 1970 — 2000* (Research Bulletin 41). Cities Center.
https://homelesshub.ca/sites/default/files/Three-Cities-Within-Toronto_2010_Final.pdf
- Institute for Work & Health. (2021). Issue Briefing: Incidence of COVID-19 Transmission in Ontario Work Places. Accessed on December 12, 2021. Accessed from:
https://www.iwh.on.ca/sites/iwh/files/iwh/reports/iwh_issue_briefing_covid19_workplace_ontario_2021.pdf.
- Kain, John F. (1992). The Spatial Mismatch Hypothesis: Three Decades Later. *Housing Policy Debate* 3(2):371–460. doi: 10.1080/10511482.1992.9521100.
- Kamis, C., A. Stolte, J. West, S. Fishman, T. Brown, and H. Farmer. (2021). *Overcrowding and COVID-19 Deaths across U.S. Counties: Are Disparities Growing Over Time?* SSM Population Health 15: 100845.

- Kawachi, Ichiro, and Lisa F. Berkman. (2003). *Neighbourhoods and Health*. Oxford University Press.
- Kikuchi, George, and Scott A. Desmond. (2010). A longitudinal analysis of neighborhood crime rates using latent growth curve modeling. *Sociological Perspectives* 53(1): 127-149.
- King, Abby C., James F. Sallis, Lawrence D. Frank, Brian E. Saelens, Kelli Cain, Terry L. Conway, James E. Chapman, David K. Ahn, and Jacqueline Kerr. (2011). Aging in Neighbourhoods Differing in Walkability and Income: Associations with Physical Activity and Obesity in Older Adults. *Social Science & Medicine* 73(10):1525–33. doi: 10.1016/j.socscimed.2011.08.032.
- Kravitz-Wirtz, Nicole. (2016). Cumulative Effects of Growing Up in Separate and Unequal Neighbourhoods on Racial Disparities in Self-Rated Health in Early Adulthood. *Journal of Health and Social Behavior* 57(4):453–70. doi: 10.1177/0022146516671568.
- Kubrin, Charis E., and Jerald R. Herting. (2003). Neighborhood correlates of homicide trends: An analysis using growth-curve modeling. *The Sociological Quarterly* 44(3): 329-350.
- Lai, K. Y., Webster, C., Kumari, S., and Sarkar, C. (2020). The nature of cities and the Covid-19 pandemic. *Current Opinion in Environmental Sustainability*. 46, 27–31. doi: 10.1016/j.cosust.2020.08.008
- Leyden, Kevin M. (2003). Social Capital and the Built Environment: The Importance of Walkable Neighbourhoods. *American Journal of Public Health* 93(9), 1546–51. doi: 10.2105/AJPH.93.9.1546.
- Lima, Fernando T., Nathan C. Brown, and Jose P. Duarte. (2021). Understanding the impact of walkability, population density, and population size on COVID-19 spread: A pilot study

- of the early contagion in the United States. *Entropy* 23(11): 1512.
<https://doi.org/10.3390/e23111512>
- Lochner, Kimberly A., Ichiro Kawachi, Robert T. Brennan, and Stephen L. Buka. (2003). Social Capital and Neighbourhood Mortality Rates in Chicago. *Social Science & Medicine* 56(8):1797–1805. doi: 10.1016/S0277-9536(02)00177-6.
- Luo, Zhong-Cheng, Russell Wilkins, Maureen Heaman, Patricia Martens, Janet Smylie, Lyna Hart, Spogmai Wassimi, Fabienne Simonet, Yuquan Wu, and William D. Fraser. (2010). Neighbourhood Socioeconomic Characteristics, Birth Outcomes and Infant Mortality among First Nations and Non-First Nations in Manitoba, Canada. *The Open Women's Health Journal* 4(2):55–61. doi: 10.2174/1874291201004020055.
- Marwell, Nicole P., and Aaron Gullickson. (2013). Inequality in the Spatial Allocation of Social Services: Government Contracts to Nonprofit Organizations in New York City. *Social Service Review*, 87, 2, 319–53. doi: 10.1086/670910.
- Massey, Douglas S. (1996). The Age of Extremes: Concentrated Affluence and Poverty in the Twenty-First Century. *Demography* 33,4, 395–412. doi: 10.2307/2061773.
- Massey, Douglas S., and Nancy A. Denton. (1993). *American Apartheid: Segregation and the Making of the Underclass*. Cambridge, MA: Harvard University Press.
- Mein, Stephen A. (2020). COVID-19 and Health Disparities: The Reality of 'the Great Equalizer'. *Journal of General Internal Medicine* 35(8):2439–40. doi: 10.1007/s11606-020-05880-5.
- Nguyen, Long H., David A. Drew, Mark S. Graham, Amit D. Joshi, Chuan-Guo Guo, Wenjie Ma, Raaj S. Mehta, Erica T. Warner, Daniel R. Sikavi, Chun-Han Lo, Sohee Kwon, Mingyang Song, Lorelei A. Mucci, Meir J. Stampfer, Walter C. Willett, A. Heather

- Eliassen, Jaime E. Hart, Jorge E. Chavarro, Janet W. Rich-Edwards, Richard Davies, [...] and Feng Zhang. (2020). Risk of COVID-19 among Front-Line Health-Care Workers and the General Community: A Prospective Cohort Study. *The Lancet Public Health* 5(9): e475–83. doi: 10.1016/S2468-2667(20)30164-X.
- Oakes, J. Michael, Kate E. Andrade, Ifrah M. Biyoow, and Logan T. Cowan. (2015). Twenty Years of Neighbourhood Effect Research: An Assessment. *Current Epidemiology Reports* 2(1):80–87. doi: 10.1007/s40471-015-0035-7.
- O’Campo, Patricia, Blair Wheaton, Rosane Nisenbaum, Richard H. Glazier, James R. Dunn, and Catharine Chambers. (2015). The Neighbourhood Effects on Health and Well-Being (NEHW) Study. *Health & Place* 31:65–74. doi: 10.1016/j.healthplace.2014.11.001.
- Office of Disease Prevention and Health Promotion. (n.d.). Neighbourhood and Built Environment. *Healthy People 2030*. U.S. Department of Health and Human Services. <https://health.gov/healthypeople/objectives-and-data/browse-objectives/neighbourhood-and-built-environment>
- Oishi, Shigehiro, Youngjae Cha, and Ulrich Schimmack. (2021). The Social Ecology of COVID-19 Cases and Deaths in New York City: The Role of Walkability, Wealth, and Race. *Social Psychological and Personality Science* 1-10. <https://journals.sagepub.com/doi/full/10.1177/1948550620979259>
- Owens, Ann. (2010). Neighbourhoods and Schools as Competing and Reinforcing Contexts for Educational Attainment. *Sociology of Education* 83(4):287–311. doi: 10.1177/0038040710383519.

- Papanikolaou, Dimitris, and Lawrence D. W. Schmidt. (2020). *Working Remotely and the Supply-Side Impact of COVID-19*. Working Paper No. 27330. Cambridge, MA: National Bureau of Economic Research.
- Patel, J. A., F. B. H. Nielsen, A. A. Badiani, S. Assi, V. A. Unadkat, B. Patel, R. Ravindrane, and H. Wardle. (2020). Poverty, Inequality and COVID-19: The Forgotten Vulnerable. *Public Health* 183:110–11. doi: 10.1016/j.puhe.2020.05.006.
- Pearce, Jamie R., Elizabeth A. Richardson, Richard J. Mitchell, and Niamh K. Shortt. (2010). Environmental Justice and Health: The Implications of the Socio-Spatial Distribution of Multiple Environmental Deprivation for Health Inequalities in the United Kingdom. *Transactions of the Institute of British Geographers* 35(4):522–39. doi: 10.1111/j.1475-5661.2010.00399.x.
- Perrotta, Kim, Monica Campbell, Shawn Chirrey, and Larry Frank. (2012). *The Walkable City: Neighbourhood Design and Preferences, Travel Choices, and Health*. Toronto Public Health.
- Phelan, Jo C., Bruce G. Link, and Parisa Tehranifar. (2010). Social Conditions as Fundamental Causes of Health Inequalities: Theory, Evidence, and Policy Implications. *Journal of Health and Social Behavior* 51(1_suppl):S28–40. doi: 10.1177/0022146510383498.
- Pickett, K. E., and M. Pearl. (2001). Multilevel Analyses of Neighbourhood Socioeconomic Context and Health Outcomes: A Critical Review. *Journal of Epidemiology & Community Health* 55(2):111–22. doi: 10.1136/jech.55.2.111.
- Renalds, Arlene, Tracey H. Smith, and Patty J. Hale. (2010). A Systematic Review of Built Environment and Health. *Family & Community Health* 33(1):68–78. doi: 10.1097/FCH.0b013e3181c4e2e5.

- Riley, Steven. (2007). Large-Scale Spatial-Transmission Models of Infectious Disease. *Science* 316(5829):1298–1301. doi: 10.1126/science.1134695.
- Riva, Mylène, Lise Gauvin, and Tracie A. Barnett. (2007). Toward the next Generation of Research into Small Area Effects on Health: A Synthesis of Multilevel Investigations Published since July 1998. *Journal of Epidemiology and Community Health* 61(10):853–61. doi: 10.1136/jech.2006.050740.
- Robert, Stephanie A. (1999). Socioeconomic Position and Health: The Independent Contribution of Community Socioeconomic Context. *Annual Review of Sociology* 25:489–516.
- Rollston, Rebekah, and Sandro Galea. (2020). COVID-19 and the Social Determinants of Health. *American Journal of Health Promotion* 34(6):687–89. doi: 10.1177/0890117120930536b.
- Rosenthal, Stuart S., William C. Strange, and Joaquin A. Urrego. (2021). Are city centers losing their appeal? Commercial real estate, urban spatial structure, and COVID-19. *Journal of Urban Economics* (in press). <https://doi.org/10.1016/j.jue.2021.103381>
- Ross, Catherine E., and John Mirowsky. (2008). Neighbourhood Socioeconomic Status and Health: Context or Composition? *City & Community* 7(2):163–79. doi: 10.1111/j.1540-6040.2008.00251.x.
- Sallis, J. F., Saelens, B. E., Frank, L. D., Conway, T. L., Slymen, D. J., Cain, K. L., Chapman, J. E., Kerr, J. (2009). Neighbourhood built environment and income: Examining multiple health outcomes. *Social Science & Medicine* 68: 1285-1293.
- Sampson, Robert J. (2003). The Neighbourhood Context of Well-Being. *Perspectives in Biology and Medicine* 46(3):12.

- Sarkar, Chinmoy and Chris Weber. (2017). Urban environments and human health: current trends and future directions. *Current Opinion in Environmental Sustainability* 27: 33-44.
- Sharkey, Patrick, and Jacob W. Faber. (2014). Where, When, Why, and for Whom Do Residential Contexts Matter? Moving Away from the Dichotomous Understanding of Neighbourhood Effects. *Annual Review of Sociology* 40:559–79.
- Sheehan, Connor M., Phillip A. Cantu, Daniel A. Powers, Claire E. Margerison-Zilko, and Catherine Cubbin. (2017). Long-Term Neighbourhood Poverty Trajectories and Obesity in a Sample of California Mothers. *Health & Place* 46:49–57. doi: 10.1016/j.healthplace.2017.04.010.
- Shrimali, Bina Patel, and Jackelyn Hwang. (2020). *Overcrowding in the Bay Area: Where the Housing Crisis Meets COVID-19*. San Francisco, CA: Federal Reserve Bank of San Francisco.
- Smith, K. R., Brown, B. B., Yamada, I., Kowaleski-Jones, L., Zick, C. D., Fan, J. X. (2008). Walkability and body mass index: Density, design, and new diversity measures. *American Journal of Preventive Medicine* 35: 237-244.
- de Souza, R. J., L. Gauvin, N. C. Williams, S. A. Lear, A. P. Oliveira, D. Desai, D. J. Corsi, S. V. Subramanian, A. Rana, R. Arora, G. L. Booth, F. Razak, J. R. Brook, J. V. Tu, and S. S. Anand. (2018). Environmental Health Assessment of Communities across Canada: Contextual Factors Study of the Canadian Alliance for Healthy Hearts and Minds. *Cities & Health* 2(2):163–80. doi: 10.1080/23748834.2018.1548071.
- Spring, Amy. (2018). Short- and Long-Term Impacts of Neighbourhood Built Environment on Self-Rated Health of Older Adults. *The Gerontologist* 58(1):36–46. doi: 10.1093/geront/gnx119.

- Ssentongo, Paddy, Anna E. Ssentongo, Emily S. Heilbrunn, Djibril M. Ba, and Vernon M. Chinchilli. (2020). Association of Cardiovascular Disease and 10 Other Pre-Existing Comorbidities with COVID-19 Mortality: A Systematic Review and Meta-Analysis. *PLOS ONE* 15(8):e0238215. doi: 10.1371/journal.pone.0238215.
- St-Denis, Xavier. (2020). Sociodemographic Determinants of Occupational Risks of Exposure to COVID-19 in Canada. *Canadian Review of Sociology/Revue Canadienne de Sociologie* 57(3):399–452. doi: 10.1111/cars.12288.
- Thomas, Loring J., Peng Huang, Fan Yin, Xiaoshuang Iris Luo, Zack W. Almquist, John R. Hipp, and Carter T. Butts. (2020). Spatial Heterogeneity Can Lead to Substantial Local Variations in COVID-19 Timing and Severity. *Proceedings of the National Academy of Sciences* 117(39):24180–87. doi: 10.1073/pnas.2011656117.
- Thornton, Christina M., Terry L. Conway, Kelli L. Cain, Kavita A. Gavand, Brian E. Saelens, Lawrence D. Frank, Carrie M. Geremia, Karen Glanz, Abby C. King, and James F. Sallis. (2016). Disparities in Pedestrian Streetscape Environments by Income and Race/Ethnicity. *SSM - Population Health* 2:206–16. doi: 10.1016/j.ssmph.2016.03.004.
- Treiman, D. (2009). *Quantitative Data Analysis: Doing Social Research to Test Ideas*. San Francisco: Jossey-Bass.
- Tunstall, Helena. (2005). *Neighbourhoods and Health*. Kawachi I and Berkman LF (Eds). New York: Oxford University Press Inc.
- Vaughan, Katherine B., Andrew T. Kaczynski, Sonja A. Wilhelm Stanis, Gina M. Besenyi, Ryan Bergstrom, and Katie M. Heinrich. (2013). Exploring the Distribution of Park Availability, Features, and Quality Across Kansas City, Missouri by Income and

- Race/Ethnicity: An Environmental Justice Investigation. *Annals of Behavioral Medicine* 45(1):28–38. doi: 10.1007/s12160-012-9425-y.
- Venter, Zander S., David N. Barton, Vegard Gundersen, Helene Figari, and Megan Nowell. (2020). Urban nature in a time of crisis: Recreational use of green space increases during the COVID-19 outbreak in Oslo, Norway. *Environmental Research Letters* 15: 104075. <https://doi.org/10.1088/1748-9326/abb396>
- Verhagen, Mark D., David M. Brazel, Jennifer Beam Dowd, Ilya Kashnitsky, and Melinda Mills. 2020. *Forecasting Spatial, Socioeconomic and Demographic Variation in COVID-19 Health Care Demand in England and Wales*. OSF Preprints.
- Villeneuve, Paul J., Michael Jerrett, Jason G. Su, Richard T. Burnett, Hong Chen, Amanda J. Wheeler, and Mark S. Goldberg. (2012). A Cohort Study Relating Urban Green Space with Mortality in Ontario, Canada. *Environmental Research* 115:51–58. doi: 10.1016/j.envres.2012.03.003.
- Walks, R. Alan, and Larry S. Bourne. (2006). Ghettos in Canada's Cities? Racial Segregation, Ethnic Enclaves and Poverty Concentration in Canadian Urban Areas. *The Canadian Geographer / Le Géographe Canadien* 50(3):273–97. doi: <https://doi.org/10.1111/j.1541-0064.2006.00142.x>.
- Wali, B. & L.D. (2021). Neighbourhood-level COVID-19 hospitalizations and mortality relationships with built environment, active and sedentary travel. *Health & Place*, 71, 102659.
- Wang, Qi, Nolan Edward Phillips, Mario L. Small, and Robert J. Sampson. (2018). Urban Mobility and Neighbourhood Isolation in America's 50 Largest Cities. *Proceedings of the National Academy of Sciences* 115(30):7735. doi: 10.1073/pnas.1802537115.

- Whittaker, Charles, Walker, Patrick G T, Alhaffar, Mervat, Hamlet, Arran, Djaafara, Bimandra A, Ghani, Azra, Ferguson, Neil, Dahab, Maysoon, Checchi, Francesco, Watson, Oliver J. (2021). Under-reporting of deaths limits our understanding of true burden of COVID-19. *BMJ* 375, 2239. doi: 10.1136/bmj.n2239.
- Wiemers, Emily E., Scott Abrahams, Marwa AlFakhri, V. Joseph Hotz, Robert F. Schoeni, and Judith A. Seltzer. (2020). Disparities in Vulnerability to Complications from COVID-19 Arising from Disparities in Preexisting Conditions in the United States. *Research in Social Stratification and Mobility* 69:100553. doi: 10.1016/j.rssm.2020.100553.
- Wilson, William Julius. (1987). *The Truly Disadvantaged: The Inner City, the Underclass, and Public Policy*. Chicago, IL: University of Chicago Press.
- Yang, Tse-Chuan, and Scott J. South. (2020). Neighbourhood Poverty and Physical Health at Midlife: The Role of Life-Course Exposure. *Journal of Urban Health* 97(4):486–501. doi: 10.1007/s11524-020-00444-8.

TABLES

Table 1. Neighbourhood social context by neighbourhood socioeconomic status

Neighbourhood social context	Overall	Neighbourhood Income		
		Low	Middle	High
Built environment				
Walk score	58	58	61	56
Transit score	73	74	74	72
% green space	8	8	7	8
Population density	6,261	7,745	6,292	4,682
% overcrowded households	12	17	12	7
% commercial area	3	3	5	2
Sociodemographic traits				
% racial minorities	47	64	46	30
% foreign-born	49	59	49	38
% employed	59	55	61	62
% frontline workers	48	50	48	44
% 80+ years	5	4	5	5
Spatial lag (neighbouring infections)	147	152	143	145
N	140	48	46	46

Sources: Toronto Public Health, Toronto's Open Data Catalogue, and Walk Score®.

Table 2. Growth curves predicting cumulative COVID-19 infections in neighbourhoods, pooled data

	Intercept (α)	Slope (β)				
	Onset of pandemic (3/10)	Peak of 1 st wave (4/15)	Partial reopen (6/24)	Partial reclosure (10/10)	Stay-at- home (11/24)	
Baseline	12	129 **	237 ***	371 ***	801 ***	
Built environment						
Walk score [#]	2	-36	-110 *	-154 *	-216 **	
Transit score [#]	0	-15	1	14	20	
% Green space [#]	0	20	21	16	36	
Population density [#]	0	19	51	60	23	
% Overcrowded housing [#]	-1	26	141 **	185 **	377 ***	
% Commercial areas [#]	1	16	61 *	86 *	113 **	
Sociodemographic composition						
Income level (ref.=High)						
Middle-income	-3	16	9	6	-61	
Low-income	-4	112	129	149	57	
% Visible minority [#]	-1	-13	48	68	164	
% Foreign-born [#]	1	-6	-114 *	-125	-206 *	
Employment rate [#]	-2	68	111 *	180 **	235 **	
%Frontline [#]	-3	35	85 *	122 *	206 **	
% 80 + years [#]	-1	56 *	153 ***	170 ***	191 **	
Spatial lag	-1	1	2	2	2	

Source: Open Data Source of the City of Toronto (<https://www.toronto.ca/home/covid-19/>) and Walk Score®.

Notes: [#] Standardized coefficients; ***p<0.001; ** p<0.01; *p<0.05.

Table 3. Growth curve models predicting the spread of COVID-19 by neighbourhood socioeconomic status

	Intercept	Slope (β)			
	Onset (3/10)	Peak of 1st (4/15)	Partial opening (6/24)	Partial lockdown (10/10)	Full reclosure (11/24)
A. Low-income	2	246 **	280 **	356 *	474 *
Walk score	0	-71	-101	-140	-9
Transit score	0	13	-20	8	85
% Green space	-1	41	20	20	111
Pop density	0	29	36	40	-56
% Overcrowded	-1	11	107	117	277 **
% Commercial	1	21	64	62	7
% Visible min.	-2	-55	-61	-83	-104
% Foreign-born	3	-30	4	27	74
Employment rate	-3	32	168	210	222
% Frontline	-1	27	91	145	211 *
% 80+ years	-3	24	29	13	-1
Spatial lag	0	0	1	1	1
B. Middle-income	14	164 **	209 **	324 **	674 ***
Walk score	1	-16	-28	-38	-91
Transit score	2	-54	-59	-75	-193
% Green space	2	-5	-13	1	16
Pop density	0	11	24	56	70
% Overcrowded	-2	54	139	170	246
% Commercial	0	3	22	53	100
% Visible min.	1	-14	5	29	76
% Foreign-born	0	8	-25	-14	-47
Employment rate	3	59	81	171	304 *
% Frontline	0	-3	14	61	250
% 80+ years	2	65	186 ***	226 ***	258 ***
Spatial lag	-3	2	3	3	3
C. High-income	28	92	506 ***	889 ***	1615 ***
Walk score	2	-1	-56	-75	-186
Transit score	0	43	90	114	135
% Green space	0	3	14	9	53
Pop density	2	-135	-221	-293	-238
% Overcrowded	6	-16	320 *	569 **	986 ***
% Commercial	-2	-16	130	285	420
% Visible min.	-1	-6	284 **	325 *	595 **
% Foreign-born	-8	88	-314 *	-371 *	-674 **
Employment rate	-9	101	75	46	-94
% Frontline	-9	30	105	60	87
% 80+ years	-4	78 *	248 ***	248 ***	223 **
Spatial lag	-5	4	5	5	5

Sources: Toronto Public Health, Toronto's Open Data Catalogue, and Walk Score®.

Notes: Statistical significance is indicated by: *** $p < 0.001$; ** $p < 0.01$; * $p < 0.05$.

Table 4. Summary of results

		Neighbourhood Income Level		
		Low-income	Middle-income	High-income
Overall				
Built environments				
Walk score	Slower	Slower	Slower	Slower
Transit score	Faster	Faster	Slower	Faster
Green space	Faster	Faster	Slower/Faster	Faster
Population density	Faster	Faster	Faster	Slower
% Overcrowded households	Faster	Faster	Faster	Faster
% Commercial areas	Faster	Faster	Faster	Faster
Sociodemographic profiles				
Lower income	Faster			
% Racial minority	Faster	Slower	Faster	Faster
% Foreign-born	Slower	Faster	Slower	Slower
Employment rate	Faster	Faster	Faster	Faster
% Frontline workers	Faster	Faster	Faster	Faster
% 80 years and older	Faster	Faster	Faster	Faster
Spatial lag	Faster	Faster	Faster	Faster

Notes: Table summarizes the patterns of association between each independent variable and the spread of COVID-19 infections in Tables 2 and 3.

FIGURE

Figure 1. Cumulative COVID-19 Rates (Per 100,000) by Neighbourhood Income

Sources: Authors' calculations based on data from Toronto Public Health and Toronto's Open Data Catalogue.

Notes: Figure shows the cumulative COVID-19 infection rate (per 100,000 residents) from January 21 to October 10, 2020 according to neighbourhood socioeconomic status. The five time points on the x -axis refer to: the onset of the pandemic (March 10), the officially designated peak of the first wave (April 15), the partial reopening of the City's economy (June 24), partial lockdown of the City's economy due to emergence of the second wave of the pandemic (October 10), and full reclosure and stay-at-home orders issued (November 24).

APPENDIX

Table A1. Other neighbourhood sociodemographic traits and dimensions of built environments by socioeconomic status

	Neighbourhood SES		
	Low	Middle	High
	(48)	(46)	(46)
Neighbourhood characteristics			
<i>A. Built Environments</i>			
Grocery Score [®]	59.6	65.6	55.1
% Workers who rely on public transportation	39.8	38.4	34.1
Number of bars	3.8	6.2	3.1
Number of community housing units	696.5	316.8	107.2
Number of high-density residential buildings	31.4	36.8	27
% Urban Medical facilities	47.9	17.4	23.9
% Transit hub	45.8	56.5	56.5
<i>B. Sociodemographic Composition</i>			
% Black	12.6	8.7	4.8
% South Asian	15.2	9.9	7.1
% East Asian	22.6	16.8	11.2
% Latinx	3.0	3.7	2.3
Ethnic diversity	69.1	60.0	45.1
% Neither speaks English or French	6.1	5.2	2.4
% 65+ years	15.0	15.5	17.5
% Less than HS	12.8	11.9	6.5
% Health workers	5.9	5.3	6.3

Notes: This table displays the distributions of additional covariates we considered including in our models but could not do so due to multicollinearity (see main text for more details).

TABLE A2. Growth curves predicting cumulative COVID-19 infections in neighbourhoods, zero-order association, pooled data

	<u>Intercept</u> (α)	<u>Slope</u> (β)					
	Onset of pandemic	Peak of 1 st wave	Partial reopen		Partial reclosure		Stay-at-home
	(3/10)	(4/15)	(6/24)		(10/10)		(11/24)
Baseline							
Built environment							
Walk score [#]	1.15	-23.04	-140.08	***	-182.33	***	-405.80 ***
Transit score [#]	0.65	-13.99	-80.58	*	-85.37		-233.26
% Green space [#]	-0.36	23.08	69.20		82.02		207.78 **
Population density [#]	0.25	4.24	-23.89		-20.05		-111.48
% Overcrowded housing [#]	-1.82	34.41	192.88	***	282.75	***	580.36 ***
% Commercial areas [#]	0.81	1.46	34.57		82.19		82.19
Sociodemographic composition							
Income level (ref.=High)							
Middle-income	-2.17	11.91	79.83		150.89		292.01
Low-income	-3.52	73.59	231.56	*	329.81	*	611.85 ***
% Visible minority [#]	-1.61	19.97	124.91	***	181.83	***	439.14 ***
% Foreign-born [#]	-1.61	26.56	131.70	***	187.90	***	406.91 ***
% Frontline [#]	-2.14	35.47	196.58		286.98	***	583.12 ***
Employment rate [#]	1.48	-22.53	-142.15	***	-173.29	**	-404.57 ***
% 80 + years [#]	-0.83	27.00	85.17	*	74.88		71.78
Spatial lag	-1.08	1.31	1.84		1.86		1.92

Sources: Toronto Public Health, Toronto's Open Data Catalogue, and Walk Score®.

Notes: Statistical significance is indicated by: *** $p < 0.001$; ** $p < 0.01$; * $p < 0.05$.

TABLE A3 Growth curves predicting cumulative COVID-19 infections in neighbourhoods, zero-order association, Specific by SES.

	Intercept		Slope (β)		
	Onset (3/10)	Peak of 1st (4/15)	Partial opening (6/24)	Partial lockdown (10/10)	Full reclosure (11/24)
A. Low-income					
Walk score	1.38	-26.43	-134.32 *	-174.97 *	-380.55 ***
Transit score	0.48	-15.99	-88.95	-100.95	-239.74 *
% Green space	1.09	13.43	34.63	22.79	91.37
Pop density	-0.54	-58.59	-242.24 *	-277.34	-580.99 *
% Overcrowded	-0.80	10.17	171.71 **	241.98 **	534.81 ***
% Commercial	0.08	-40.87	-192.72	-133.04	-337.29
% Visible min.	-0.37	-48.03	27.09	36.36	272.32
% Foreign-born	-3.20	62.78	209.52 *	337.14 *	674.70 ***
Employment rate	0.94	29.41	-34.67	-47.62	-284.94
% Frontline	-1.68	29.81	204.62 **	311.47 ***	620.84 ***
% 80+ years	-1.35	-19.73	-104.17	-154.30	-213.25
Spatial lag	0.16	0.08	0.67	0.72	0.72
B. Middle-income					
Walk score	1.10	-36.02	-199.89 ***	-256.08 **	-566.85 ***
Transit score	0.82	-39.70	-147.16 *	-168.76 *	-389.04 ***
% Green space	-0.63	4.00	41.24	57.74	141.26
Pop density	1.83	-17.42	-147.44	-174.90	-452.21 **
% Overcrowded	-1.54	28.47	236.22	349.72	797.71
% Commercial	0.72	-0.25	57.82	125.51	209.68 *
% Visible min.	-1.01	14.52	119.09	163.79	469.22 ***
% Foreign-born	-0.71	28.12	172.90 *	231.02 *	519.64 **
Employment rate	1.27	-21.71	-155.21 **	-181.29 *	-445.69 ***
% Frontline	-1.89	13.79	159.53 **	225.61 **	531.44 ***
% 80+ years	-0.51	57.65	196.84 **	223.21 *	307.42 *
Spatial lag	-1.57	1.60	2.27	2.29	2.33
C. High -income					
Walk score	1.24	-11.49	-113.46	-156.31	-354.63 **
Transit score	1.14	1.24	-47.35	-45.93	-180.93
% Green space	-1.53	49.53	123.45	155.88	380.11 *
Pop density	0.49	6.41	-2.91	-1.13	-69.77
% Overcrowded	-3.91	73.34	317.26 ***	519.76 ***	969.84 ***
% Commercial	1.39	7.44	34.04	52.33	-23.58

% Visible min.	-2.25	35.14	177.27 *	288.26 **	672.25 ***
% Foreign-born	0.13	-42.95	-15.37	-39.63	54.95
Employment rate	1.03	-34.48	-180.17 *	-194.71	-369.93
% Frontline	-2.16	46.57	233.40 **	331.08 ***	647.21 ***
% 80+ years	-1.23	46.57	163.52 **	167.64 *	182.05
Spatial lag	-2.08	2.45	2.73	2.74	2.89

Sources: Toronto Public Health, Toronto's Open Data Catalogue, and Walk Score®.

Notes: Statistical significance is indicated by: *** $p < 0.001$; ** $p < 0.01$; * $p < 0.05$.

Figure A1. Daily COVID-19 infection rates (per 100,000 residents)

Source: Authors' calculations based on data from Toronto Public Health.

Notes: Figure shows the daily infection rate (per 100,000 residents) of COVID-19 in the City of Toronto (Ontario, Canada) from January 21 to November 24, 2020. The five time points on the x -axis refer to: the onset of the pandemic (March 10), the officially designated peak of the first wave (April 15), the partial reopening of the City's economy (June 24), partial lockdown of the City's economy due to emergence of the second wave of the pandemic (October 10), and full reclosure and stay-at-home orders issued (November 24).

Figure A2. Distribution of neighbourhoods by income level

Source: Authors' calculations based on the City of Toronto's Open Data

Notes: Map shows the 140 neighbourhoods in the City of Toronto according to their income category.

Neighbourhoods are classified into three groups—low-, middle-, and high-income—based on the share of residents whose after-tax income falls below Statistics Canada's low-income cut-off (LICO). Low-income neighbourhoods are those in which the share of residents with incomes below the LICO falls in the top tercile (i.e., 19.1% or above). Middle-income neighbourhoods are those whose share of residents with incomes below the LICO falls in the middle tercile (i.e., greater than or equal to 13.8% and less than 19.1%). High-income neighbourhoods are those in which the share of residents with incomes below LICO falls in the bottom tercile (i.e., less than 13.8%).

Figure A3. LISA cluster map for neighbourhoods in Toronto

Source: Authors' calculations based on the City of Toronto's Open

Notes: Maps show Local Indicators of Spatial Association (LISA) of COVID-19 cases by neighbourhood and time period. "Low-high" neighbourhoods (in light blue) are those with low COVID-19 counts, surrounded by neighbourhoods with high counts. "High-low" neighbourhoods (in light red) are those with high COVID-19 counts, surrounded by neighbourhoods with low counts. "Low-low" neighbourhoods (in dark blue) are those that have low counts themselves and are surrounded by other neighbourhoods with low counts. "High-high" neighbourhoods (in red) are those that have high counts themselves and are surrounded by other neighbourhoods with high counts. Neighbourhoods with statistically non-significant LISA ($p > .10$) are in white. Low-income neighbourhoods (those in the top tercile based on the LICO measure) are outlined in black.